CITY OF LINCOLN REGULAR CITY COUNCIL MEETING AGENDA APRIL 17, 2023 6:00 PM

- 1. Call to Order
- 2. Roll Call
- 3. Pledge of Allegiance
- 4. Public Participation
- 5. Consent Agenda By Omnibus Vote

All items under the Consent Agenda are considered to be routine in nature and/or non-controversial and will be approved by one motion. If anyone wishes to have a separate vote on any item, it will be pulled from the Consent Agenda and voted on separately.

- A. Payment of Bills
- B. Approval of Request to Permit the closing of various City Streets from the Lincoln Park District for a 5K Run on Saturday, August 26, 2023 from 5:00 a.m. until 9:00 a.m.
- C. Approval of Request to Permit the closing of various City Streets from the Lincoln Park District for the Fourth of July Children's Parade on Tuesday, July 4, 2023 from 10:00 a.m. until 11:00 a.m.

6. Ordinances and Resolutions

- A. Resolution approving the content of Certain Executive Session Meeting Minutes of the City Council of the City of Lincoln.
- B. Ordinance Authorizing the Sale of Excess Personal Property.
- C. Resolution for Engineering Services for design of Fifth Street Road in an amount not to exceed \$280,000.00.
- D. Ordinance Amending the Liquor Regulations of the City of Lincoln.
- E. Ordinance Amending Section 3-22 of the Lincoln City Code "Parklets".

7. Bids

Approval of Contract for the Mowing of Nuisance Properties to Eugene Mehan Lawn Services for a two-year period.

8. Reports

- A. City Treasurer's Report for March, 2023
- B. City Clerks Report for March, 2023
- C. Department Head Reports for March, 2023

9. New Business/Communications

- A. Approval of Agreement for Professional Services between the City of Lincoln and Crawford, Murphy & Tilley, Inc. for design services for replacement of the existing influent screen, grit system components, associated gates, piping, and electrical work.
- B. Approval of Contractor's Pay Application No. 23 and final from Plocher Construction Co., Inc. for the Lincoln CSO Improvements in an amount not to exceed \$74,383.38.
- C. Approval of the installation of the new control panel at the Drying Bed Lift Station by Britton Electronics and Automation, Inc. in an amount not to exceed \$15,620.00.
- D. Approval of Mayoral Proclamation for the Arbor Day Celebration on April 28, 2023.
- E. Approval of the improvement of Tremont Street through the use of Rebuild Illinois Funds.
- F. Approval of the upgrade of the City Hall elevator by Kone, Inc. Elevators & Escalators in an amount not to exceed \$175,000.00 from ARPA Funds.

10. Announcements

- 11. Possible Executive Session
- 12. Adjournment

We welcome the participation of persons with disabilities at all City of Lincoln meetings. If auxiliary aid or service is required for most effective participation and communication, please notify the City Clerk's Office at 217-735-2815 or cityclerk@lincolnil.gov no later than 48 hours prior to the meeting time.

THE CITY OF LINCOLN


Date Received

REQUEST TO PERMIT EVENT WITH STREET CLOSURE RECEIVED **Must Have Council Approval**

| Date(s) of Event: Hugust 26 | , 2023 Acor | py of this form must be available at the Event! |
|---|---|---|
| Please describe below your rec | quest for use of City I | Property. |
| Description of Event (include | ling participating merch | nants, vendors, exhibitors, and units, etc.) |
| The Lincoln G Balloons Ouer | Park District | in Conjunction with like to host a 5k from My Park on august 26th |
| Location of Event Property: Items occupying street spandate(s) and time(s) for usan Are licenses needed, if yes | ce utilized: Legaco ge of Property: Quad , please attach. YES | NO SAM- 9AM |
| Street Closures and Parking | Street(s) will be close | d (Please attach map or sketch of all closures.) |
| will be fully | Closed | hed map. No loads |
| Closed froma.f | h./p.m. until | a.m./p.m. (circle a.m. or p.m.) |
| If different times on different days, Does this street normally have acce | please specifyss to a permitted parkin | g lot? Specify, |
| Certificate of Insurance Liabili | ty for event must be | attached to request before approval. |
| Business/Organization/Sponsor Contact Name: Tennific Address: 1400 Primm Phone: Business: 217-132-9 | Prather Rd. | Signature: 217-732-9889 |
| Police Department: Fire Department: Street Department: | Meiste J. | Mayor: |

As soon as all signatures are obtained, you will be contacted at the phone number you provided.

If your special event will be held more than once during this year with the same location and arrangements, you may use the same application with a change in dates.





Certificate No.: 3 Member Number: 0025

CERTIFICATE OF COVERAGE

This Certificate is issued as a matter of information only and confers no rights upon the Certificate holder. This Certificate does not amend, extend or alter the coverage afforded by the coverage document(s) listed below.

NAME & ADDRESS OF MEMBER:

Lincoln Park District 1400 Railer Way Lincoln, IL 62656

This is to certify that the coverage document(s) listed below have been issued to the Member named above and are in force at this time. Notwithstanding any requirement, term or condition of any agreement or other document with respect to which this Certificate may be issued or may pertain, the coverage(s) afforded is subject to all the terms, exclusions and conditions of the Coverage Agreement(s).

TYPE OF COVERAGE

EFFECTIVE DATE

EXPIRATION DATE

LIMIT OF COVERAGE

General Liability

7/1/2022

8/1/2023

\$2,000,000

CANCELLATION: Should the above described coverage document(s) be cancelled, the Illinois Parks Association Risk Services will endeavor to mail 30 days written notice to the below named Certificate holder, but failure to mail such notice shall impose no obligation or liability of any kind upon the pool.

SPECIAL CONDITIONS/OTHER COVERAGES: as respects your 4th of July Parade

NAME & ADDRESS OF CERTIFICATE HOLDER: City of Lincoln

700 Broadway Street Lincoln, IL 62656 DATE ISSUED: 6/14/2022

Authorized Representative

MAR 2 8 2023

Yeahs

Vote: Council Approval

Date:

THE CITY OF LINCOLN

Fire Department: ______
Street Department: \[\lambda_{\text{*}} \]

Date Received


RECEIVED

REQUEST TO PERMIT EVENT WITH STREET CLOSURE **Must Have Council Approval** A copy of this form must be available at the Event! Date(s) of Event: Please describe below your request for use of City Property. Description of Event (including participating merchants, vendors, exhibitors, and units, etc.) Location of Event Property: (Address Utilized Space) 303 S. Kickagoo to 1400 Items occupying street space utilized: OF (art Scooters, Bikers, Walkers, Stro Date(s) and time(s) for usage of Property: 10 am - 11 am Are licenses needed, if yes, please attach. YES (NO Street(s) will be closed (Please attach map or sketch of all closures.) Street Closures and Parking If closed, which streets and blocks? Se attached Mad /Wyatt, a.m/p.m. (circle a.m. or p.m.) De Closed from If different times on different days, please specify. Does this street normally have access to a permitted parking lot? Specify, 1 Certificate of Insurance Liability for event must be attached to request before approval. Business/Organization/Sponsor Name: Contact Name: 100 Address: 1400 Krimm Signature Phone: Business: 21 APPROVED: (signatures) Police Department:

As soon as all signatures are obtained, you will be contacted at the phone number you provided.

If your special event will be held more than once during this year with the same location and arrangements, you may use the same application with a change in dates.





RESOLUTION 2023 -

A RESOLUTION APPROVING THE CONTENT OF CERTAIN EXECUTIVE SESSION MEETING MINUTES OF THE CITY COUNCIL OF THE CITY OF LINCOLN

| THIS RESOLUTION is made and adopted by the C | CITY COUNCIL OF THE CITY OF |
|---|--------------------------------------|
| LINCOLN, LOGAN COUNTY, ILLINOIS, at a regular | meeting held in the City Council |
| Chambers in said City on the day of | , 2023, WITNESSETH: |
| WHEREAS, the CITY OF LINCOLN is a municipal | corporation located in Logan County, |
| Illinois; and | |

WHEREAS, the City Council has considered it necessary, on occasion, to meet in executive session and have conducted said meetings in accordance with the requirements of the 'Open Meetings Act' (5 ILCS 102/1, et seq.); and

WHEREAS, the minutes of the Executive Sessions have been duly recorded by the City Clerk pursuant to the regulations of the Open Meetings Act; and

WHEREAS, pursuant to 5 ILCS 120/2.06(a) of the Open Meetings Act, the City is required to keep a verbatim recording of their executive sessions in the form of audio or video recording; and

WHEREAS, the City of Lincoln has complied with the requirement of keeping written recordings of the Executive Session minutes along with audio or video recordings; and

WHEREAS, the City of Lincoln believes that the minutes should at this time remain confidential and not be released to the public for inspection;

NOW, THEREFORE, IT IS HEREBY RESOLVED by the CITY COUNCIL OF THE CITY OF LINCOLN, as follows:

- 1. That the recitals outlined above are incorporated herein as if appearing herein verbatim.
- 2. The City Council of the City of Lincoln find and hereby declare that the executive session minutes or portions thereof expressly identified are approved:

3.

| time and not be made available to the pubic | to inspect. |
|---|--|
| 4. That this Resolution is effect | tive immediately upon passage of the same. |
| | |
| The vote on the adoption of this Resolution | was as follows: |
| Alderman Parrott | Alderman Hoefle |
| Alderwoman Horn | Alderwoman Rohlfs |
| Alderman Downs | Alderman Zurkammer |
| Alderman Bateman | |
| Ayes: | |
| Nays: | |
| Absent: | |
| Abstain: | |
| | |
| Passed and approved this day of | , 2023. |
| | CITY OF LINCOLN, |
| | |
| | BY: |
| | Tracy Welch, Mayor City of Lincoln, Logan County, Illinois |
| | |
| ATTEST: | (SEAL) |
| City Clerk, City of Lincoln, | |

Logan County, Illinois

The minutes of said executive session meetings shall remain confidential at this

ORDINANCE NO.

ORDINANCE AUTHORIZING THE SALE OF EXCESS PERSONAL PROPERTY

| THIS ORDINANCE is made and adopte | ed by the CITY COUNCIL OF THE CIT | 7 |
|--------------------------------------|---|----|
| OF LINCOLN, LOGAN COUNTY, ILLINOIS | S, at a regular meeting held in the Ci- | ty |
| Council Chambers in said City on the | _ day of, 202 | 3 |
| WITNESSETH: | | |

WHEREAS, the CITY OF LINCOLN is a municipal corporation located in Logan County, Illinois; and

WHEREAS, the City owns the items of personal property outline in Exhibit A that were previously utilized by the City Clerks Office of the City of Lincoln, Logan County, Illinois; and

WHEREAS, the City owns the following item of personal property outline in Exhibit B that were previously used by the Police Department of the City of Lincoln, Logan County, Illinois; and

WHEREAS, the City Council of the City of Lincoln, Logan County, Illinois, pursuant to 65 ILCS 5/11-76-4, wishes to authorize the sale of such above described personal property by authorizing the appropriate respective department head to sell or dispose of the items described in Exhibit A through B; and

WHEREAS, it is in the best interest of the citizens of the City of Lincoln, Logan County, Illinois, that all such described personal property be sold, since it is no longer necessary for City purposes;

NOW, THEREFORE, IT IS HEREBY ORDAINED by the CITY COUNCIL OF THE CITY OF LINCOLN, as follows:

- 1. That the above listed recitals are incorporated as if appearing herein verbatim.
- 2. That the personal property as hereinabove described is determined to be no longer necessary or useful for City purposes and is, therefore, excess personal property.

- 3. That each Department shall be authorized to sell or properly dispose of the personal property listed in Exhibits A through B above for a price believed to be in the best interest of the City of Lincoln.
- 4. That should any clause, sentence, or paragraph of this Ordinance be declared to be invalid by any Court of competent jurisdiction, such invalidity shall not effect any other portion of said Ordinance.
- 5. Effective Date. That this Ordinance is effective immediately upon passage and publication in pamphlet form.

| The vote | e on the adoption of this Ordinance | was as follows: | |
|----------|--|------------------|--|
| A | Alderman Parrott | Alderman Hoefle | |
| A | Alderwoman Horn | Alderman Downs | |
| A | Aldermwoman Rohlfs | Alderman Bateman | |
| A | Alderman Zurkammer | | |
| Ayes: _ | | | |
| Nays: | | | |
| | | | |
| | | | |
| P | Passed and approved this day o | of, 2023 | |
| | | CITY OF LINCOLN | · • |
| | | | |
| | | - | Welch, Mayor , Logan County, Illinois |
| ATTES 7 | Γ: | (SEAL) | |
| | City Clerk, City of Lincoln, Logan County, Illinois | | |

EXHIBIT A

Lincoln City Clerk's Office Surplus Items

HP Laser Jet Printer P3015 S/N VNB3522538 3 Dell Towers #20527591538 #20527498226 #20526098546

ASUS Monitor J5LMTF028129

Computer Speakers CN-OTH 760-71623-69A-2166

2 Sharp Calculators # VX-2652 # EL-1197P111

2 Office Chairs #CA37902CN #05T1430508

3 CPU Tower Carts

EXHIBIT B

Lincoln Police Department List

| MDC - DELL | Serial Number | Notes |
|---------------------------|--------------------|-------|
| Latitude 14 Rugged (5404) | 27353790649 | MDC 1 |
| | 25177008313 | MDC 2 |
| | 16446317689 | MDC 3 |
| | 11451186361 | MDC 4 |
| | 24451414201 | MDC 5 |
| | 29530572985 | MDC 6 |
| COMPUTERS | | |
| COMPUTERS Dell | N28DJA00 | |
| Dell | F2FG0A01 | |
| Dell | W74F4A01 | |
| Dell | N2MGMA00 | |
| HP (all in one computer) | 8CC8410J0F | |
| ELO (all in one computer) | 1173022495 | |
| ELO (all in one computer) | 1173022844 | |
| Dell XPS Laptop | 0D501F7016686J0875 | |
| Dell Power Edge R350 | 2VP8WM3 | |
| HP Monitor | CNN75115GZ | |
| PRINTER | | |
| HP Laser Jet Pro 400 | CNDF353712 | |

| CAMERAS | Serial Number |
|---------------------|-------------------|
| Axis | ACCC8EC92F8C |
| Axis | B8A44F3C8651 |
| Axis | B8A44F36354C |
| Axis | ACCC8ED027C8 |
| Axis | ACCC8E7FF88C |
| Arecont Vision | 00-1A-07-17-71-E8 |
| Arecont Vision | 00-1A-07-17-71-BD |
| Arecont Vision | 00-1A-07-17-72-0A |
| Arecont Vision | 00-1A-07-17-71-AS |
| Arecont Vision | 00-1A-07-17-6F-B8 |
| Arecont Vision | 00-1A-07-17-6F-DE |
| Arecont Vision | 00-1A-07-17-6F-D3 |
| Arecont Vision | 00-1A-07-17-6F-50 |
| Arecont Vision | 00-1A-07-17-71-73 |
| Arecont Vision Dome | 00-1A-07-18-97-69 |
| Arecont Vision Dome | 00-1A-07-18-97-53 |
| Arecont Vision Dome | 00-1A-07-18-97-63 |
| Arecont Vision Dome | 00-1A-07-18-A9-A8 |
| | 00-1A-07-18-A8- |
| Arecont Vision Dome | CD |
| | `00-1A-07-18-A8- |
| Arecont Vision Dome | D2 |
| Arecont Vision Dome | 00-1A-07-18-A8-E2 |
| Arecont Vision Dome | 00-1A-07-18-A8-EB |
| Arecont Vision Dome | 00-1A-07-18-97-56 |



Resolution for Improvement Under the Illinois Highway Code

| Is this project a bondable capital improvemen | nt? | Re | esolution | Туре | Resolution Number | Section Number |
|---|---|--|---|---|--|---|
| ∑ Yes ☐ No | | 0 | riginal | | | 98-00081-00-PV |
| BE IT RESOLVED, by the Council | | | | of the | City | |
| - G | overning Body Ty | | | | Local Pub | lic Agency Type |
| of Lincoln | Illine | ois that th | ne follow | ring descr | ribed street(s)/road(s)/s | tructure be improved under |
| Name of Local Public Agency the Illinois Highway Code. Work shall be don | e by Contract Contract | or Day Lai | bor | | | |
| For Roadway/Street Improvements: Name of Street(s)/Road(s) | Length (miles) | Rou | ute | | From | То |
| 5th Street Road | 1.6 | | | I-55 | Į. | incoln Parkway |
| For Structures: | | | | | | |
| Name of Street(s)/Road(s) | Existin Structure | | Route | | Location | Feature Crossed |
| BE IT FURTHER RESOLVED, | | | | | | |
| That the proposed improvement shall con | | | | | | |
| Engineering Services for design of Fi | ifth Street Ro | ad | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| That there is hereby appropriated the sum | of TWO HUI | NDRED |) EIGH | TY THO | DUSAND AND NO/ | 100 |
| That there is hereby appropriated the sum | of TWO HUI | NDRED | | | | |
| | | | Do | ollars (| | 100) for the improvement of |
| That there is hereby appropriated the sumsaid section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk | llotment of Moto | or Fuel Ta | Do ax funds | ollars(| \$280,000.00 |) for the improvement of |
| said section from the Local Public Agency's a | llotment of Moto | or Fuel Ta | Do ax funds | ollars(| \$280,000.00 |) for the improvement of |
| said section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk of the Department of Transportation. | llotment of Moto is hereby direct | or Fuel Ta | Do ax funds | ollars(ır (4) certi | \$280,000.00 |) for the improvement of olution to the district office |
| said section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk of the Department of Transportation. I, Peggy Bateman | illotment of Moto is hereby direct City | or Fuel Ta ed to tran | Do Do Do Do Do Do Do Do Do Do Do Do Do D | ollars(ur (4) certi C | \$280,000.00 |) for the improvement of olution to the district office |
| said section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk of the Department of Transportation. I, Peggy Bateman Name of Clerk | illotment of Motoris hereby direct | or Fuel Ta ed to tran | Do ax funds nsmit fou gency Ty | ollars (| \$280,000.00 ified originals of this results of the |) for the improvement of colution to the district office |
| said section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk of the Department of Transportation. I, Peggy Bateman Name of Clerk of Lincoln | illotment of Motoris hereby direct | or Fuel Ta ed to tran | Do ax funds nsmit fou gency Ty | ollars (| \$280,000.00 ified originals of this results of the |) for the improvement of colution to the district office |
| said section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk of the Department of Transportation. I, Peggy Bateman Name of Clerk | illotment of Moto is hereby direct City Loca in t | or Fuel Ta ed to tran al Public A the State | ax funds nsmit fou gency Ty aforesai | ollars (C .ur (4) certionC .peC .d, and ke | \$280,000.00 ified originals of this residerk in and for said City |) for the improvement of colution to the district office |
| said section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk of the Department of Transportation. I, Peggy Bateman Name of Clerk of Lincoln Name of Local Public Agency statute, do hereby certify the foregoing to be a | illotment of Moto is hereby direct City Loca in t | or Fuel Ta ed to tran al Public A the State | ax funds nsmit fou gency Ty aforesai | ollars (C .ur (4) certionC .peC .d, and ke | \$280,000.00 ified originals of this residerk in and for said City |) for the improvement of clution to the district office / Local Public Agency Type I files thereof, as provided by |
| said section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk of the Department of Transportation. I, Peggy Bateman Name of Clerk of Lincoln Name of Local Public Agency statute, do hereby certify the foregoing to be a | City Coca in taction of the coca coca coca coca coca coca coca coca | or Fuel Ta ed to tran al Public A the State | Do ax funds nsmit fou gency Ty aforesai | ollars (If (4) certified the cert | \$280,000.00 ified originals of this residerk in and for said City exper of the records and esolution adopted by |) for the improvement of clution to the district office / Local Public Agency Type I files thereof, as provided by |
| said section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk of the Department of Transportation. I, Peggy Bateman Name of Clerk of Lincoln Name of Local Public Agency statute, do hereby certify the foregoing to be a Council | City Loca in t a true, perfect an | or Fuel Ta ed to tran al Public A the State a nd comple of Local Pi | Do ax funds nsmit fou gency Ty aforesai lete origi | ollars (| \$280,000.00 ified originals of this residerk in and for said City exper of the records and esolution adopted by at a meeting held or |)) for the improvement of colution to the district office Local Public Agency Type I files thereof, as provided by April 11, 2023 |
| said section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk of the Department of Transportation. I, Peggy Bateman Name of Clerk of Lincoln Name of Local Public Agency statute, do hereby certify the foregoing to be a Governing Body Type IN TESTIMONY WHEREOF, I have hereunto | City Loca in t a true, perfect an | or Fuel Ta ed to tran al Public A the State a nd comple of Local Pi | Do ax funds nsmit fou gency Ty aforesai lete origi ublic Agei | ollars (| \$280,000.00 ified originals of this residers in and for said City eper of the records and esolution adopted by at a meeting held or |)) for the improvement of colution to the district office Local Public Agency Type I files thereof, as provided by April 11, 2023 |
| said section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk of the Department of Transportation. I, Peggy Bateman Name of Clerk of Lincoln Name of Local Public Agency statute, do hereby certify the foregoing to be a Council of Governing Body Type | City Loca in t a true, perfect an | or Fuel Ta ed to tran al Public A the State a nd comple of Local Pi | Do ax funds nsmit fou gency Ty aforesai lete origi ublic Agei | ollars (| \$280,000.00 ified originals of this residerk in and for said City eper of the records and esolution adopted by at a meeting held or |)) for the improvement of colution to the district office Local Public Agency Type I files thereof, as provided by April 11, 2023 |
| said section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk of the Department of Transportation. I, Peggy Bateman Name of Clerk of Lincoln Name of Local Public Agency statute, do hereby certify the foregoing to be a Governing Body Type IN TESTIMONY WHEREOF, I have hereunto | City Loca in t a true, perfect an | or Fuel Ta ed to tran al Public A the State a nd comple of Local Pi | Do ax funds nsmit fou gency Ty aforesai lete origi ublic Agei | ollars (| \$280,000.00 ified originals of this residers in and for said City eper of the records and esolution adopted by at a meeting held or |)) for the improvement of colution to the district office Local Public Agency Type I files thereof, as provided by April 11, 2023 |
| said section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk of the Department of Transportation. I, Peggy Bateman Name of Clerk of Lincoln Name of Local Public Agency statute, do hereby certify the foregoing to be a Governing Body Type IN TESTIMONY WHEREOF, I have hereunto | City Loca in t a true, perfect an | or Fuel Ta ed to tran al Public A the State a nd comple of Local Pi | Do ax funds nsmit fou gency Ty aforesai lete origi ublic Agei | ollars (| \$280,000.00 ified originals of this resider in and for said City exper of the records and esolution adopted by at a meeting held or Month, Year elerk Signature & Date |) for the improvement of colution to the district office / Local Public Agency Type I files thereof, as provided by April 11, 2023 Date |
| said section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk of the Department of Transportation. I, Peggy Bateman Name of Clerk of Lincoln Name of Local Public Agency statute, do hereby certify the foregoing to be a Governing Body Type IN TESTIMONY WHEREOF, I have hereunto | City Loca in t a true, perfect an | or Fuel Ta ed to tran al Public A the State a nd comple of Local Pi | Do ax funds nsmit fou gency Ty aforesai lete origi ublic Agei | ollars (Corpe Id, and keen and of a mand of a ma | \$280,000.00 ified originals of this resider in and for said City exper of the records and esolution adopted by at a meeting held or Month, Year elerk Signature & Date | olution to the district office Local Public Agency Type I files thereof, as provided by April 11, 2023 Date |
| said section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk of the Department of Transportation. I, Peggy Bateman Name of Clerk of Lincoln Name of Local Public Agency statute, do hereby certify the foregoing to be a Governing Body Type IN TESTIMONY WHEREOF, I have hereunto | City Loca in t a true, perfect an | or Fuel Ta ed to tran al Public A the State a nd comple of Local Pi | Do ax funds nsmit fou gency Ty aforesai lete origi ublic Agei | ollars (Cross of a not contain the cross | \$280,000.00 ified originals of this resider in and for said City eper of the records and esolution adopted by at a meeting held or Month, Year elerk Signature & Date | olution to the district office Local Public Agency Type I files thereof, as provided by April 11, 2023 Date |
| said section from the Local Public Agency's a BE IT FURTHER RESOLVED, that the Clerk of the Department of Transportation. I, Peggy Bateman Name of Clerk of Lincoln Name of Local Public Agency statute, do hereby certify the foregoing to be a Governing Body Type IN TESTIMONY WHEREOF, I have hereunto | City Loca in t a true, perfect an | or Fuel Ta ed to tran al Public A the State a nd comple of Local Pi | Do ax funds nsmit fou gency Ty aforesai lete origi ublic Agei | ollars (Cross of a not contain the cross | \$280,000.00 ified originals of this resider in and for said City eper of the records and esolution adopted by at a meeting held or Month, Year elerk Signature & Date Applegional Engineer Signa | olution to the district office Local Public Agency Type I files thereof, as provided by April 11, 2023 Date |

Instructions for BLR 09110 - Page 1 of 2

NOTE: Form instructions should not be included when the form is submitted.

This form shall be used when a Local Public Agency (LPA) wants to construct an improvement using Motor Fuel Tax(MFT) funds. Refer to Chapter 9 of the Bureau of Local Roads and Streets Manual (BLRS Manual) for more detailed information. For signature requirements refer to Chapter 2, Section 3.05(b) of the BLRS Manual.

When filling out this form electronically, once a field is initially completed, fields requiring the same information will be auto-populated.

Is this project a bondable capital

improvement?

Check Yes if the project was a bondable capital improvement, check no if it is not. An example of a bondable capital project may include, but is not limited to: project development, design, land acquisition, demolition when done in preparation for additional bondable construction, construction engineering, reconstruction of a roadway, designed overlay extension or new construction of roads, bridges, ramps, overpasses and underpasses, bridge replacement and/or major bridge rehabilitation. Permanent ADA sidewalk/ramp improvements and seeding/sodding are eligible expenditures if part of a larger capital bondable project. A bondable capital improvement project does not mean the LPA was required to sell bonds to fund the project, however the project did meet the criteria to be bondable.

Resolution Number Enter the resolution number as assigned by the LPA, if applicable.

Resolution Type From the drop down box choose the type of resolution:

- Original would be used when passing a resolution for the first time for this project.

- Supplemental would be used when passing a resolution increasing appropriation above

previously passed resolutions.

- Amended would be used when a previously passed resolution is being amended.

Section Number Insert the section number of the improvement the resolution covers.

Governing Body Type From the drop down box choose the type of administrative body. Choose Board for County;

Council for a City or Town; President and Board of Trustees for a Village or Town.

LPA Type From the drop down box choose the LPA body type. Types to choose from are: County,

City, Town or Village.

Name of LPA insert the name of the LPA.

Contract or Day Labor From the drop down choose either Contract or Day Labor.

Roadway/Street Improvements:

Name Street/Road Insert the name of the Street/Road to be improved. For additional locations use the Add

button.

Length Insert the length of this segment of roadway being improved in miles.

Route Insert the Route Number of the road/street to be improved if applicable.

From Insert the beginning point of the improvement as it relates to the Street/Road listed to the left.

To Insert the ending point of the improvement as it relates to the Street/Road listed to the left.

Structures:

Name Street/Road Insert the name of the Street/Road on which the structure is located. For additional locations

use the Add button.

Existing Structure No. Insert the existing structure number this resolution covers, if no current structure insert n/a.

Route Insert the Route number on which the structure is located.

Location Insert the location of the structure.

Feature Crossed Insert the feature the structure crosses.

1 Insert a description of the major items of work of the proposed improvement.

2 Insert the dollar value of the resolution for the proposed improvement to be paid for with MFT

funds in words followed by in the same amount in numerical format in the ().

Printed 04/05/23 BLR 09110 (Rev. 01/18/23)

Instructions for BLR 09110 - Page 2 of 2

Name of Clerk Insert the name of the LPA clerk.

LPA Type Insert the type of clerk based on the LPA type. Types to choose from are: County, City,

Town or Village.

Name of LPA Insert the name of the LPA.

Governing Body Type Insert the type of administrative body. choose Board for County; Council for a City or Town;

President and Board of Trustees for a Village or Town

Name of LPA Insert the name of the LPA.

Date Insert the date of the meeting.

Day Insert the day Clerk is signing the document.

Month, Year insert the month and year of the Clerk's signature.

Seal The Clerk shall seal the document here, if required. If a seal is required, electronic signatures

should not be used.

Clerk Signature Clerk shall sign here.

Approved The Department of Transportation shall sign and date here once approved.

A minimum of three (3) certified signed originals must be submitted to the Regional Engineer's District office OR email PDF completed form with electronic signatures to your local District LRS office.

Following IDOT's approval, distribution will be as follows:

Local Public Agency Clerk

Engineer (Municipal, Consultant or County)

District

ORDINANCE NO.

ORDINANCE AMENDING THE LIQUOR REGULATIONS OF THE LINCON CITY CODE

| THIS ORDINANACE is made and adopted by the CITY COUNCI | L OF THE |
|--|---------------|
| CITY OF LINCOLN, LOGAN COUNTY, ILLINOIS, at a regular meeting held | d in the City |
| Council Chambers in said City on the day of | , 2023, |
| WITNESSETH: | |

WHEREAS, the CITY OF LINCOLN is a municipal corporation located in Logan County, Illinois; and

WHEREAS, the CITY OF LINCOLN acknowledges that video surveillance is necessary to be required of liquor establishments, and likely are already in use by the liquor establishments; and

WHEREAS, the CITY OF LINCOLN would like to enact an exterior safety plan requirements and interior video surveillance requirements in order to protect the citizenry of Lincoln, thereby creatin 3-7-25; and

. WHEREAS, the CITY OF LINCOLN would like these requirements to be mandatory, with non-compliance would entitle a liquor establishment to be revoked;

NOW, THEREFORE, IT IS HEREBY ORDAINED by the CITY COUNCIL OF THE CITY OF LINCOLN, as follows:

- 1. That the City of Lincoln will create a new 3-7-25 to require an exterior safety plan and interior surveillance in all liquor establishments. (see attached exhibit A).
- 2. That the City of Lincoln will create a new provision in 3-7-22 (D) to make non-compliance with 3-7-25 subject to revocation of a liquor license. (see attached exhibit B).
 - 3. Effective Date. That this Ordinance is effective upon passage of the same.

| The vote on the adoption of this Ordinance | was as follows: |
|--|--|
| Alderman Parrott | Alderman Zurkammer |
| Alderwoman Horn | Alderwoman Rohlfs |
| Alderman Hoefle | Alderman Bateman |
| Alderman Downs | |
| Ayes: | |
| Nays: | |
| Absent: | |
| Abstain: | |
| Passed and approved this day o | f, 2023. |
| | CITY OF LINCOLN, |
| | BY: Tracy Welch, Mayor City of Lincoln, Logan County, Illinois |
| ATTEST: | (SEAL) |
| City Clerk, City of Lincoln, Logan County, Illinois | |

EXHIBIT A

CHAPTER 3-7-25

VIDEO SURVEILLANCE REQUIREMENTS

SECTION:

3-7-25-1: Purpose

3-7-25-2: Definitions

3-7-25-3: Rules and Regulations

3-7-25-1: PURPOSE:

Any individual or entity being issued to sell or otherwise dispense liquor within the municipal boundaries of the City shall comply with the following Rules and Regulations.

3-7-25-2: DEFINITIONS:

As used in this Chapter, the following definitions shall apply:

ADJACENT PROPERTY: Means (1) any public way located immediately next to a licensed establishment, if such public way is used by the licensee or by patrons, agents or employees of the licensee as a means of entry to or egress from the licensed establishment: or (2) any private property that is located immediately next to the licensed establishment, if such private property is owned, leased or rented by the licensee; or (3) any private property separated from the licensed establishment by a public way and located immediately next to such public way, if such private property is owned, leased or rented by the licensee. For purposes of this definition, the term "public way" means any sidewalk, street, alley, highway or other public thoroughfare.

EXTERIOR SAFETY PLAN: Means a required or mandatory safety plan which addresses the quality of life for residents in the surrounding neighborhood, provides patrons with a safe environment when exiting and entering the establishment, and reduces the need for police resources. Additionally, an exterior safety plan must prevent the following conditions: excessive noise caused by patrons leaving or entering the premises; loitering or littering by such patrons; fighting or other

criminal activity by such patrons; and the congregation of departing patrons in such numbers so as to unreasonably impede vehicular or pedestrian traffic flow. The plan shall provide evidence satisfactory to the local liquor commissioner and chief of police for the following: the installation of adequate exterior lighting in accordance with rules prescribed herein; the installation and maintenance of surveillance cameras installed at each building exit utilized by the general public, and employed and lighted in such a manner to identify persons entering or exiting the building between the hours of ten o'clock (10:00) P.M. and close. Recordings from the surveillance camera shall be maintained for not less than thirty (30) days and, upon request, shall be made available to members of the Police Department. The failure to submit an adequate exterior safety plan as required by this subsection shall be grounds to deny an application for a liquor license or renewal thereof. The failure to adequately implement, maintain or execute an adequate exterior safety plan shall be grounds for suspension or revocation of the liquor license.

INTERIOR VIDEO SURVEILLANCE PLAN: Means a required mandatory interior video surveillance which monitors the interior of the building. The plan shall provide evidence satisfactory to the local liquor commissioner and chief of police for the following: the installation of adequate interior lighting in accordance with rules prescribed herein; the installation and maintenance of surveillance cameras that encompass the areas accessible to the public (excluding bathrooms). Recordings from the surveillance camera shall be maintained for not less than thirty (30) days and, upon request, shall be made available to members of the Police Department. The failure to submit an adequate interior video surveillance as required by this subsection shall be grounds to deny an application for a liquor license or renewal thereof. The failure to adequately implement, maintain or execute an adequate interior video surveilance shall be grounds for suspension or revocation of the liquor license.

LICENSEE: Means any person holding the Local Liquor License, and includes the employees and agents of such licensee and any person having control over the day-to-day management of the licensed establishment.

3-7-22-3: RULES AND REGULATIONS

(A) An exterior safety plan required for Liquor License holders shall apply to the licensed establishment and adjacent property. The interior video surveillance requirements shall apply to the licensed establishment.

(B) The exterior safety plan and interior video surveillance shall be implemented by the licensee between the hours of ten o'clock (10:00) P.M. and until one (1) hour after the licensed establishment is closed for business.

(C) The licensee shall:

- 1. Promptly notify the Police Department via the 9-1-1 emergency telephone system of any illegal activity reported to or observed by the licensee or the on-site management team, on or within sight of the licensed premises or adjacent property; and
- 2. Shall enter into logbook all incidents of illegal activity reported or required to be reported to the Police Department, including the date and time the incident was reported to the Police Department; a brief summary of the incident; the name of the person reporting the incident; and, if a cellular phone was used to report the incident, the telephone number of the cellular telephone.
- (D) Between the hours of ten o'clock (10:00) P.M. and until one (1) hour after the licensed establishment is closed for business, the licensee shall have the following duties:
- 1. Prevent persons from congregating in front of the licensed establishment or on adjacent property; and
- 2. Pick up garbage in front of and curbside of the licensed establishment and adjacent property; and
- 3. Notify the Police Department of any illegal activity reported to or observed individuals on or within sight of the licensed premises or adjacent property.
- (E) If an employee or agent of the licensee is charged by the licensee with responsibility for carrying out any of the duties for implementing or maintaining any part of the licensee's exterior safety plan, and the person charged with such responsibility fails to perform such responsibility, the licensee shall be deemed to have failed to adequately implement or maintain an adequate exterior safety plan.
- (F) For purposes of "adequate exterior lighting" means lighting that: (1) is sufficient to enable the surveillance cameras defined under subsection "(A) Exterior Safety Plan" to produce easily discernible images and (2) illuminates the front and sides of each entry and exit way of the premises as used by patrons of the licensee.

For the purposes of "adequate interior lighting" means lighting that is sufficient to enable the surveillance cameras defined under subsection "(A) Interior Video Surveillance" to produce easily discernible images.

- (G) The surveillance cameras defined and required under subsection "(A) Exterior Safety Plan" and "(A) Interior Video Surveillance", shall comply with the following requirements:
 - 1. The cameras shall be video surveillance cameras of sufficient number, type, placement, and location to view and record all activity in the front and on all sides of each entry and exit way used by patrons of the licensee for a distance of fifteen feet (15'), as measured from the point of entry or exit; and
 - 2. The cameras shall be sufficiently light sensitive and provide sufficient image resolution (supported by additional lighting, if necessary) to produce easily discernible images; and
 - 3. The images recorded by each camera shall be capable of being viewed through use of appropriate technology, including but not limited to, compact disc or digital video disc; and
 - 4. The images recorded by each camera shall be capable of being transferred to a portable form of media, including but not limited to, compact disc or digital video disc; and
 - 5. The cameras shall not have an audio capability; and
 - 6. The cameras shall be maintained in good working condition; and
 - 7. Recordings from the surveillance camera shall be maintained for not less than thirty (30) days and, upon request, shall be made available to members of the Police Department during the investigation of a complaint. At all times between the hours of open until close, the licensee shall have on staff or otherwise available without undue delay a person capable of operating the required cameras to produce any requested recorded image(s) and to transfer those images to a portable form of media, including but not limited to, a USB drive, portable hard drive, a compact disc or digital video disc; and

- 8. All recordings made by the required cameras shall be stored by the licensee on the licensed premises in a locked receptacle located in a controlled access area accessible only to authorized personnel or shall otherwise be secured in a manner accessible only to authorized personnel. The licensee shall enter into a logbook all instances of requests for, access to, and dissemination and use of any recorded material made or captured by the required video surveillance cameras, including the date and time such entry was made, the reason why such entry was made, and the name of the person making the request or accessing, disseminating, or using the recorded material. The licensee shall make copies of the logbook available; upon request, for inspection by the local liquor commissioner, an authorized officer from the Police Department or other authorized government personnel; and
- 9. The licensee shall post signage, in a conspicuous manner and at appropriate locations, notifying the public that video surveillance cameras are in operation.
- (H) The exterior safety plan and interior video surveillance required under subsection (A) and approved by the local liquor commissioner shall become a condition of the license, and the licensee, all principal officers of the licensee and any person with a five percent (5%) or more ownership interest in the licensee shall be bound by its terms. It shall be posted in the licensed establishment, in a conspicuous location, directly next to the business and/or liquor license certificate. The failure to post or adhere to an approved exterior safety plan shall constitute legal grounds to initiate license disciplinary proceedings against such licensee, including but not limited to, license suspension or revocation.
- (I) If there is a change of ownership or of officers of the licensee, the exterior safety plan and interior video surveillance required under subsection (A) and approved by the local liquor control commissioner shall be enforceable against any new owner(s) or officer(s); provided, however, that if application is made for a liquor license, the applicant for such license shall be required to submit an exterior safety plan and interior video surveillance plan meeting the requirements of subsection previously describe in these Rules and Regulations.

EXHIBIT B

§ 3-7-22Revocation Of License.

[Ord. 2019-892, 1-7-2019; amended Ord. 2019-901, 8-19-2019]

The Mayor shall have power to grant licenses and to revoke for cause any or all licenses issued to persons for the sale of alcoholic liquors within the City, and he shall revoke any retail liquor dealer's license for any violation of any of the provisions of this chapter or for any violation of any state law pertaining to the sale of alcoholic liquor.

Any license issued under this chapter may be suspended or revoked by the local liquor commissioner for any one of the following reasons:

- (A) Violation of the laws of the state or of the United States, or of any of the provisions of this chapter.
- (B) The willful making of any false statement as to a material fact in application for a license.
- (C) Permitting any illegal, disorderly or immoral practices upon licensed premises.
- (D) Non Compliance with the exterior safety plan or interior video surveillance requirements as outlined in 3-7-25.

Upon the filing of any written complaint against a licensee alleging any of the aforesaid causes for revocation, the local liquor control commissioner may cause such licensee to appear before the local liquor control commissioner and may examine witnesses in regard to the complaint, and in the event of such a hearing, the licensee may appear and bring in witnesses to testify thereon.

The Mayor as local liquor control commissioner may suspend for not more than 30 days, as provided in 235 Illinois Compiled Statutes 5/4-4, or revoke for cause any liquor dealer's license for any violation of any provision pertaining to the sale of alcoholic liquor, as provided and in the manner provided in 235 Illinois Compiled Statutes 5/7-5.

Any appeals taken to the Illinois state liquor control commission from decisions made by the Lincoln liquor control commission shall be heard by the Illinois state liquor control commission strictly on the record, pursuant to 235 Illinois Compiled Statutes 5/7-9.

ORDINANCE NO.

AN ORDINANCE AMENDING SECTION 3-22 OF LINCOLN CITY CODE "PARKLETS"

| THIS ORDINANCE is made and adopted by the CITY COUNCIL OF THE | HE CITY |
|--|----------|
| OF LINCOLN, LOGAN COUNTY, ILLINOIS, at a regular meeting held in | the City |
| Council Chambers in said City on the day of | _, 2023 |
| WITNESSETH: | |

WHEREAS, the CITY OF LINCOLN is a municipal corporation located in Logan County, Illinois; and

WHEREAS, the CITY OF LINCOLN previously passed an ordinance creating a new chapter in this Lincoln City Code titled 'parklets'; and

WHEREAS, the CITY OF LINCOLN notes that at the time of passage the application for a parklet had a requirement for adjacent property owners to sign off on the application; and

WHEREAS, the CITY OF LINCOLN desires to amend that language to negate that requirement via Mayor approval when the situation calls for it;

NOW, THEREFORE, IT IS HEREBY ORDAINED by the CITY COUNCIL OF THE CITY OF LINCOLN, as follows:

- 1. The City of Lincoln will amend Title 3 Chapter 22 Part 4 to add language that the requirement of adjacent property owner approval can be circumnavigated in certain situations via Mayor approval. (See below Exhibit).
- 2. Effective Date. That this Ordinance is effective immediately upon passage of the same.

| The vote on the adoption of this Ordinance | was as follows: |
|---|--|
| Alderman Parrott | Alderwoman Rohlfs |
| Alderman Downs | Alderman Zurkammer |
| Alderman Hoefle | Alderman Bateman |
| Alderwoman Horn | |
| Ayes: | |
| Nays: | |
| Abstain: | |
| | |
| Passed and approved this day o | f, 2023. |
| | CITY OF LINCOLN, |
| | BY: Tracy Welch, Mayor City of Lincoln, Logan County, Illinois |
| ATTEST: City Clerk, City of Lincoln, Logan County, Illinois | (SEAL) |
| Logan County, minors | |

EXHIBIT A

3-22-4: Parklet applications.

- (A) Each applicant for a parklet license shall submit and file an application with the City Clerk, together with three copies of a development plan (as defined below) and the appropriate fee. The application shall set forth:
 - 1. The name, address, and phone number of the applicant;
 - 2. The name, address, and phone number of the owner of the adjacent building (if other than the applicant);
 - 3. The name, address, and phone number of the person who has prepared the development plan; and
 - 4. Shall be accompanied by the written authorization and approval of the owner of the adjacent building (if other than the applicant). This requirement can be circumvented via Mayor written approval.
 - 5. The development plan, which is a written plan setting forth the following information (and such other additional information, if any, as may be subsequently requested by the Town):
 - a. description of the adjacent building and a description of all properties immediately adjacent to such building;
 - b. description of the proposed design and location of the parklet and all temporary structures, equipment, and apparatus to be used in connection with its operation, including tables, chairs, planters, awnings, lighting, and electrical outlets (if any);
 - c. statement of the seating capacity of the proposed parklet and of the existing business actually operated by the applicant in the adjacent building;
 - d. diagram demonstrating that pedestrian traffic along the sidewalk upon which the parklet is proposed to be located will in no way be impeded; and
 - e. description of the proposed location of the parklet showing the actual dimensions of the area to be utilized and the building, street, and sidewalk upon which it fronts and on which it is to be located.
 - 6. Required insurance policy and waiver of liability
 - 7. Indemnification agreement.
 - 8. Maintenance agreement.
 - License fee.

MEMORANDUM

TO: Mayor Tracy Welch and Members of the City Council

FROM: Wes Woodhall, Building and Safety Official

DATE: April 11, 2023

RE: Award of Contract for the Mowing of Nuisance Properties in the City of Lincoln

Background: The Building and Safety Department is tasked with maintaining derelict/nuisance properties throughout the city. This process is part of the Code Enforcement portion of this department.

Analysis/Discussion: Request for proposals for hourly rates of mowing services was posted publicly and the proposals were opened on April 4, 2023 at 9:00 a.m. We received one bid from Eugene Mehan Lawn Service for \$40/hr. This is based on a 1/hr. minimum, after that, the rates are calculated by ½ /hr. increments. A typical yard or project takes roughly one hour, this of course varies based on size, severity and services requested. Mr. Mehan has provided this service to the city for 9 years and has always performed well and to a high standard. He has always been punctual, easy to work with and responsive to requests. Building and Safety Department staff is comfortable recommending the City of Lincoln enter into a 2-year contract with Mr. Mehan to continue this service.

COW Recommendation: Place on Council agenda for discussion of recommendation.

Fiscal Impact: Funds for this service is taken out of budget line item 02-0224-6450.

<u>Council Recommendation:</u> Approve staff recommendation of hiring Eugene Mehan Lawn Service for nuisance mowing services for a 2-year period.

2023 STANDARD AGREEMENT FOR PROFESSIONAL SERVICES

| THIS AGREEMENT made between <u>City of Lincoln</u> , whereinafter called the CLIENT and Crawford, Murphy & Ti Springfield, Illinois 62702, hereinafter called the ENGINEER. | whose address is <u>700 Broadway Street, Lincoln, Illinois 62656,</u> lly, Inc., Consulting Engineers, 2750 West Washington Street, |
|--|--|
| WITNESSETH, that whereas the CLIENT desires the following architectural services: | described professional engineering, land surveying or |
| Design services for replacement of the existing influent and electrical work. | screen, grit system components, associated gates, piping |
| | |
| | |
| NOW THEREFORE, the ENGINEER agrees to provide the abo ENGINEER for these services in the manner checked below: | ve described services and the CLIENT agrees to compensate the |
| On a time and expense basis using a 3.0 multiplier times the which is subject to change. Reimbursable direct expenses performed by another firm will be invoiced at cost plus ten process. | e direct personnel labor cost for the applicable billing classification, s will be invoiced at cost. Professional or Subconsultant services percent. |
| At the lump sum amount of \$ | |
| IT IS MUTUALLY AGREED THAT, payment for services render by the ENGINEER. | ered shall be made monthly in accordance with invoices rendered |
| IT IS FURTHER MUTUALLY AGREED: | |
| associated costs are estimated at <u>\$89,000</u> . The ENGINEER sauthorization from the CLIENT. The ENGINEER shall inform the | lined in Exhibit A, Scope of Services. The Scope of Services and shall not exceed the estimated fee without the expressed written ne CLIENT on a monthly basis of the progress/status of work and n writing if the fee is reached and shall not continue work until the |
| other party hereto in respect to all the covenants and agreem ENGINEER shall assign, sublet or transfer any part of his inter | ers, successors, executors, administrators and assignees to each nents herein and, except as above, neither the CLIENT nor the rest in this AGREEMENT without the written consent of the other and performance, shall be governed and construed in accordance ect to the General Conditions attached hereto. |
| IN WITNESS WHEREOF, the parties hereto have affixed their h | nands and seals this day of, 2023. |
| CLIENT: | ENGINEER: |
| (Client Name) | CRAWFORD, MURPHY & TILLY, INC. |
| (Olien Name) | |
| (Signature) | (Signature) |
| (Name and Title) | (Name and Title) |
| Date | Date |
| CMT Job No. | |

STANDARD GENERAL CONDITIONS Crawford, Murphy & Tilly, Inc.

1. Standard of Care

In performing its professional services hereunder, the **ENGINEER** will use that degree of care and skill ordinarily exercised, under similar circumstances, by members of its profession practicing in the same or similar locality. No other warranty, express or implied, is made or intended by the **ENGINEER'S** undertaking herein or its performance of services hereunder.

2. Reuse of Document

All documents including Drawings and Specifications prepared by **ENGINEER** pursuant to this Agreement are instruments of service. They are not intended or represented to be suitable for reuse by **CLIENT** or others on extensions of the Project or on any other project. Any reuse without written verification or adaptation by **ENGINEER** for the specific purpose intended will be at **CLIENT'S** sole risk and without liability or legal exposure to **ENGINEER**; and **CLIENT** shall indemnify and hold harmless **ENGINEER** from all claims, damages, losses and expenses including attorneys' fees arising out of or resulting therefrom.

Termination

This Agreement may be terminated by either party upon seven days prior written notice. In the event of termination, the **ENGINEER** shall be compensated by the client for all services performed up to and including the termination date, including reimbursable expenses, and for the completion of such services and records as are necessary to place the **ENGINEER'S** files in order and/or to protect its professional reputation.

4. Parties to the Agreement

The services to be performed by the **ENGINEER** under this Agreement are intended solely for the benefit of the **CLIENT**. Nothing contained herein shall confer any rights upon or create any duties on the part of the **ENGINEER** toward any person or persons not a party to this Agreement including, but not limited to any contractor, subcontractor, supplier, or the agents, officers, employees, insurers, or sureties of any of them.

Construction and Safety

The **ENGINEER** shall not be responsible for the means, methods, procedures, techniques, or sequences of construction, nor for safety on the job site, nor shall the **ENGINEER** be responsible for the contractor's failure to carry out the work in accordance with the contract documents.

Payment

Payment for services rendered shall be made monthly in accordance with invoices rendered by the **ENGINEER**. If payment is to be on a lump sum basis, monthly payments will be based on the portion of total services completed during the month. Invoices, or any part thereof, which are not paid within 30 days after the date of issue shall bear interest at the rate of 1-1/2% for each month or fraction thereof from the date 30 days after issue to time of payment. **CLIENT** will pay on demand all collection costs, legal expenses and attorneys' fees incurred or paid by **ENGINEER** in collecting payment, including interest, for services rendered.

7. Indemnification for Release of Pollutants

If this project does not involve pollutants, this provision will not apply. This provision may not be deleted if the project involves pollutants.

If, due to the nature of the service covered under this Agreement including the potential for damages arising out of the release of pollutants, **CLIENT** agrees that in the event of one or more suits or judgments against **ENGINEER** in favor of any person or persons, or any entity, for death or bodily injury or loss of or damage to property or for any other claimed injury or damages arising from services performed by **ENGINEER**, **CLIENT** will indemnify and hold harmless **ENGINEER** from and against liability to **CLIENT** or to any other persons or entities irrespective of Engineer's compensation and without limitation. It is understood that the total aggregate liability of **ENGINEER** arising from services performed by **ENGINEER** shall in no event exceed \$50,000 or the total compensation received under this agreement whichever is greater, irrespective of the number of or amount of such claims, suits, or judgments.

8. Risk Allocation Check box if this does not apply

The total liability, in the aggregate, of the **ENGINEER** and **ENGINEER**'s officers, directors, employees, agents and consultants, and any of them, to **CLIENT** and anyone claiming by, through or under **CLIENT**, for any and all injuries, claims, losses, expenses or damages arising out of the **ENGINEER'S** services, the project or this agreement, including but not limited to the negligence, errors, omissions, strict liability or breach of contract of **ENGINEER** or **ENGINEER'S** officers, directors, employees, agents or consultants, or any of them, shall not exceed the total compensation received by **ENGINEER** under this agreement, or the total amount of \$50,000, whichever is greater.

9. Project Schedule and Scope

Based on the schedule objectives provided by CLIENT, ENGINEER will develop a schedule of important milestones as necessary for the project for CLIENT'S review and approval. ENGINEER will monitor performance of services for conformance with the schedule and will notify CLIENT of any necessary changes to or deviations from the schedule. Where required by approved project schedule, ENGINEER will present the required deliverables and complete the required tasks at the appropriate intervals for CLIENT'S review and approval prior to payment.

EXHIBIT A

SCOPE OF SERVICES

WWTP HEADWORKS DESIGN

Deliverables for this project include construction documents suitable for bidding and construction. An engineer's opinion of probable construction cost is also included.

The ENGINEER will prepare the aforementioned deliverables as follows:

- Preliminary design to select and size equipment
- Final design; construction documents suitable for bidding and construction
- Bidding phase

The following are key items in producing the construction documents described above:

- Prepare a quality assurance plan (QAP) that includes the following:
 - Project work plan
 - Kick-off meeting, both internal and external
 - o Monitor project schedule and effort
 - Provide for quality assurance activities and quality control of deliverables
 - Document project development reviews
 - Assess client satisfaction with services
- Construction plans and specifications reflective of the client requirements for the following items:
 - o Influent screen and associated gates
 - o Grit pump and motor
 - Upgrades to the vortex grit system
 - Replacement of flushing valves
 - New baffle system
- Technical plans and specifications shall include the following disciplines:
 - o Site Civil
 - o Process Mechanical
 - o Structural
 - o Electrical
- Obtain the necessary permits
- Attend coordination meetings as needed
- Submit 60% and 90% construction documents to City and obtain feedback.
- Respond to inquiries during the bidding phase

The Client will:

• Provide review comments in a timely manner for both the 60% and 90% construction documents submittals.

| EJCDC | | Contractor's | Application for | Payment No. | 23 | | | |
|--|---|--|---------------------|--|-----------------------------|-----------------|--|--|
| ENGINEERS JOINT CONTRACT DOCUMENTS COMMITTEE | ř =: | Application Through 12/31/2022 Period: | | Application Date: 3/31/2023 | | | | |
| To (Owner): | City of Lincoln, IL | From (Contractor): Plocher Construction | Company, Inc. | Via (Engineer): Crawford, Murphy, & Tilly, Inc | | | | |
| Project: Lincoln CSO Impro | ovements | Contract: Lincoln CSO Improves | ments | | | | | |
| Owner's Contract No.: | 18003702 | Contractor's Project No.: | 3840 | Engineer's Project No.: | | | | |
| | Application For Payment Change Order Summary | | | | | | | |
| Approved Change Orders | Omning Order Bulliana | | 1. ORIGINAL CONTRA | ACT PRICE | | \$12 200 000 00 | | |
| Number | Additions | Deductions | | e Orders | | | | |
| 1 | \$1,312.50 | | | ce (Line 1 ± 2) | | | | |
| 2 | \$16,025.50 | | | D AND STORED TO DAT | | 313,400,724,73 | | |
| 3 | \$17,748.73 | | | rogress Estimates) | | \$13.406.724.73 | | |
| 4 | \$3,536,00 | | 5. RETAINAGE: | ogress Estimites/minimi | | 313,400,724.73 | | |
| 5 | \$4,934.00 | | 8. | х | Work Completed \$ | | | |
| 6 | | \$2,229.00 | b. | v - | Stored Material 5 | | | |
| 7 | \$58,726.00 | | 1 | Retninage (Line 5.a + Line : | | | | |
| 8 | \$1,823,00 | | | E TO DATE (Line 4 - Line | | | | |
| 10 | \$4,848.00 | | | YMENTS (Line 6 from pr | | | | |
| TOTALS | \$108,953.73 | \$2,229,00 | | S APPLICATION | | | | |
| NET CHANGE BY | | | 9. BALANCE TO FINIS | | | 3/4,383,38 | | |
| CHANGE ORDERS | \$106, | ,724.73 | | ogress Estimates + Line 5.0 | c above)\$ | 0.00 | | |
| (1) All previous progress payme | iffies, to the best of its knowledge, ints received from Owner on accou discharge Contractor's legitimate | the following: unt of Work done under the Contract obligations incurred in connection with | Payment of: \$ | 74.383.38 | attach explanation of the o | ther amount) | | |
| the Work covered by prior Appli (2) Title to all Work, materials a covered by this Application for I | ications for Payment; ind equipment incorporated in said Payment, will pass to Owner at tim | Work, or otherwise listed in or | is recommended by: | Show ? | Bouly | 4/4/2023 | | |
| Liens, security interests, and end | cumbrances (except such as are con- a such Liens security interest, or e | vered by a bond acceptable to Owner | | (Engine | eer) | (Date) | | |
| (3) All the Work covered by the and is not defective. | Application for Payment is in acc | cordance with the Contract Documents | Payment of: \$ | 74.383.38 | | | | |
| | | | is approved by: | (Line 8 or other - | attach explanation of the o | her amount) | | |
| Contractor Signature | Mila | | | (Own | er) | (Date) | | |
| By: Scott Plocher, Presid | dent | Date: 8/29/2023 | Approved by: | Funding or Financing E | entity (if applicable) | (Date) | | |

| ontract): | | | Lincoln CSO Improvements | | | Application Number: | 23 | | | |
|-----------------|--------------|----------------|--|------------------------------|------------------------------------|---------------------|------------------------|-----------------------------------|------------|----------------------|
| ntion Period; | | | Through 12/31/2022 | Application Date: 3/31/2023 | | | | | | |
| | | | | | Work Completed | | mpleted B | | | G |
| | | | Α | В | С | D | Materials Presently | Total Completed | | Balance to Fini |
| Structure | Bid Item No. | Material/Labor | Description | Scheduled Value (\$) | From Previous Application (C+D) | This Period | Stored (not in C or D) | and Stored to Date (C + D + E) | % (F/B) | (B-F) |
| Administration | | L | Mobilization | \$300,000.00 | \$300,000.00 | | | \$300,000,00 | 100.0% | |
| Trointing and a | | 710 | Bonds & Insurance | \$150,000.00 | \$150,000.00 | | | \$150,000,00 | 100.0% | |
| | 1 | | General Conditions (apread over 18 months) First Flush Tank Slab Rapair 4" | \$5(0),000,00 \$38,460,00 | \$500,000.00 | | + | \$500,000.00 | 100.0% | Ato Ion |
| Unii Prices | 2 | | First Flush Tank Slab Repair 6" | \$35,910.00 | - | | | | | \$38,460 \$85,910 |
| | 3 | L | Layout | \$18,500.00 | \$18,500.00 | | | \$18,500,00 | 100.0% | 383,910 |
| | 3 | L | Site Stripping/Grading | \$77,190.00 | \$77,190.00 | | | \$77,190.00 | 100.0% | |
| | 3 | L | Site Demo | \$50,000,00 | \$50,000.00 | | | \$50,000.00 | 100.0% | |
| | 3 | L | Quality Control & Testing | \$70,000.00 | \$70,000.00 | | | \$70,000.00 | 100.0% | |
| | 3 | М | Erosion Control/SWPPP | \$15,000.00 | \$15,000,00 | | + | \$15,000.00 | 100.0% | |
| | 3 | L | Erosion Control/SWPPP | \$30,000,00 | \$30,000.00 | | | \$10,000,000 | 100,070 | |
| | 3 | М | Dewstering System & Support | \$30,000.00 | \$30,000.00 | | | \$30,000.00 | 100,0% | |
| | 3 | L | Dowstering System & Support | \$60,000.00 | \$60,000.00 | | | \$60,000,00 | 100.0% | |
| | 3 | M | Temporary Access Roads/Staging Area | \$30,000.00 | \$30,000.00 | | | \$30,000.00 | 100,0% | |
| | 3 | L | Temporary Access Roads/Staging Area | \$32,000.00 | \$32,000.00 | | | \$32,000,00 | | |
| | 3 | M | Bituminous Asphalt Paving - Entrance Road | \$90,000.00 | \$90,000.00 | | | \$90,000,00 | 100.0% | |
| | 3 | L | Bituminous Ambalt Paving - Entrance Road | \$60,000.00 | \$60,000.00 | | | \$60,000,00 | 100.0% | |
| | 3 | M | Bituminous Asphalt Paving - Around Structures | \$24,000.00 | \$24,000.00 | | | \$24,000,00 | 100,0% | |
| | 3 | L | Bituminous Apphalt Paving - Around Structures | \$24,000.00 | \$24,000.00 | | | \$24,000.00 | 100.0% | |
| | 3 | M | Appreprie Surfacing | \$10,000.00 | \$10,000.00 | | | \$10,000.00 | 100.0% | |
| | 3 | L | Aggregate Surfacing | \$25,000.00 | \$25,000.00 | | | \$25,000.00 | 100,0% | |
| | 3 | M | Rip Rap | \$15,000.00 | \$15,000.00 | | | \$15,000.00 | 100,0% | |
| | 3 | L | Rip Rap | \$15,000.00 | \$15,000.00 | | | \$15,000.00 | 100.0% | |
| | 3 | M | Fence/Gate - Removal & New Install | \$5,000,00 | \$5,000.00 | | | \$5,000,00 | 100.0% | |
| | 3 | L | Fence/Cate - Removal & New Install | \$10,000.00 | \$10,000.00 | | | \$10,000.00 | 100.0% | |
| | 3 | М | Site Seeding/Topsoil | \$10,000.00 | \$10,000.00 | | | \$10,000.00 | 100.0% | |
| | 3 | L | Site Seeding/Topsoil | \$10,000,012 | \$10,000.00 | | | \$10,000,00 | 100,0% | |
| | 3 | М | Bollards | \$12,000.00 | \$12,000.00 | | | \$12,000.00 | 100.0% | |
| | 3 | L | Bollards | \$10,000.00 | \$10,000,00 | | | \$10,000.00 | 100.0% | |
| | 3 | L | Utility Locate/Pothole/Hydro-Excavation | \$15,000.00 | \$15,000.00 | | | \$15,000.00 | 100,0% | |
| | 3 | М | Electrical Duclbank | \$40,000.00 | \$40,000,00 | | | \$40,000.00 | 100.0% | |
| | 3 | L | Electrical Ducthank | \$60,000.00 | \$60,000.00 | | | \$60,000,00 | 100.0% | |
| | 3 | М | Sectionalizing Cabinet | \$2,500.00 | \$2,500.00 | | | \$2,500.00 | 100.0% | |
| | 3 | L | Sectionalizing Cabinet | 00.000,E2 | \$3,000.00 | | | \$3,000.00 | 100.0% | |
| | 3 | M . | Electrical Wire & Conduit | \$50,000.00 | \$50,000.00 | | | \$50,000.00 | 100.0% | |
| | 3 | M | Electrical Wire & Conduit | \$90,000.00 | \$90,000.00 | | | 00.000,002 | 100.0% | |
| | 3 | L | Hendholds Handholds | \$15,000.00 | \$15,000,00 | | | \$15,000.00 | 100.0% | |
| | 3 | L L | Electrical Testing | \$10,000.00 | \$10,000,000 | | | \$10,000.00 | 100.0% | |
| | 3 | M | Manholes | \$15,000,00 | \$15,000.00 | | | \$15,000.00 | 100.0% | |
| | 3 | L | Manholes Manholes | \$46,000.00 | \$46,000.00 | | | \$46,000,00 | 100.0% | |
| | 3 | L | Remove Existing Storm Sewer Pipe | \$25,000,00 | \$25,000.00 | | | \$25,000.00 | 100.0% | |
| | 3 | M | Relocate Hydrants | \$10,000.00 | \$10,000.00 | | _ | \$10,000,00 | 100.0% | |
| | 3 | L | Relocate Hydrants | \$1,000,00 | 00.000,12 | | | \$1,000.00 | 100.0% | |
| | 3 | M | 60" OFRPM - Chlorine Contact Influent | \$1,000.00 | 00,000,1\$ | | 1 | 00,000,12 | 100.0% | |
| | 3 | L | 60" GFRPM - Chlorine Contact Influent | \$80,000,000 | \$80,000,00 | | | \$80,000.00 | 100,0% | |
| | 3 | M | 60" OFRPM - Swirl Concentrator Influent Pipe | \$20,000,00 | \$20,000,00 | | | \$20,000.00 | 100.0% | |
| | 3 | L | 60" GFRPM - Swirl Concentrator Influent Pipe | \$65,000,00 \$12,000.00 | \$65,000,00 | | | \$65,000.00 | 100.0% | |
| | 3 | м | 60" OFRPM - Chlorine Contact Effluent Pipe | \$12,000,00 | \$12,000.00 \$65,000,00 | | | \$12,000,00 | 100.0% | |
| | 3 | l. | 60" GFRPM - Chlorine Contact Effluent Pipe | \$12,000.00 | | | | \$65,000.00 | 100.0% | |
| | 3 | M | 60" GFRPM - First Flush Tank Influent Pipe | | \$12,000.00 | | | \$12,000.00 | 100.0% | |
| | 3 | L | 60* GFRPM - First Flush Tank Influent Pipe | \$65,000.00 | \$65,000,00 | | | \$65,000.00 | 100.0% | |
| | 3 | M | 72" GFRPM - CSO Influent Pipe | \$13,000.00 \$85,500.00 | \$13,000.00 | | + | \$13,000.00 | 100.0% | |
| | 3 | i i | 72" OFRPM - CSO Influent Pipe | \$19,500.00 | \$85,500,00 | | - | \$85,500.00 | 100.0% | |
| | 3 | M | 12" DIP - First Flush Tank Acration Pipe | \$19,500.00 | \$19,500,00 \$26,000.00 | | | \$19,500.00 | 100,0% | |
| | 1 | L | 12" DIP - First Flush Tank Aerotion Pipe | \$20,000.00 | \$26,000.00 | | _ | \$26,000,00 | 100.0% | |
| | 3 | M | 12" DIP - Pump STA Droin | \$20,000.00 | \$29,000.00 | | + | \$29,000.00 | 100,0% | |
| | 3 | 1 | 12" DIP - Pump STA Drain | \$20,000.00 | \$20,000.00 | | _ | \$20,000.00 \$20,000.06 | 100.0% | |

| not); | | | Lincoln CSO Improvements | | | Application Number: 23 | | | | | | |
|--------------------------------|--------------|----------------|---|----------------------------|--------------------------------|-----------------------------|---|---------------------------------------|------------|----------------------------|--|--|
| on Period: Through 12/3 1/2022 | | | | | | Application Date: 3/31/2023 | | | | | | |
| | | | | | Work Completed | | Е | F | | G | | |
| Structure | Bid Item No. | Material/Labor | A Description | B Scheduled Value (\$) | C From Previous Application | D This Period | Materials Presently Stored (not in C or D) | Total Completed and Stored to Date | % (F/B) | Balance to Fini (B - F) | | |
| | 3 | М | 12" DIP - First Flush Tank Drain Piping | \$8,000.00 | (C+D) \$8,000,00 | | | (C+D+E) \$8,000.00 | 100.0% | | | |
| | 3 | i i | 12" DIP - First Flush Tonk Drain Piping | \$16,000,00 | \$16,000,00 | | 1 | 00,000,812 | 100.0% | | | |
| | 3 | M | 20" DIP - Swirl Underflow Pipe | \$30,000.00 | \$30,000.00 | | | \$30,000.00 | 100,0% | | | |
| | 3 | L | 20" DIP - Swirl Underflow Pipe | \$15,000,00 | \$15,000,00 | | | \$15,000.00 | 100,0% | | | |
| | 3 | М | 24" DIP - Underflow to First Flush Tank | \$15,000.00 | \$15,000.00 | | | \$15,000.00 | 100,0% | | | |
| | 3 | L | 24" DIP - Underflow to First Flush Tonk | \$10,000,00 | \$10,000,00 | | | \$10,000,00 | 100,0% | | | |
| | 3 | М | 1" SCH 80 PVC Pipe - Chemical Lines | \$10,000,01 | \$10,000.00 | | | 00.000,012 | 100.0% | | | |
| | 3 | L | 1" SCH 80 PVC Pipe - Chemical Lines | \$20,000.00 | \$20,000.00 | | | \$20,000.00 | 100.0% | | | |
| | 3 | M | 4" PVC Pipe - Plant Water | \$15,000,00 | \$15,000,00 | | | \$15,000.00 | 100.0% | | | |
| | 3 | L | 4" PVC Pipe - Plant Water | \$25,000,00 | \$25,000.00 | | | \$25,000.00 | 100,0% | | | |
| | 3 | M | 6" PVC Pipe - Water Plant Backwash | \$2,000.00 | \$2,000,00 | | | \$2,000.00 | 100.0% | | | |
| | 3 | L | 6" PVC Pipe - Water Plant Backwash | \$3,000,00 | \$3,000.00 | | | \$3,000.00 | 100.0% | | | |
| | 3 | М | 8" PVC Pipe - Chlorine Tank Drain | \$4,000.00 | \$4,000.00 | | | \$4,000,00 | 100,0% | | | |
| | 3 | L | 8" PVC Pipe - Chlorine Tank Drain | \$2,000.00 | \$2,000.00 | | | \$2,000.00 | 100.0% | | | |
| | 3 | М | 24" PVC Pipe - Sherman Sewer Dry Weather Pipe | \$40,000.00 | \$40,000,00 | | | \$40,000,00 | 100,0% | | | |
| | 3 | L. | 24" PVC Pipe - Sherman Sewer Dry Weather Pipe | \$30,000,00 | \$30,000,00 | | | \$30,000.00 | 100.0% | | | |
| | 3 | М | 30" PVC Pipe - Dry Weather Flow Pipe | \$8,000.00 | \$8,000.00 | | | \$8,000,00 | 100.0% | | | |
| | 3 | L | 30° PVC Pipe - Dry Weather Flow Pipe | \$6,000,00 | \$6,000.00 | | | \$6,000.00 | 100.0% | | | |
| | 3 | М | 48" HPDE Storm Sewer | \$50,000.00 | \$50,000.00 | | | \$50,000.00 | 100.0% | | | |
| | 3 | I. | 48" HDPE Storm Sewer | \$30,000,00 | \$30,000,00 | | | \$30,000,00 | 100.0% | | | |
| | 3 | M | UG Valves | \$15,000.00 | \$15,000,00 | | | \$15,000.00 | 100.0% | | | |
| | 3 | L | UG Valves | \$5,000,00 | \$5,000.00 | | | \$5,000,00 | 100.0% | | | |
| | 3 | М | 18" RCP Culvert | \$10,000.00 | \$10,000,00 | | | \$10,000,012 | 100,0% | | | |
| | 3 | L L | 18" RCP Culvert | \$20,000,00 | \$20,000.00 | | | \$20,000.00 | 100.0% | | | |
| | 3 | M | 60" Precast Flare | \$7,000,00 | \$7,000.00 | | | \$7,000,00 | 100,0% | | | |
| | 3 | L M | 60" Precast Flare | \$10,000.00 | \$10,000,00 | | | \$10,000.00 | 100.0% | | | |
| | 3 | | 48° Precest Flore | \$5,000.00 | \$5,000.00 | | | \$5,000,00 | 100,0% | | | |
| | 3 | L M | 48° Precast Flore Yord Hydrapi | 00.000,82 | \$8,000.00 | | | \$8,000.00 | 100.0% | | | |
| | 3 | L, | | \$1,000,00 | \$1,000.00 | | | \$1,000,00 | 100,0% | | | |
| | 3 | M | Yord Hydrunt | \$1,000.00 | \$1,000,00 | | | \$1,000.00 | 20,001 | | | |
| | 3 | L | UG Process Pipe Concrete Encasement | \$10,000,00 | \$10,000,00 | | | 00.000,012 | 100,0% | | | |
| | 3 | L | UG Process Pipe Concrete Encasement Process Pipe Testing | \$20,000.00 | \$20,000.00 | | | \$20,000.00 | 100.0% | | | |
| | 3 | L | Demo Channel Slabs | \$10,000,00 | \$10,000.00 | | | \$10,000.00 | 100,0% | | | |
| | 3 | L | Demo Overflow Weir | \$10,000.00 | \$10,000,00 | | | \$10,000.00 | 100.0% | | | |
| | 3 | L | Demo Channel End for Pipe Ext. | \$1,000.00 | \$1,000.00 | | | 00,000,12 | 100,0% | | | |
| | 3 | M | Temporary/Bypass Pumping - Concrete Channel | \$3,000,00 | \$3,000.00 | | - | \$3,000,00 | 100.0% | | | |
| 70 | 3 | L | Temporary/Typass Pamping - Concrete Channel Temporary/Typass Pamping - Concrete Channel | \$20,000.00 \$40,000.00 | \$20,000.00 | | 1 | \$20,000.00 | 100.0% | | | |
| 9 | 3 | M | Channel Section Repairs | \$40,000.00 | \$40,000.00 | | | \$40,000.00 | 100.0% | | | |
| ਰੰ | 3 | L | Channel Section Repairs | \$15,000.00 | | | | \$15,000.00 | 100,0% | | | |
| - | 3 | M | Fill Channel Drop Structures | \$45,000,00 | \$45,000.00 \$5,000.00 | | | \$45,000.00 | 100.0% | | | |
| | 3 | L | Fill Channel Drop Structures | \$5,000.00 | \$5,000.00 | | | \$5,000.00 | 100.0% | | | |
| | 3 | М | 6" Underdrain | \$3,500.00 | \$3,500.00 | | | \$5,000.00 | 100,0% | | | |
| | 3 | L | 6" Underdrain | \$2,000,00 | \$3,500.00 | | | \$3,500.00 | 100.0% | | | |
| | 3 | М | Temporary Channel Dam | \$6,000.00 | \$6,000.00 | | | \$2,000.00 \$6,000.00 | 100,0% | | | |
| | 3 | L L | Temporary Channel Dam | \$3,500.00 | \$3,500.00 | | | \$6,000.00 | 100.0% | | | |
| | 3 | М | Temporary Crossing/Causeway | \$6,000.00 | \$6,000,00 | | + | \$6,000.00 | 100.0% | | | |
| | 3 | L | Temporary Crossing/Causeway | \$10,000.00 | \$10,000,00 | | 1 | \$10,000.00 | 100.0% | | | |
| | 3 | М | Excavation/Backfill | \$20,000,00 | \$20,000.00 | | | \$20,000.00 | 100,0% | | | |
| | 3 | L | Excavation/Backfiff | \$40,000.00 | \$40,000.00 | | 1 | \$40,000.00 | 100,0% | | | |
| | 3 | М | Precast Bridge | 00,000,0012 | \$100,000.00 | | 1 | 00,000,0012 | 100.0% | | | |
| | 3 | L | Precest Bridge | \$70,000.00 | \$70,000.00 | | | \$70,000.00 | 100,0% | | | |
| <u>\$</u> | 3 | М | Bridge Piling | \$30,000,00 | \$30,000.00 | | | \$30,000.00 | 100,0% | | | |
| Bridge | 3 | L. | Bridge Piling | \$50,000,00 | \$50,000.00 | | | \$50,000.00 | 100,0% | | | |
| - | 3 | М | Bridge Guardrail | \$10,000,00 | \$10,000.00 | | 1 | \$10,000,00 | 100.0% | · · | | |
| | 3 | L | Bridge Guardsail | \$15,000,00 | \$15,000.00 | | | \$15,000.00 | 100.0% | | | |
| | 3 | М | Concrete Forming, Placing, Curing & Finishing - Bridge Foundation | 00,000,012 | \$10,000.00 | | | \$10,000.00 | 100.0% | | | |
| | 3 | 1. | Concrete Forming, Placing, Curing & Finishing - Bridge Foundation | \$15,000.00 | \$15,000.00 | | 1 | \$15,000.00 | 100.0% | | | |

| ntract); | | | Lincoln CSO Improvements | | | Application Number: 23 | | | | | | |
|----------------------------------|---------------|----------------|---|---------------------------|--------------------------------|------------------------|---|---------------------------------------|------------|-----------------------------|--|--|
| ation Period: Through 12/31/2022 | | | | | | | Application Dale: 3/31/2023 | | | | | |
| | | | | | Work Co | ompleted | Е | F | | 0 | | |
| Structure | Bid [tegt No. | Material/Labor | A Description | B Scheduled Value (\$) | C From Previous Application | D This Period | Materials Presently Stored (not in C or D) | Total Completed and Stored to Date | % (F/B) | Balance to Finis (B - F) | | |
| | 1 | М | Grout | \$1,500.00 | (C+D) | 1 IOR L-CLIOO | | (C+D+E) | | | | |
| | 3 | L | Grout | \$1,500.00 | \$1,500.00 \$3,000.00 | | | \$1,500,00 | 100.0% | | | |
| | 3 | м | Concrete Paving - Bridge & Approach | \$20,000.00 | \$20,000.00 | | | \$3,000.00 \$20,000.00 | 100.0% | | | |
| | 3 | L | Concrete Paving - Bridge & Approach | \$32,000.00 | \$32,000.00 | | | \$32,000,00 | 100.0% | | | |
| | 3 | М | Excavation/Backfull | \$15,000.00 | \$15,000.00 | | + | \$15,000,00 | 100.0% | | | |
| | 3 | L | Excavation/Backfill | \$30,000,00 | \$30,000.00 | | | \$30,000.00 | 100.0% | | | |
| | 3 | M | Temporary/Bypass Pumping - 72" Sherman | \$20,000.00 | \$20,000.00 | | | \$20,000.00 | 100.0% | | | |
| | 3 | L | Temporary/Bypass Pumping - 72" Sherman | \$25,000,00 | \$25,000.00 | | | \$25,000.00 | 100.0% | | | |
| · <u>É</u> | 3 | L | Demo 72" Pipe | \$10,000.00 | \$10,000,012 | | + | \$10,000,00 | 100.0% | | | |
| <u>\$</u> . | 3 | M | Temp. Pipe Support | \$5,000,00 | \$5,000.00 | | | \$5,000.00 | 100.0% | | | |
| - | 3 | L | Temp, Pipe Support | \$5,000,00 | \$5,000,00 | | | \$5,000.00 | 100.0% | TV- | | |
| ě. | 3 | M | Concrete Forming, Placing, Curing & Finishing - Slabs | \$4,000.00 | \$4,000.00 | | | \$4,000.00 | 100.0% | | | |
| 8 | 3 | l | Concrete Forming, Placing, Curing & Finishing - Slabs | \$8,000,000 | \$8,000.00 | | | 00.000,82 | 100.0% | | | |
| Ē | 3 | M | Concrete Forming, Placing, Curing & Finishing - Walls | \$5,000.00 | \$5,000.00 | | | \$5,000,00 | 100,0% | | | |
| Shei | 3 | L | Concrete Forming, Placing, Curing & Finishing - Walls | \$10,000,00 | 00,000,012 | | | \$10,000,00 | 100.0% | | | |
| 0,1 | 3 | М | Concrete Reinforcing | \$8,000.00 | \$8,000,00 | | | \$8,000.00 | 100.0% | | | |
| | 3 | L | Concrete Reinforcing | \$15,000.00 | \$15,000,00 | | | \$15,000,00 | 100.0% | | | |
| | 3 | M | Grout | \$1,500.00 | \$1,500.00 | | | \$1,500.00 | 100.0% | | | |
| | 3 | L | Grout | \$2,500,00 | \$2,500.00 | | | \$2,500,00 | 100,0% | | | |
| | 3 | M | Excavation/Backfill | \$20,000.00 | \$20,000.00 | | | \$20,000.00 | 100.0% | | | |
| | 3 | L | Excavation/Backfill | \$40,000.00 | \$40,000.00 | | | \$40,000.00 | 100.0% | | | |
| | 3 | M | Excavation Support/Shoring System | \$30,000,00 | \$30,000,00 | | | \$30,000.00 | 100.0% | | | |
| 2 | 3 | L | Excavation Support/Shoring System | \$50,000,00 | \$50,000.00 | | | \$50,000.00 | 100,0% | | | |
| € | 3 | M | Concrete Forming, Placing, Curing & Finishing - States | 00.000,02 | \$9,000,00 | | | \$9,000.00 | 100.0% | | | |
| Ē | 3 | L | Concrete Forming, Placing, Curing & Finishing - Slobs | \$15,000,00 | \$15,000.00 | | | \$15,000.00 | 100,0% | | | |
| E 03 | 3 | М | Concrete Forming, Placing, Curing & Finishing - Walls | \$17,000.00 | \$17,000,00 | | | \$17,000.00 | 100.0% | | | |
| 훋 | 3 | L | Concrete Forming, Placing, Curing & Finishing - Walls | \$35,000.00 | \$15,000,00 | | | \$35,000,00 | 100.0% | | | |
| Ě | 3 | М | Concrete Reinforcing | \$10,000,00 | \$10,000.00 | | | \$10,000.00 | 100,0% | | | |
| ğ | 3 | L | Concrete Reinforchig | \$25,000,00 | \$25,000.00 | | | \$25,000.00 | 100,0% | | | |
| ž | 3 | M | Orost | \$5,000.00 | \$5,000,00 | | | \$5,000.00 | 100.0% | | | |
| ¥ | 3 | L | Grout | \$10,000.00 | \$19,000,00 | | | \$10,000.00 | 100.0% | | | |
| Ę | 3 | M | Bar Grate & Weir | \$15,000.00 | \$15,000.00 | | | \$15,000.00 | 100.0% | | | |
| 9 | 3 | L | Bar Grate & Weir | \$10,000,00 | \$10,000,00 | | | \$10,000.00 | 100.0% | | | |
| ð | 3 | M | Level Sensor | \$5,000.00 | \$5,000.00 | | | \$5,000.00 | 100.0% | | | |
| | 3 | L | Level Sensor | \$1,500.00 | \$1,500.00 | | | \$1,500.00 | 100.0% | | | |
| | 3 | М | Electrical Wiring & Conduit | \$5,000.00 | \$5,000,00 | | | \$5,000.00 | 100.0% | | | |
| | 3 | L | Electrical Wiring & Conduit | \$4,000.00 | \$4,000,00 | | | \$4,000.00 | 100.0% | | | |
| | 3 | L | Startup & Testing | \$2,000.00 | \$2,000.00 | | | \$2,000.00 | 100.0% | | | |
| | 3 | М | Excavation/Backfill | \$55,000.00 | \$55,000.00 | | | \$55,000,00 | 100.0% | | | |
| | 3 | L | Excavation/Backfill | \$300,000.00 | \$300,000.00 | | | 00.000,0002 | 100.0% | | | |
| | 3 | М | Excavation Support/Shoring System | \$30,000.00 | \$30,000.00 | | | \$30,000,00 | 100.0% | | | |
| | 3 | L | Excavation Support/Shoring System | \$60,000,00 | \$60,000.00 | | | \$60,000.00 | 100,0% | | | |
| | 3 | М | Concrete Forming, Placing, Curing & Finishing - Slabs/Beams | \$65,000,00 | \$65,000,00 | | | \$65,000.00 | 100,0% | | | |
| | 3 | L L | Concrete Forming Placing Curing & Finishing - Slabs/Beams | \$100,000.00 | \$100,000.00 | | | 00.000,0012 | 100,0% | | | |
| | 3 | М | Concrete Forming, Placing, Curing & Finishing - Walls | \$145,000.00 | \$145,000,00 | | | \$145,000.00 | 100.0% | | | |
| | | L | Concrete Forming, Placing, Curing & Finishing - Walls | \$280,000.00 | \$280,000.00 | | | \$280,000.00 | 100,0% | | | |
| | 3 3 | M L | Concrete Reinforcing | \$150,000.00 | \$150,000.00 | | | \$150,000.00 | 100,0% | | | |
| | 3 | M | Concrete Reinforsing | \$140,000.00 | \$140,000.00 | | | \$140,000.00 | 100.0% | | | |
| | 1 3 | L | Grout Grout | \$5,000.00 | \$5,000.00 | | | \$5,000.00 | 100.0% | | | |
| | 3 | M | Misc. Concrete | \$15,000.00 | \$15,000.00 | | | \$15,000.00 | 100,0% | | | |
| | 3 | M. | Misc, Concrete | \$5,000,00 | \$5,000.00 | | | \$5,000,00 | 100,0% | | | |
| | 3 | | | \$8,000.00 | \$8,000,00 | | | \$8,000,00 | 100.0% | | | |
| | 3 | M 1. | Concrete Paving | \$18,000.00 | \$18,000.00 | | | \$18,000,00 | 100.0% | | | |
| | 3 | | Concrete Paving | \$35,000.00 | \$35,000.00 | | | \$35,000,00 | 100.0% | | | |
| | 3 | M | Flow Regulator | \$18,050.00 | \$18,050,00 | | | \$18,050,00 | 100.0% | | | |
| | 3 | L M | Flow Regulator Slide Gates | \$4,500.00 | \$4,500.00 | | | \$4,500.00 | 100,0% | | | |
| | 3 | | | \$156,845.00 | \$156,845.00 | | | \$156,845.00 | 100.0% | | | |
| | 3 | L | Slide Gates | \$60,000,00 | \$60,000.00 | | | \$60,000,00 | 100.0% | | | |

| racl): | | | Lincoln CSO Improvements | | | Application Number: | 23 | | | | |
|-----------|--------------|----------------|---|---------------------------|------------------------------------|-----------------------------|------------------------|-------------------------------|--------|-------------------|--|
| n Period; | | | Through 12/31/2022 | | | Application Date: 3/31/2023 | | | | | |
| | | | | | Work | | Е | F | | G | |
| | | | Α | B | С | D | Materials Presently | Total Completed % | | Balance to Finish | |
| Structure | Bid Item No. | Material/Labor | Description | Scheduled Value (\$) | From Previous Application (C+D) | This Period | Stored (not in C or D) | and Stored to Date (C+D+E) | (F/B) | (B - F) | |
| | 3 | M | Axial Flow Pomps | \$543,000.00 | \$543,000.00 | | | \$543,000,00 | 100.0% | | |
| | 3 | L | Axial Flow Pumps | \$60,000.00 | \$60,000.00 | | | \$60,000.00 | 100,0% | | |
| | 3 | M | Submersible Wastewater Pumps | \$145,000,00 | \$145,000.00 | | | \$145,000,00 | 100.0% | | |
| gg g | 3 | L L | Submersible Wastervater Pumps | \$20,000.00 | \$20,000,00 | | | \$20,000.00 | 100.0% | | |
| 8 | 3 | M L | Catenury Bar Screen | \$155,640,00 | \$155,640,00 | | | \$155,640.00 | 100,0% | | |
| e e | 3 | 1. | Calenary Bar Screen | \$20,000.00 | \$20,000.00 | | | \$20,000,00 | 100.0% | | |
| A. | 3 | M | Startup & Testing | \$10,000.00 | \$10,000.00 | | | \$10,000.00 | 100.0% | | |
| ž | 3 | L | Manual Bar Screen Manual Bar Screen | \$5,000,00 | \$5,000.00 | | | \$5,000,00 | 100.0% | | |
| ğ | 3 | M | | \$5,000.00 | \$5,000,00 | | | \$5,000.00 | 100.0% | | |
| co. | 3 | L L | Steel Beams /Angles Steel Beams /Angles | \$40,000.00 | \$40,000,00 | | | \$40,000.00 | 100,0% | | |
| | 3 | M | Handrail | \$30,000.00 | \$30,000.00 | | | \$30,000,00 | 100.0% | | |
| | 3 | L | Handrail | \$20,000.00 | \$20,000,00 | | | \$20,000.00 | 100,0% | | |
| | 3 | M | FRP Grating | \$15,000.00 | \$15,000.00 | | | \$15,000,00 | 100.0% | | |
| | 3 | L | FRP Orating | \$45,000,00 | \$45,000,00 | | 1 | \$45,000.00 | 100.0% | | |
| | 3 | M | Misc. Metals | \$20,000.00 \$5,000.00 | \$20,000,00 | | | \$20,000.00 | 100.0% | | |
| | 3 | L | Misc. Metals | \$5,000.00 | \$5,000.00 \$5,000.00 | | | \$5,000,00 | 100.0% | | |
| | 3 | М | Stairs | \$15,000.00 | \$15,000,00 | | | \$5,000.00 | 100.0% | | |
| | 3 | L | Stairs | \$15,000.00 | \$15,000,00 | | + | \$15,000.00 | 100,0% | | |
| | 3 | M | Level Sensors | \$16,000,00 | \$16,000,00 | | | \$15,000.00 | 100.0% | | |
| | 3 | L | Level Sensors | \$4,000,00 | \$4,000,00 | | | \$16,000,00 | 100,0% | | |
| | 3 | M | Process Valves & Sleeves & Fittings | \$30,000.00 | \$30,000,00 | | + | \$4,000.00 \$30,000.00 | 100,0% | | |
| | 3 | L | Process Valves & Sleeves & Fittings | \$15,000,00 | \$15,000.00 | | + | \$15,000.00 | 100.0% | | |
| | 3 | M | 6° DIP Drain Pump Pipe | \$8,000,00 | \$8,000,00 | | + | \$8,000.00 | 100,0% | _ | |
| | 3 | L | 6° DIP Drain Pump Pipe | \$5,000,00 | \$5,000,00 | | + | \$5,000,00 | 100.0% | | |
| | 3 | М | 10" DIP Drain | \$3,500,00 | \$3,500,00 | | | \$3,500.00 | 100,0% | | |
| | 3 | L | 10" DIP Drain | \$2,000.00 | \$2,000.00 | - | + | \$2,000,00 | 100,0% | | |
| | 3 | M | 12" DIP Underflow Pump Pipe | \$15,000.00 | \$15,000,00 | | + + | \$15,000.00 | 100.0% | | |
| | 3 | L | 12" DIP Underflow Pump Pipe | \$10,000.00 | \$10,000,00 | | | \$10,000,00 | 100,0% | | |
| | 3 | M | Electrical Wire & Conduit | \$25,000.00 | \$25,000.00 | | | \$25,000.00 | 100.0% | | |
| | 3 | L | Bleetrical Wire & Conduit | \$30,000.00 | \$30,000,00 | | | \$30,000,00 | 100,0% | | |
| | 3 | M | Lighting | \$5,000,00 | \$5,000.00 | | | \$5,000,00 | 100.0% | | |
| | 3 | L L | Lighting | \$5,000,00 | \$5,000,00 | | | \$5,000,00 | 100,0% | | |
| | 3 | M | Excavation/Backfill | \$45,000.00 | \$45,000,00 | | | \$45,000.00 | 100.0% | | |
| | 3 | L | Excavation/Backfill | \$125,000,00 | \$125,000.00 | | | \$125,000,00 | 100.0% | | |
| | 3 | M | Excavation Support/Shoring System | \$20,000.00 | \$20,000.00 | | | \$20,000.00 | 100.0% | | |
| | 3 | L | Excavation Support/Shoring System | \$30,000.00 | \$30,000,00 | | | \$30,000,00 | 100.0% | | |
| | 3 | M | Concrete Forming, Placing, Curing & Finishing - Slabs | \$35,000,00 | \$35,000.00 | | | \$35,000.00 | 100.0% | | |
| | 3 | L | Concrete Forming, Placing, Curing & Finishing - Slabs | \$70,000.00 | \$70,000,00 | | | \$70,000,00 | 100.0% | | |
| | 3 | M | Concrete Forming, Placing, Curing & Finishing - Walls | \$50,000,00 | \$50,000.00 | | | \$50,000.00 | 100,0% | | |
| | 3 3 | L | Concrete Forming, Placing, Curing & Finishing - Walls | 00,000,0012 | \$100,000,00 | | | \$100,000,00 | 100.0% | | |
| | 3 | M | Concrete Forming, Placing Curing & Finishing - Influent & Effluent Channel | \$9,000,00 | \$9,000.00 | | | \$9,000.00 | 100.0% | | |
| ğ | 3 | L M | Concrete Forming, Placing, Curing & Finishing - Influent & Effluent Channel | \$15,000,00 | \$15,000,00 | | | \$15,000,00 | 100,0% | | |
| ₽ | 3 | L L | Concrete Reinforcing | \$30,000,00 | \$30,000,000 | | | \$30,000.00 | 100.0% | | |
| 9 | 3 | M | Concrete Reinforcing. Grout/Miss. Concrete | \$30,000.00 | \$30,000,00 | | | \$30,000,00 | 100.0% | | |
| ₫ | 3 | L | Grout/Miso, Concrete | \$9,000,00 | \$9,000,00 | | | \$9,000,00 | 100,0% | | |
| Ē | 3 | M | Swirl Concentrator | \$10,000,00 | \$10,000,00 | | | \$10,000.00 | 100.0% | | |
| és | 3 | L | Swirt Concentrator | \$309,680.00 | \$309,680.00 | | | \$309,680.00 | 100.0% | | |
| | 3 | L | Startup & Testing | \$30,000,000 | \$30,000,00 | | | \$30,000,00 | 100,0% | | |
| | 3 | М | Steel Beams | \$5,000,00 | \$5,000.00 | | | \$5,000.00 | 100.0% | | |
| | 3 | L | Steel Beams | \$40,000,00 | \$40,000,00 | | | \$40,000,00 | 100.0% | | |
| | 3 | М | Handrail | \$35,000.00 | \$35,000.00 | | | \$35,000.00 | 100.0% | | |
| | 3 | I. | Handrail | \$8,000.00 | \$8,000,000 | | | 00,000,82 | 60.001 | | |
| | 3 | M | FRP Greting | \$10,000,00 | \$10,000.00 | | | \$10,000.00 | 100,0% | | |
| | 3 | L | FRP Orating | \$5,000.00 | \$10,000.00 | | | \$10,000.00 | 100.0% | | |
| | 3 | M | Stairs | \$5,000.00 | \$5,000.00 | | | \$5,000.00 \$5,000.00 | 100,0% | | |
| | | | | | | | | | | | |

| act): | | | Lincoln CSO Improvements | | | Application Number: | 23 | · | | |
|-----------------|--------------|----------------|--|--------------------------|----------------------------|---------------------|------------------------|----------------------------|------------|------------------|
| n Period: | | | Through 12/31/2022 | | | Application Date: | 3/31/2023 | | | |
| | | | | | Work Co | mpleted | E | F | | G |
| | | | ٨ | В | С | D | Materials Presently | Total Completed | | Balance to Finis |
| Structure | Bid Item No. | Material/Lubor | Description | Scheduled Value (\$) | From Previous Application | This Period | Stored (not in C or D) | and Stored to Date | % (F/B) | (B-F) |
| | | | · · | | (C+D) | (and) choo | | (C+D+E) | | |
| | 3 | M | Excavation/Backfill | \$5,000,00 | \$5,000.00 | | | \$5,000.00 | 100.0% | |
| | 3 | L | Excavation/Backfill | \$15,000,00 | \$15,000,00 | | | \$15,000.00 | 100,0% | |
| | 3 | L L | Select Demo Concrete Tank Cleaning | \$20,000,00 | \$20,000.00 | | | \$20,000,00 | 100.0% | |
| | 3 | L | Clean & Inspect Existing PRVs | \$3,000.00 | 00.000,62 | | | \$3,000.00 | 100.0% | |
| | 3 | M | Concrete Forming, Placing, Curing & Finishing - Well | \$2,500.00 | \$2,500.00 | | | \$2,500.00 | 100.0% | |
| | 3 | L | Concrete Forming, Placing, Curing & Finishing - Well | \$5,000.00 | \$5,000,00 | | - | \$5,000.00 | 100.0% | |
| 描 | 3 | M | Concrete Forming, Placing, Curing & Finishing - Influent Line Connection | \$10,000,00 | \$10,000.00 | | | \$10,000,00 | 100.0% | |
| គ្ន | 3 | 1. | Concrete Forming, Placing, Curing & Finishing - Influent Line Connection | \$1,240.00 | \$1,240,00 | | | \$1,240.00 | 100,0% | |
| ¥ | 3 | М | Concrete Reinforcing | \$4,000,00 \$5,000.00 | \$4,000.00 | | - | \$4,000.00 | 100,0% | |
| Contact Tank | 3 | L L | Concrete Reinforcing | \$5,000.00 | \$5,000.00 \$10,000.00 | | | \$5,000.00 | 100.0% | |
| * | 3 | м | Grout | \$1,000.00 | \$10,000,00 | | | \$10,000,012 | 100,0% | |
| 귷 | 3 | L | Grout | \$2,000.00 | \$1,000.00 | | | \$1,000.00 | 100.0% | |
| 哥 | 3 | M | Tank Baffle System | \$2,000.00 | \$2,000,00 | | - | \$2,000.00 | 100,0% | |
| Ü | 3 | L | Tank Baffle System | \$35,000.00 | \$35,000,00 | | | \$231,380,00 | 100.0% | |
| | 3 | М | Handrail & Weir | \$5,000.00 | \$5,000.00 | | | \$35,000.00 | | |
| | 3 | L | Handrail & Weir | \$5,000.00 | | | | \$5,000.00 | 100.0% | |
| | 3 | M | Level Sensor | | \$5,000.00 | | | \$5,000.00 | 100.0% | |
| | 3 | L | Level Sensor | \$5,500.00 \$1,500.00 | \$5,500.00 | | - | \$5,500.00 | 100.0% | |
| | 3 | м | Electrical Wire & Conduit | \$1,500,00 | \$1,500.00 | | | \$1,500,00 | 100.0% | |
| | 3 | L | Electrical Wire & Conduit | \$15,000.00 | | | _ | \$10,000,00 | 100,0% | - |
| | 3 | L | Select Demo | \$70,000.00 | \$15,000.00 | | | \$15,000,00 | 100,0% | |
| | 3 | L | Concrete Tank Cleaning | \$5,000.00 | \$70,000.00 \$5,000.00 | | | \$70,000.00 | 100.0% | |
| | 3 | L | Clean & Inspect Existing PRVs | \$2,500,00 | \$2,500.00 | | | \$5,000,00 | 100.0% | |
| | 3 | М | Excavation/Backfill | \$20,000.00 | \$20,000.00 | | | \$2,500.00 | 100.0% | |
| | 3 | L | Excavation/Backfill | \$60,000,00 | | | | \$20,000.00 | 100.0% | |
| | 3 | М | Excavation Support/Shoring System | \$20,000.00 | \$60,000,00 \$20,000.00 | | | \$60,000.00 | 100.0% | |
| | 3 | L | Excavation Support/Shoring System | \$45,000.00 | \$45,000.00 | | | \$20,000.00 | 100.0% | |
| | 3 | М | Concrete Forming, Placing, Curing & Finishing - Influent Channel | \$5,000.00 | \$5,000.00 | | | \$45,000.00 | 100.0% | |
| | 3 | ı. | Concrete Forming, Placing, Curing & Finishing - Influent Channel | \$15,000.00 | \$15,000.00 | | | \$5,000,00 \$15,000,00 | 100.0% | |
| | 3 | M | Concrete Forming, Placing, Curing & Finishing - Slabs | \$50,000.00 | \$50,000.00 | | | \$50,000.00 | 100.0% | |
| | 3 | L | Concrete Forming, Placing, Curing & Finishing - Slabs | \$75,000.00 | \$75,000.00 | | | \$75,000,00 | | |
| | 3 | М | Concrete Forming, Placing, Curing & Finishing - Walls | \$75,000.00 | \$75,000.00 | | | | 200,001 | |
| | 3 | L | Concrete Forming, Placing, Curing & Finishing - Walls | \$130,000.00 | \$130,000.00 | | | \$75,000.00 | 100.0% | |
| | 3 | М | Concrete Reinforcing | \$40,000.00 | \$40,000.00 | | | \$130,000.00 | 100.0% | |
| | 3 | L | Concrete Reinforcing | \$65,000.00 | \$65,000,00 | | | \$40,000.00 | 100.0% | |
| | 3 | М | Grout | \$10,000.00 | 00,000,012 | | | \$65,000.00 | 100,0% | |
| | 3 | L | Grout | \$20,000.00 | \$20,000,00 | | | \$10,000.00 | 100.0% | |
| * | 3 | М | Misc, Concrete | \$2,500,00 | \$2,500.00 | | | \$20,000.00 | 100,0% | |
| Trst Flush Tank | 3 | L | Misc. Concrete | \$5,000,00 | \$5,000.00 | | | \$2,500,00 \$5,000,00 | 100.0% | |
| 74 | 3 | М | Submersible Mixers | \$80,000,00 | \$80,000.00 | | | | 100,0% | |
| 류 | 3 | L | Submersible Mixers | \$15,000.00 | \$15,000,00 | | | \$80,000.00 \$15,000.00 | 100.0% | |
| Ĕ | 3 | M | Air/Gas Diffussion Equipment | \$44,640.00 | \$44,640.00 | | | \$44,640,00 | 100.0% | |
| E | 3 | L | Air/Gas Diffussion Equipment | \$30,000,00 | \$30,000.00 | | | \$30,000.00 | 100.0% | |
| | 3 | L | Startup & Testing | \$5,000.00 | \$5,000,00 | | | \$5,000,00 | 100.0% | |
| | 3 | M | Level Sensor | \$5,000,00 | \$5,000.00 | | | \$5,000,00 | 100.0% | |
| | 3 | L | Level Sensor | \$1,500.00 | \$1,500.00 | | | \$1,500.00 | 100.0% | |
| | 3 | М | 12" DIP | \$5,000.00 | \$5,000,00 | | | \$5,000,00 | 100,0% | |
| | 3 | L | 12* DIP | \$3,000,00 | \$3,000.00 | | | \$3,000.00 | 100,0% | |
| | 3 | M | 12" SS Air Pipe | \$5,000.00 | \$5,000.00 | | | \$5,000.00 | 100,0% | |
| | 3 | L | 12" SS Air Pipe | \$3,000.00 | \$3,000,00 | | | \$3,000.00 | 100,0% | |
| | 3 | М | 2" SCH 80 Hot Dip Galv, Pipe | \$1,500.00 | \$1,500,00 | | | \$1,500.00 | 100,0% | |
| | 3 | L | 2" SCH 80 Hot Dip Galv. Pipe | \$1,500,00 | \$1,500.00 | | | \$1,500.00 | 100,0% | |
| | 3 | M | Monitor Hydrants | \$6,000.00 | \$6,000.00 | | | \$1,500.00 | 100,0% | |
| | 3 | L | Monitor Hydrants | \$3,000.00 | \$3,000.00 | | | \$3,000.00 | 100,0% | |
| | 3 | М | Washdown/Post Hydrani | \$4,000.00 | \$4,000.00 | | | \$4,000.00 | | |
| | 3 | L | Washdown/Post Hydrant | \$2,000.00 | \$2,000.00 | | | | 100.0% | |
| | 3 | M | Electrical Wiring & Conduit | \$10,000.00 | \$10,000,00 | | 1 | \$2,000.00 | 100.0% | - |

| tract): | | | Lincoln CSO Improvements | | Application Number: | 12/31/2022 | | | | |
|-------------|--------------|----------------|---|----------------------|--------------------------------|-------------------|---|---------------------------------------|--------|-----------------|
| ion Period; | | | | | | Application Date: | | | | |
| | | | Through 12/31/2022 | | | Application Date: | 3/31/2023 | | | |
| | | | | | Work C | ompleted | E | F | | G |
| Characteris | P:14 | | A | В | C From Previous Application | D | Moterials Presently Stored (not in C or D) | Total Completed and Stored to Date | % | Balance to Fini |
| Structure | Bid Item No. | Material/Labor | Description | Scheduled Value (\$) | (C+D) | This Period | stored (not in c of D) | (C+D+B) | (F/B) | (B - F) |
| | 3 | M | Electrical Wiring & Conduit Safety Styliches/Local Disconnect | \$15,000.00 | \$15,000.00 | | | \$15,000.00 | 100.0% | |
| | 3 | L | Safety Switches/Local Disconnect | \$4,000,00 | \$4,000.00 | | | \$4,000.00 | 100.0% | |
| | 3 | М | Excavation/Backfill | \$4,000.00 | \$4,000.00 | | | \$4,000.00 | 100,0% | |
| | 3 | L | Excavation/Backfill | \$15,000.00 | \$15,000.00 \$20,000.00 | | _ | \$15,000.00 | 100.0% | |
| | 3 | M | Concrete Forming, Placing, Curing & Finishing - Slabs | \$6,000.00 | \$6,000.00 | | | \$20,000,00 | 100,0% | |
| | 1 | L | Concrete Forming, Placing, Curing & Finishing - Slabs | \$10,000,00 | \$10,000.00 | | | \$6,000.00 | 100.0% | |
| | 3 | М | Concrete Forming, Placing, Curing & Finishing - Walls | \$10,000.00 | \$10,000.00 | | | \$10,000,012 | 100,0% | |
| | 3 | L | Concrete Forming, Placing, Curing & Finishing - Walls | \$15,000.00 | \$15,000,00 | | | \$8,000.00 | 100.0% | |
| | 3 | М | Concrete Reinforcing | \$5,000.00 | \$5,000,00 | | _ | \$5,000.00 | 100.0% | |
| | 3 | L | Concrete Reinforcing | \$6,500.00 | \$6,500.00 | | | \$6,500.00 | 100.0% | - |
| | 3 | M | Miso, Concrete/Equipment Pads | \$4,000.00 | \$4,000,00 | | | \$4,000,00 | 100.0% | |
| | 3 | L | Misc. Concrete/Equipment Pads | \$6,000.00 | \$6,000.00 | | | \$6,000,00 | 100.0% | |
| | 3 | M | Steel Joists & Decking | \$10,000,00 | \$10,000.00 | | | \$10,000,00 | 100.0% | |
| | 3 | L | Steel Joists & Decking | \$15,000.00 | \$15,000,00 | | _ | \$15,000.00 | 100.0% | |
| | 3 | М | Misc. Metals | \$5,000.00 | \$5,000.00 | | | \$5,000,00 | 100.0% | |
| | 3 | L | Misc. Metals | \$2,500.00 | \$2,500,00 | | | \$2,500.00 | 100.0% | |
| | 3 | М | Misonry | \$50,000.00 | \$50,000.00 | | | \$50,000.00 | 100.0% | |
| | 3 | L | Musorry | \$70,000,00 | \$70,000.00 | | | \$70,000.00 | 100.0% | |
| | 3 | М | Insulation | \$3,000.00 | \$3,000.00 | | | \$3,000.00 | 100.0% | |
| | 3 | L | Insulation | \$5,000.00 | \$5,000.00 | | | \$5,000,00 | 100.0% | |
| | 3 | M | Roofing | \$8,000,00 | \$8,000,00 | | | \$8,000,00 | 100,0% | |
| | 3 | L | Roofing | \$15,000,00 | \$15,000.00 | | | \$15,000.00 | 100.0% | |
| | 3 | M | Misc, Carpentry | \$3,000.00 | \$3,000,00 | | | \$3,000,00 | 100,0% | |
| | 3 | L | Miso. Curpentry | \$5,000.00 | \$5,000.00 | | | \$5,000,00 | 100.0% | |
| | 3 | M | Hollow Metal Doors & Frames | \$6,500,00 | \$6,500,00 | | | \$6,500.00 | 100,0% | |
| | 3 | L | Hollow Metal Doors & Frames | \$2,500.00 | \$2,500.00 | | | \$2,500,00 | 100.0% | |
| | 3 | М | Overliead Door | \$6,500.0D | \$6,500,00 | | | \$6,500.00 | 100.0% | |
| 발 | 3 | L | Overhead Door | \$3,000.00 | \$3,000.00 | | | \$3,000.00 | 100,0% | |
| Building | 3 | M | Paint/Contings | \$5,000.00 | \$5,000,00 | | | \$5,000.00 | 100,0% | |
| 2 | 3 | L | Paint/Coatings | \$8,000.00 | \$8,000.00 | | | \$8,000,00 | 100.0% | |
| ğ | 3 | М | Rotary Lobe Blowers | \$57,000,00 | \$57,000.00 | | | \$57,000.00 | 100.0% | |
| E | 3 | L | Rotory Lobe Blowers | 00.000,012 | \$10,000.00 | | | \$10,000.00 | 100.0% | |
| | 3 | L | Startup & Testing | \$5,000.00 | \$5,000,00 | | | \$5,000,00 | 100.0% | |
| | 3 | M | 10" SS Air Pipe | \$33,000.00 | \$33,000.00 | | | \$33,000.00 | 100,0% | |
| | 3 | i. | 10" SS Air Pipe | \$20,000.00 | \$20,000,00 | | | \$20,000.00 | 100,0% | |
| | 3 | М | Process Valves & Sleeves & Filtings | \$10,000,01 | 00.000,012 | | | \$10,000.00 | 100.0% | |
| | 3 | L | Process Valves & Siceves & Fittings | \$10,000.00 | \$10,000,00 | | | \$10,000.00 | 100,0% | |
| | 3 | М | HVAC - Duetless Split Type Air Conditioner | \$4,500.00 | \$4,500,00 | | | \$4,500.00 | 100.0% | |
| | 3 | L | HVAC - Ductless Split Type Air Conditioner | \$1,500.00 | \$1,500,00 | | | \$1,500.00 | 100.0% | |
| | 3 | М | HVAC - Louver | \$2,000.00 | \$2,000.00 | | | \$2,000.00 | 100.0% | |
| | 3 | L | HVAC - Louver | \$1,500.00 | \$1,500.00 | | | \$1,500.00 | 100.0% | |
| | 3 | М | HVAC - Fan | \$1,500.00 | \$1,500,00 | | | \$1,500.00 | 100.0% | |
| | 3 | L | HVAC - Fan | \$1,500.00 | \$1,500.00 | | | \$1,500.00 | 100.0% | |
| | 3 | M | Electric Unit Heater | \$1,500.00 | \$1,500.00 | | | \$1,500.00 | 100.0% | |
| | 3 | L | Electric Unit Heater | \$1,000.00 | 00,000,12 | | | \$1,000.00 | 100.0% | |
| | 3 | L | HVAC Tost & Balance | \$2,000.00 | \$2,000,00 | | | \$2,000.00 | 100.0% | |
| | 3 | М | Electrical Wiring & Conduit | \$20,000.00 | \$20,000.00 | | | \$20,000,00 | 100.0% | |
| | 3 | L | Electrical Wiring & Conduit | \$50,900.00 | 00,000,02 | | | \$50,000.00 | 100.0% | |
| | 3 | M | MCC | \$185,000.00 | \$185,000,00 | | | \$185,000,00 | 100.0% | |
| | 3 | L | MCC | \$30,000.00 | \$30,000,00 | | | \$30,000.00 | 100.0% | |
| | 3 | M | Generator & ATS | \$165,000.00 | \$165,000.00 | | | \$165,000,00 | 100,0% | |
| | 3 | L | Generators & ATS | \$20,000,00 | \$20,000.00 | | | \$20,000.00 | 100.0% | |
| | 3 | М | Programmable Logic Controller | \$25,000.00 | \$25,000.00 | | | \$25,000.00 | 100.0% | |
| | 3 | L L | Programmable Logic Controller | \$10,000,00 | \$10,000.00 | | | \$10,000.00 | 100.0% | |
| | 3 | M | Transformer | \$20,000.00 | \$20,000,00 | | | \$20,000,00 | 100.0% | |
| | 3 | L | Transformer | \$10,000,00 | \$10,000.00 | | | \$10,000.00 | 100,0% | |
| | 3 | M | Panelboards/Enclosures | \$5,000,00 | \$5,000,00 | | | \$5,000.00 | 100,0% | |

| ontract): | | | Lincoln CSO Improvements | | | Application Number: | 23 | | | |
|---------------|--------------|----------------|--|----------------------|------------------------------------|---------------------|------------------------|-----------------------------------|--------|------------------|
| | | | Encon CSO improventing | | | | 23 | | | |
| ntion Period: | | | Through 12/31/2022 | | | Application Date; | 3/31/2023 | | | |
| | | | | | Work C | ompleted | E | F | | g |
| | | | A | В | С | D | Materials Presently | Total Completed | % | Balance to Finis |
| Structure | Bid Item No. | Material/Labor | Description | Scheduled Value (\$) | From Previous Application (C+D) | This Period | Stored (not in C or D) | and Stored to Date (C + D + E) | (F/B) | (B-F) |
| | 3 | t | Panelboards/Enclosures | \$5,000,00 | 00.000,22 | | | \$5,000.00 | 100.0% | |
| | 3 | M | Misc. Concrete | 00,000,12 | \$1,000.00 | | | \$1,000.00 | 100.0% | |
| 20 | 3 | L | Miso. Concrete | \$2,000,00 | \$2,000,00 | | | \$2,000.00 | 100.0% | |
| Bullding | 3 | М | Peristallic Chemical Pumps | \$40,000.00 | \$40,000.00 | | | \$40,000,00 | 100.0% | |
| | 3 | L | Peristallis Chemical Pumps | \$4,000.00 | 00,000,42 | | | \$4,000.00 | 100.0% | |
| Feed | 3 | M | Electrical Wire & Conduit | \$5,000,00 | \$5,000.00 | | | \$5,000.00 | 100.0% | |
| 7 | 3 | L L | Electrical Wire & Conduit | \$10,000.00 | \$10,000,012 | | | \$10,000.00 | 100,0% | |
| Ť | 3 | M | Programmable Logic Controller | \$20,000.00 | \$20,000.00 | | | \$20,000,00 | 100,0% | |
| ð | 3 | L M | Programmable Logic Controller | \$10,000.00 | \$10,000,00 | | | \$10,000,00 | 100.0% | |
| | 3 | | Panel boards/Enclosures | \$1,000,00 | \$1,000.00 | | | 00.000,12 | 100.0% | |
| | 4 | L L | Princibounds/Enclosures Building Demo | \$1,500.00 | \$1,500.00 | | | \$1,500.00 | 100.0% | |
| | 4 | M. | | \$70,000.00 | \$70,000.00 | | | \$70,000,00 | 100.0% | |
| | 4 | L | Concrete Forming, Placing, Curing & Finishing - Slabs Concrete Forming, Placing, Curing & Finishing - Slabs | \$4,000.00 | \$4,000.00 | | | \$4,000.00 | 100.0% | |
| | 4 | M | Concrete Forming, Placing, Curing & Finishing - Slabs Concrete Forming, Placing, Curing & Finishing - Walls | \$8,000.00 | 00,000,82 | | | \$8,000.00 | 100.0% | |
| | 4 | L | Concrete Forming, Placing, Curing & Finishing - Walls | \$3,000.00 | \$3,000.00 | | | \$3,000.00 | 100.0% | |
| | 4 | M | Concrete Forming, Placing, Curing & Finishing - Exterior Stairs & Ramp | \$6,000.00 | \$6,000,00 | | | \$6,000.00 | ¥0.001 | |
| | 4 | L | Concrete Forming, Placing, Curing & Finishing - Exterior Stairs & Ramp | \$4,000.00 | \$4,000.00 | | | \$4,000.00 | 100.0% | |
| | 4 | M | Concrete Reinforcing | \$2,000.00 | \$10,000.00 | | | \$10,000,00 | 100,0% | |
| | 4 | L L | Concrete Reinforcing | \$5,000.00 | \$2,000.00 | | | \$2,000.00 | 100.0% | |
| | 4 | м | Misc. Concrete | \$2,000.00 | \$2,000.00 | | | \$5,000.00 | 100.0% | |
| | 4 | L | Misc. Concrete | \$2,000.00 | \$3,000.00 | | | \$2,000.00 | 100.0% | |
| | 4 | М | Concrete Paving & Sidewalks | \$2,500.00 | \$2,500,00 | | | \$3,000.00 \$2,500.00 | 100.0% | |
| | 4 | L | Concrete Paving & Side valks | \$5,000.00 | \$5,000,00 | | | \$5,000.00 | 100,0% | |
| | 4 | М | Structural Beams | \$10,000,00 | \$10,000.00 | | | \$10,000,00 | | |
| | 4 | L | Structural Beams | \$20,000.00 | \$20,000.00 | | _ | \$20,000.00 | 100,0% | |
| | 4 | М | Miso, Metals | \$8,000.00 | \$8,000.00 | | | \$8,000.00 | 100.0% | |
| | 4 | L | Misc. Metals | \$4,000.00 | \$4,000.00 | | | \$4,000,00 | 100,0% | |
| | 4 | М | Handrail | \$5,000.00 | \$5,000.00 | | | \$5,000.00 | 100.0% | |
| | 4 | L | Handrail | \$5,000,00 | \$5,000.00 | | | \$5,000.00 | 100.0% | |
| | 4 | М | Bituminous Asphalt Paving/Patch - Lab Building | \$4,500.00 | \$4,500,00 | | | \$4,500.00 | 100.0% | |
| | 4 | L | Bituminous Asphalt Paving/Patch - Lab Building | \$4,000.00 | \$4,000.00 | | | \$4,000.00 | 100.0% | |
| | 4 | М | Mascary | \$30,000,00 | \$30,000,00 | | | \$30,000,00 | 100.0% | |
| | 4 | L | Musinry | \$55,000,00 | \$55,000,00 | | | \$55,000,00 | 100.0% | |
| | 4 | M | Insulation | \$4,000,00 | \$4,000.00 | | | \$4,000.00 | 100,0% | |
| | 4 | L | Insulation | \$6,000.00 | \$6,000.00 | | | \$6,000.00 | 100.0% | |
| | 4 | М | Roofing | \$20,000,00 | \$20,000,00 | | 1 | \$20,000.00 | 100.0% | |
| | 4 | L | Roofing | \$10,000.00 | \$30,000.00 | | | \$30,000.00 | 100.0% | |
| | 4 | M | Windows | 00,000,812 | \$38,000,00 | | | \$38,000.00 | 100.0% | |
| | 4 | L | Windows | \$16,000,00 | \$16,000.00 | | | \$16,000.00 | 100.0% | |
| | 4 | М | Cold Formed Metal Framing & Oypsum Board | \$25,000,00 | \$25,000,00 | | | \$25,000.00 | 100,0% | |
| | 4 | L | Cold Formed Metal Framing & Gypssen Board | \$10,000,00 | 00.000,012 | | 1 | \$10,000,00 | 100,0% | |
| | 4 | М | Acoustical Ceiling System | \$15,000.00 | \$15,000.00 | | | \$15,000.00 | 100.0% | |
| | 4 | L | Acoustical Ceiling System | \$5,000.00 | \$5,000.00 | | | \$5,000.00 | 100.0% | |
| | 4 | M | Resilient Tile Flooring | \$4,000,00 | \$4,000,00 | | 1 | \$4,000,00 | 100.0% | |
| | 4 | L | Resilient Tile Flooring | \$2,000.00 | \$2,000.00 | | | \$2,000.00 | 100.0% | |
| | 4 | M | Metal Doors & Frances | \$7,000.00 | \$7,000,00 | | | \$7,000,00 | 100.0% | |
| | 4 | Ļ | Metal Doors & Frames | \$4,000,00 | \$4,000.00 | | | \$4,000,00 | 100.0% | |
| | 4 | M | Sectional Doors | \$5,000.00 | \$5,000,00 | | | \$5,000.00 | 100.0% | |
| | 4 | L | Sectional Doors | \$3,000,00 | \$3,000.00 | | | \$3,000.00 | 100.0% | |
| | 4 | M | Metal Lockers | \$4,500,00 | \$4,500.00 | | | \$4,500,00 | 100.0% | |
| | 4 | L | Metal Lockers | \$2,000,00 | \$2,000.00 | | | \$2,000.00 | 100.0% | |
| | 4 | М | Laboratory Fume Hood + Lab Casework | \$40,000.00 | \$40,000.00 | | | \$40,000.00 | 100.0% | |
| | 4 | L | Laboratory Fume Hood + Lab Casework | \$12,000,00 | \$12,000.00 | | | \$12,000,00 | 100.0% | |
| eo. | 4 | М | Laboratory Glassware Washer | \$17,000.00 | \$17,000.00 | | | \$17,000,00 | 100.0% | |
| ž. | 4 | L | Laboratory Glassware Weaher | 00,000,12 | \$1,000.00 | | | \$1,000,00 | 100,0% | |
| 94 | 4 | М | Roller Window Treatments | \$4,500.00 | \$4,500,00 | | | \$4,500.00 | 100,0% | |
| es. | 4 | L | Roller Window Treatments | \$1,000,00 | \$1,000.00 | | | \$1,000.00 | 100.0% | |

| nol); | | | Lincoln CSO Improvements | | | Application Number: | 23 | | | |
|-----------|--------------|----------------|---|--------------------------|------------------------------------|---------------------|------------------------|-----------------------------------|--------|----------------|
| n Period: | | | Through 12/31/2022 | | | Application Date: | 3/31/2023 | | | |
| | | | | | Work Co | Completed E | | F | | G |
| | | | A | В | С | D | Materials Presently | Total Completed | % | Balance to Fin |
| Structure | Bid Item No. | Material/Labor | Description | Scheduled Value (\$) | From Previous Application (C+D) | This Period | Stored (not in C or D) | end Stored to Date (C + D + E) | (F/B) | (B-F) |
| Buildin | 4 | M | Misc. Carpentry | \$8,000.00 | \$8,000.00 | | | \$8,000,00 | 100.0% | |
| ja gri | 4 | L | Miso. Carpentry | \$9,500,00 | \$9,500,00 | | | \$9,500.00 | 100.0% | |
| 3 | 4 | M | Painting/Coating | \$8,000,00 | 00.000,82 | | | \$8,000.00 | 100.0% | |
| Ξ. | 4 | L | Painting/Conting | \$14,000,00 | \$14,000,00 | | | \$14,600,00 | 100.0% | |
| 9t. | 4 | M | 6* BLDG Service Sewer | \$6,000,00 | \$6,000.00 | | | \$6,000.00 | 100.0% | |
| ă | 4 | L | 6" BLDG Service Sewer | \$2,500.00 | \$2,500.00 | | | \$2,500.00 | 100.0% | |
| Ker | 4 | М | 18" Sewer | \$20,000.00 | \$20,000.00 | | | \$20,000.00 | 100.0% | |
| ~ | 4 | L | 18" Sewer | \$10,000,00 | \$10,000.00 | | | \$10,000,00 | 100.0% | |
| | | М | Sanitary Piping | \$8,000,00 | \$8,000,00 | | | \$8,000.00 | 100.0% | |
| | 4 | L | Sanitary Piping | \$10,000,00 | \$10,000,00 | | | 00.000,012 | 100.0% | |
| | 4 | M | Manholes | \$4,000.00 | \$4,000.00 | | | \$4,000.00 | 100.0% | |
| | 4 | I. | Manholes | \$2,000,00 | \$2,000,00 | | | \$2,000.00 | 100.0% | |
| | 4 | M L | NG Meter Disconnect/Relocate NG Meter Disconnect/Relocate | \$1,000,000 | \$1,000.00 | | | \$1,000.00 | 100.0% | |
| | 4 | M | | \$1,000.00 | 00,000,12 | | | 00,000,12 | 100,0% | |
| | 4 | L | NG Piping & Valves | \$5,000,00 | \$5,000.00 | | | \$5,000,00 | 100.0% | |
| | 4 | M | NG Piping & Valves Vent Pipe | \$5,000.00 | \$5,000.00 | | | \$5,000.00 | 100.0% | |
| | 4 | | | \$5,000,00 | \$5,000,00 | | | \$5,000.00 | 100,0% | |
| | 4 | L M | Vent Pipe | \$5,000.00 | \$5,000.00 | | | \$5,000,00 | 100.0% | |
| | 4 | M | Floor Drains | \$2,000.00 | \$2,000,00 | | | \$2,000.00 | 100.0% | |
| | 4 | M | Water Piping (HW & CW) | \$2,000,00 | \$2,000.00 | | | \$2,000,00 | 100,0% | |
| | 4 | L | Water Piping (HW & CW) | \$8,000.00 | \$8,000,00 | | | \$8,000,00 | 100,0% | |
| | 4 | M | Reduced Pressure Zone (RPZ) System | \$15,000,00 | \$15,000.00 | | | \$15,000.00 | 100.0% | |
| | 4 | L | Reduced Pressure Zone (RPZ) System | \$2,000.00 | \$2,000.00 | | | \$2,000,00 | 100,0% | |
| | 4 | м | Hot Water Heater/Expansion Tunk | \$1,000,00 | \$1,000,000 | | | \$1,000.00 | 100.0% | _ |
| | 4 | L | Hot Water Heater/Expansion Tank | \$5,000.00 \$2,500.00 | \$5,000.00 \$2,500.00 | | | \$5,000.00 | 100.0% | |
| | 4 | M | Restroom Components/Fixtures | \$10,000.00 | | | | \$2,500,00 | 100.0% | |
| | | L | Restroom Components/Fixtures | \$15,000.00 | \$10,000.00 | | + | \$10,000,00 | 100,0% | - |
| | 4 | М | HVAC Ductwork & Ductwork Accessories | \$20,000.00 | \$20,000.00 | | - | \$15,000.00 | 100.0% | |
| | 4 | ī. | HVAC Ductwork & Ductwork Accessories | \$30,000,00 | \$30,000.00 | | | \$20,000.00 | 100.0% | |
| | 4 | М | Gas Fired Unit Heaters | \$5,500,00 | \$5,500.00 | | | \$5,500.00 | 100.0% | |
| | 4 | L | Gas Fired Unit Heaters | \$2,500.00 | \$2,500.00 | | + | \$2,500.00 | 100,0% | |
| | 4 | M | Electric Unit Heaters | \$2,000.00 | \$2,000.00 | | | \$2,000.00 | 100,0% | |
| | 4 | L | Electric Unit Heaters | \$1,500.00 | \$1,500,00 | | | \$1,500.00 | 100,0% | |
| | 4 | М | HVAC - Fons | \$6,000.00 | \$6,000,00 | | | \$6,000.00 | 100,0% | |
| | 4 | L | HVAC - Fans | \$4,000.00 | \$4,000.00 | | | \$4,000,00 | 100,0% | |
| | 4 | М | HVAC - Louvers | \$3,000.00 | \$3,000.00 | | | \$3,000.00 | 100.0% | |
| | 4 | L | HVAC - Louvers | \$3,000.00 | \$3,000.00 | | | 00.000,62 | 100.0% | |
| | 4 | М | Rooflop Air Handling Unit | \$20,000,00 | \$20,000,00 | | | \$20,000.00 | 100.0% | |
| | 4 | L | Rooftop Air Handling Unit | \$8,000.00 | \$8,000.00 | | | \$8,000.00 | 100.0% | |
| | 4 | L | HVAC Test & Balance | \$5,000.00 | \$5,000,00 | | | \$5,000.00 | 100.0% | |
| | 4 | М | Panelboards/Enclosures | \$5,000.00 | 25,000.00 | | + | \$5,000.00 | 100.0% | |
| | 4 | L | Panelboards/Enckesures | \$8,000.00 | \$8,000.00 | | | \$8,000.00 | 100.0% | |
| | 4 | М | Programable Lugic Controller | \$20,000.00 | \$20,000.00 | | | \$20,000.00 | 100,0% | |
| | 4 | L. | Programmable Logic Controller | \$10,000.00 | \$10,000,012 | | | \$10,000.00 | 100,0% | |
| | 4 | М | Lighting | \$20,000.00 | \$20,000,00 | | + | \$20,000.00 | 100,0% | |
| | 4 | L | Lighting | \$10,000,00 | \$10,000,00 | | | \$10,000.00 | 100.0% | |
| | 4 | М | Grounding & Bonding | \$5,000.00 | \$5,000.00 | | | \$5,000.00 | 100,0% | |
| | 4 | L, | Grounding & Bonding | \$5,000.00 | \$5,000,00 | | | \$5,000.00 | 100.0% | |
| | 4 | M | Wiring & Conduit | \$10,000,00 | \$10,000.00 | | | \$10,000.00 | 100,0% | |
| | 4 | L | Wiring & Conduit | \$15,000.00 | \$15,000,00 | | | \$15,000.00 | 100.0% | - |
| | 5 | L | Select Demo | \$20,000,00 | \$20,000,00 | | | \$20,000,00 | 100.0% | |
| | 5 | М | Temporary/Bypass Pumping - Existing Headworks (New Forcemain) | \$10,000.00 | \$10,000.00 | | | \$10,000.00 | 100.0% | |
| | 5 | L | Temporary/Bypass Pumping - Existing Headworks (New Forcemain) | \$20,000,00 | \$20,000,00 | | | \$20,000.00 | 100.0% | |
| | 5 | м | Excavation/Backfill/Cirading | \$6,500.00 | \$6,500.00 | | | \$6,500,00 | 100.0% | |
| | 5 | L | Excavation/Backfill/Orading | \$10,000,00 | \$10,000,00 | | | \$10,000.00 | 100.0% | |
| | 5 | М | Concrete Forming, Placing, Curing & Finishing - Slabs | \$5,000.00 | \$5,000.00 | | | \$5,000.00 | 100.0% | |
| | 5 | L | Concrete Forming, Placing, Curing & Finishing - Slebs | \$6,000.00 | \$6,000.00 | | | \$6,000.00 | 100.0% | |

| act); | | | Lincoln CSO Improvements | | Application Number: 23 | | | | | | |
|-----------|--------------|----------------|---|---------------------------|--------------------------------|-------------------|---|---------------------------------------|---------|----------------|--|
| n Period: | | | Through 12/31/2022 | | | Application Date: | 3/31/2023 | | | | |
| | | | | | Work Co | omploted | Е | F | | g | |
| Structure | Bid Item No. | Material/Lobor | A Description | B | C From Previous Application | D | Materials Presently Stored (not in C or D) | Total Completed and Stored to Date | % | Balance to Fin | |
| | 5 | М | Concrete Forming, Placing, Curing & Finishing - Wells | Scheduled Value (\$) | (C+D) | This Period | Diane (and an exp | (C+D+E) | (F/B) | (5-1) | |
| | 5 | L | Concrete Forming, Placing, Curing & Finishing - Walls | \$7,000.00 | \$7,000,00 | | | \$7,000,00 | 100.0% | | |
| | 5 | М | Concrete Reinforcing | | \$12,000.00 | | | \$12,000.00 | 100.0% | | |
| | 5 | L | Concrete Reinforcing | \$2,000.00 \$5,000.00 | \$2,000,00 | | | \$2,000.00 | 100.0% | | |
| | 5 | M | Mise. Concrete/Equipment Pads | \$3,500.00 | \$5,000.00 | | | \$5,000,00 | 100.0% | | |
| | 5 | L | Misc, Concrete/Equipment Pads | \$3,500.00 | \$3,500.00 | | | \$3,500.00 | 100.0% | | |
| | 5 | М | Concrete Paving - Headworks | | \$8,000.00 | | | \$8,000,00 | 100.0% | | |
| | 5 | L | Concreto Paving - Headworks | \$15,000.00 | \$15,000.00 | | | \$15,000.00 | 100.0% | | |
| | 5 | м | Bituminous Auphalt Paving/Patch - Hendworks | \$25,000.00 | \$25,000.00 | | | \$25,000.00 | 100.0% | | |
| | 5 | L | Bituminous Auphalt Paving/Patch - Hendworks | \$15,000.00 | \$15,000.00 | | | \$15,000.00 | 100,0% | | |
| | 5 | M | Maionry Maionry | \$20,000.00 | \$20,000.00 | | | \$20,000,00 | 100.0% | | |
| | 5 | L | Masonry | \$4,000.00 | \$4,000.00 | | | \$4,000.00 | 100.0% | | |
| | 5 | M | Roofing | \$7,000,00 | \$7,000.00 | | | \$7,000.00 | 100.0% | | |
| | 5 | I. | Roofing | \$20,000.00 | \$20,000,00 | | | \$20,000,00 | 100.0% | | |
| | 5 | M | Roof Hatch | \$20,000,00 | \$20,000,00 | | | \$20,000.00 | 100.0% | | |
| | 5 | | | \$6,500,00 | \$6,500.00 | | | \$6,500.00 | 400,004 | | |
| | 5 | L | Roof Hatch | \$1,500.00 | \$1,500.00 | | | \$1,500.00 | 100,0% | | |
| | | M | FRP Doors & Frames | \$14,500.00 | \$14,500.00 | | | \$14,500.00 | 100,0% | | |
| | 5 | L | FRP Doors & Frames | \$4,000.00 | \$4,000.00 | | | \$4,000.00 | 100,0% | | |
| | 5 | M | Overhead Coil Door | \$15,500,00 | \$15,500.00 | | | \$15,500,00 | 100,0% | | |
| | 5 | L | Overhead Coil Door | \$4,000.00 | \$4,000.00 | | | \$4,000.00 | 100.0% | | |
| | 5 | M | Cold Formed Steel Francisco | \$15,000,00 | \$15,000,00 | | | \$15,000,00 | 100.0% | | |
| | 5 | L | Cold Formed Steel Framing | \$7,000.00 | \$7,000.00 | | | \$7,000.00 | 100,0% | | |
| | 5 | М | Misc. Metals | \$10,000.00 | \$10,000,00 | | | \$10,000,00 | 100,0% | | |
| | 5 | L | Misc. Metals | \$5,000.00 | \$5,000.00 | | | \$5,000.00 | 100,0% | | |
| | 5 | М | Steel Heams + Columns + Decking | \$30,000,00 | \$30,000.00 | | 1 | \$30,000,00 | 100,0% | | |
| | 5 | I, | Steel Bearns + Columns + Decking | \$25,000,00 | \$25,000.00 | | 1 | \$25,000.00 | 100,0% | | |
| ë | 5 | M | Handrail | \$10,000,00 | \$10,000,00 | | | \$10,000,00 | 100.0% | | |
| Additio | 5 | L. | Hondrail | \$10,000.00 | \$10,000,000 | | 1 | \$10,000,00 | 100.0% | | |
| ¥q. | 5 | М | Wall Panels/Sheet Metal | \$20,000.00 | \$20,000,00 | | | \$20,000,00 | | | |
| | 5 | L | Wall Panels/Sheet Metal | \$30,000.00 | \$30,000.00 | | _ | \$30,000,00 | 100.0% | | |
| Building | 5 | М | Miso. Carpentry | \$5,000.00 | \$5,000.00 | | + | \$5,000,00 | | | |
| Ä | 5 | L | Misc. Carpenty | \$10,000,00 | \$10,000,00 | | | | 100,0% | | |
| 콘 | 5 | М | Insulation | \$2,000.00 | \$2,000,00 | | - | \$10,000.00 | 100,0% | | |
| \$ | 5 | L | Insulation | \$7,000.00 | \$7,000,00 | | | \$2,000,00 | 100.0% | | |
| 2 | 5 | М | Painting/Coating | \$8,000,00 | 90,000,82 | | - | \$7,000,00 | 100,0% | | |
| <u> </u> | 5 | L | Painting/Coating | \$10,000.00 | \$10,000.00 | | | \$8,000.00 | 100.0% | | |
| # | 5 | M | 20° Pipe Infill | \$3,000.00 | | | | \$10,000,00 | 100,0% | | |
| 爱 | 5 | L | 20* Pipe Infill | | \$3,000,00 | | _ | \$3,000.00 | 100.0% | | |
| - | 5 | М | Raw Water Meter Vault | \$5,000.00 \$10,000.00 | \$5,000,00 | | | \$5,000.00 | 100.0% | | |
| #£ | S | L L | Raw Water Meter Vault | | \$10,000.00 | | | \$10,000.00 | 100,0% | | |
| ă | 5 | M | Aluminum Ladder | 00.000,82 | \$8,000.00 | | | \$8,000.00 | 100,0% | | |
| | 5 | L L | Attrnium Ladder | \$2,000.00 | \$2,000.00 | | | \$2,000,00 | 100.0% | | |
| ₹ | 5 | м | 20" Raw Water Pipe - DIP | \$1,000.00 | 00,000,12 | | | \$1,000,00 | 100.0% | | |
| | 5 | L | 20" Rmy Water Pipe - DIP | \$55,000.00 | \$55,000.00 | | | \$55,000,00 | 100.0% | | |
| | 5 | M | | \$50,000,00 | \$50,000.00 | | | \$50,000,00 | 100.0% | | |
| | 5 | L. | Trench Drains Trench Drains | 00,000,012 | \$10,000.00 | | | \$10,000.00 | 100,0% | | |
| | 5 | | | 00.000,82 | \$8,000.00 | | | \$8,000,00 | 100.0% | | |
| | 5 | <u>M</u> | Manhole | \$5,000.00 | \$5,000.00 | | | \$5,000.00 | 100,0% | | |
| | 5 | L | Mnnhole | \$2,000.00 | \$2,000.00 | | | \$2,000,00 | 100.0% | | |
| | | М | 4" Process Pipe | \$2,000,00 | \$2,000.00 | | | \$2,000.00 | 100,0% | | |
| | 5 | L | 4" Process Pipe | \$4,000.00 | \$4,000,00 | | | \$4,000,00 | 100.0% | | |
| | 5 | M | 12" RCP Storm Sewer | \$20,000.00 | \$20,000.00 | | | \$20,000.00 | 100.0% | | |
| | 5 | L | 12" RCP Storm Sewer | \$15,000.00 | \$15,000,00 | | | \$15,000.00 | 100.0% | | |
| | 5 | L | Grit Drain Relocation | \$1,500,00 | \$1,500.00 | | | \$1,500.00 | 100,0% | | |
| | 5 | L | Hydrant Relocation | \$1,500,00 | \$1,500,00 | | | \$1,500.00 | 100.0% | | |
| | 5 | L | Process Pipe Pressure Testing | \$5,000.00 | \$5,000,00 | | | \$5,000.00 | 100.0% | | |
| | 5 | м | Flowmeter | \$12,000.00 | \$12,000,00 | | | \$12,000.00 | 100,0% | | |
| | 5 | l, | Flowmeter | \$5,000.00 | \$5,000,00 | | | \$5,000.00 | | | |
| | 5 | М | HVAC Ductwork & Ductwork Accessories | \$8,500.00 | \$8,500.00 | | | \$8,500.00 | 100.0% | | |

| ontract): | | | Through 12/31/2022 Lincoln CSO Improvements | | | Application Number: | 12/31/2022 | | | | |
|---|--------------|----------------|--|----------------------------|--------------------------------|---------------------|---|---------------------------------------|------------|------------------|--|
| ation Period: | | | Through 12/31/2022 | | Application Date: 3/31/2023 | | | | | | |
| | | | - | | | | 3/31/2023 E | | | | |
| | | | A | | | Work Completed | | F Table | | G | |
| Structure | Bid Item No. | Material/Lahor | Description | B Scheduled Value (\$) | C From Previous Application | This Period | Materials Presently Stored (not in C or D) | Total Completed and Stored to Date | % (F/B) | Balance to Finis | |
| | 5 | L | HVAC Duotwork & Ductwork Accessories | \$10,000,01 | (C+D) | 11101 0100 | | (C+D+E) | ` ' | | |
| | 5 | м | HVAC - Louvers | \$10,000,00 | \$10,000.00 | | | \$10,000.00 | 100.0% | - | |
| | 5 | L | HVAC - Louvers | \$3,000,00 | \$3,000,00 | | 4 | \$5,000.00 \$3,000.00 | 100,0% | | |
| | 5 | M | HVAC - Funs | \$8,500,00 | \$8,500.00 | | 1 | \$8,500,00 | 100,0% | | |
| | 5 | l, | HVAC - Forus | \$3,500,00 | \$3,500,00 | | | \$3,500.00 | 100,0% | | |
| | - 5 | L | HVAC Test & Balance | \$5,000,00 | \$5,000.00 | | | \$5,000.00 | 100,0% | | |
| | 5 | M | Electric Unit Heaters | \$20,000.00 | \$20,000,00 | | | \$20,000,00 | 100.0% | | |
| | 5 | L | Electric Unit Heaters | \$6,000,00 | 00.000,62 | | 1 | \$6,000.00 | 100.0% | | |
| | 5 | М | Gas Detection System | \$23,000.00 | \$23,000.00 | | | \$23,000,00 | 100.0% | | |
| | 5 | L | Gas Detection System | \$6,000.00 | \$6,000.00 | | | \$6,000.00 | 100.0% | | |
| | 5 | М | Electrical Wiring & Conduit | 00.000,812 | 00.000,812 | | | 00,000,812 | 100.0% | | |
| | 5 | L | Electrical Wiring & Conduit | \$25,000.00 | \$25,000,00 | | | \$25,000,00 | 100.0% | | |
| | 5 | М | Panelboards/Enclosures | \$2,500,00 | \$2,500.00 | | | \$2,500.00 | 100,0% | | |
| | 5 | L M | Punelboards/Enclosures | \$5,000.00 | \$5,000,00 | | | \$5,000.00 | 100,0% | | |
| | 5 | L | Lighting | \$15,000.00 | \$15,000.00 | | | \$15,000.00 | 100.0% | | |
| | 5 | M | Lighting Covered by B. Donating | \$10,000,00 | \$10,000,00 | | | \$10,000,00 | 100.0% | | |
| | 5 | l, | Grounding & Bonding Grounding & Bonding | \$2,500,00 | \$2,500.00 | | | \$2,500.00 | 100.0% | | |
| | 6 | M | | \$4,500.00 | \$4,500.00 | | | \$4,500.00 | 100,0% | | |
| ₽. | 6 | L. | Screenings Washer & Compacting Equipment + Orit Classifler Screenings Washer & Compacting Equipment + Orit Classifler | \$92,383.00 | \$92,383.00 | | | \$92,383.00 | 100.0% | | |
| <u>a</u> | 6 | M | 4* DI Compactor Drain | \$15,000.00 | \$15,000.00 | | | \$15,000.00 | 100.0% | | |
| Eq. | 6 | L | 4" DI Competor Drain | \$2,000,00 | \$2,000.00 | | | \$2,000.00 | 100,0% | | |
| <u> </u> | 6 | M | 3/4" PVC - Plant Water | \$3,000,00 00,000,12 | \$3,000.00 | | _ | \$3,000.00 | 100.0% | | |
| Ŧ. | 6 | 1. | 3/4" PVC - Plant Water | \$1,500,00 | \$1,000.00 | | | 00.000,12 | 100.0% | | |
| ប៊ី | 6 | M | 4" DI Grit Slurry | \$2,000,00 | \$2,000.00 | | - | \$1,500,00 | 100.0% | _ | |
| Ħ | 6 | L | 4* DI Grit Slurry | \$3,000.00 | \$3,000.00 | | | \$2,000.00 | 100.0% | | |
| 1 | 6 | М | 6" DI Classifler Effluent | \$4,000.00 | \$4,000.00 | | | \$3,000,00 | 100.0% | | |
| ₹£ | 6 | L | 6" DI Classifier Effluent | \$6,000.00 | \$6,000,00 | | | \$4,000,00 \$6,000,00 | 100.0% | | |
| ã | 6 | L | Startup/Testing | \$2,500,00 | \$2,500.00 | | | \$2,500.00 | 100,0% | | |
| Alter | 6 | M | Electrical Wire & Conduit | \$5,000,00 | \$5,000,00 | | | \$5,000.00 | 100,0% | | |
| | 6 | L | Electrical Wire & Conduit | \$10,000.00 | \$10,000,00 | | | \$10,000,00 | 100,0% | | |
| | 7 | L | Demo Existing Clarifler Equipment | \$60,000,00 | \$60,000.00 | | | \$60,000.00 | 100.0% | | |
| _ | 7 | L | Denio Grout | \$30,000.00 | \$30,000,00 | | | \$30,000.00 | 100.0% | | |
| Ą | 7 | L | Concrete Timk Cleaning | \$10,000,00 | \$10,000.00 | | | \$10,000.00 | 100.0% | | |
| Ž. | 7 | М | Circular Clarifier Equipment | \$291,402.00 | \$291,402.00 | | | \$291,402,00 | 100,0% | | |
| 2 × × × × × × × × × × × × × × × × × × × | 7 | L | Circular Clarifier Equipment | \$100,000,00 | \$100,000.00 | | | \$100,000,00 | 100.0% | | |
| Clariffer Mech | 7 | М | Grout | \$15,000.00 | \$15,000.00 | | | \$15,000.00 | 100.0% | | |
| 复 | 7 | L. | Grout | \$30,000,00 | \$30,000,00 | | | \$30,000,00 | 100.0% | | |
| చ్ | 7 | М | Fiber lifasa Weira & Baffles + Density Current Baffles | \$41,050.00 | \$41,050.00 | | | \$41,050,00 | 100.0% | | |
| E . | 7 | L | Fiberglass Weirs & Baffles + Density Current Baffles | \$30,000.00 | \$30,000.00 | | | 00.000,082 | 100.0% | | |
| Page 1 | 7 | M | Painting/Conting | \$15,000.00 | \$15,000,00 | | | \$15,000,00 | 100.0% | | |
| Ş | 7 7 | L | Painting/Conting | \$25,000.00 | \$25,000.00 | | | \$25,000.00 | 100.0% | | |
| 7 | 7 | М | Lighting | \$2,000.00 | \$2,000.00 | | | \$2,000.00 | 100,0% | | |
| #± 2 | 1 7 | L | Lighting Planting Widow 9. Co., 1.7 | \$3,000,00 | \$3,000.00 | | | \$3,000.00 | 100.0% | | |
| Ē | 7 | M L | Electrical Wiring & Conduit | \$3,000.00 | \$3,000.00 | | | \$3,000.00 | 100.0% | | |
| 3 | 7 | M | Electrical Wiring & Conduit 6 DIP | \$5,000.00 | \$5,000.00 | | | \$5,000.00 | 100.0% | | |
| • | 7 | L | 6° DIP | \$2,000.00 | \$2,000.00 | | | \$2,000.00 | 100,0% | | |
| | 7 | L | Startup/Testing | \$3,000,00 | \$3,000.00 | | | \$3,000,00 | 100.0% | | |
| Change Order NO 1 | | | Change in material of the base plate in the swirl concentrator from stay. To SS | \$5,000.00 | \$5,000.00 | | | \$5,000.00 | 100.0% | | |
| Change Order NO 2 | | | Increase pile length, add grout to Swirl Tank Effluent Box, and increase hanger size | \$1,312,50 | \$1,312,50 | | _ | \$1,312,50 | 100.0% | | |
| Change Order NO 3 | | | Lab Building Redesign | \$16,025.50 \$17,748,73 | \$16,025,50 | | | \$16,025.50 | 100,0% | | |
| Change Order NO 4 | | | Lub Garage Wet Well Hatch | \$17,748.73 | \$17,748.73 | | | \$17,748.73 | 100.0% | | |
| Change Order NO 5 | | | Lab Building Wet Well Modifications | | \$3,536.00 | | | \$3,536,00 | 100.0% | | |
| Change Order NO 6 | | | Cost Reduction for Electrically Acuated Mud. Valves + Add for Owner Requested Work | \$4,934.00 (\$2,229.00) | \$4,934,00 (\$2,229.00) | | _ | \$4,934.00 | 100,0% | | |
| Clinnge Order NO 7 | | | Duelbank Reroute | \$58,726.00 | \$58,726,00 | | | (\$2,229.00) | 100.0% | | |
| Change Order NO 8 | | | Headworks Coil Door Electrical | \$1,823.00 | \$1,823.00 | | | \$58,726.00 | 100.0% | | |
| Change Order NO 9 | | | No Cost Change Order - Time Extension Only | #1,04JAN | #1,023,MJ | | | \$1,823,00 | 100.0% | | |

| | | | Through 12/31/2022 | 12/31/2022 | | | | | | | |
|--|--------------|----------------|--------------------------|----------------------|------------------------------------|---------------------|------------------------|-------------------------------|------------|-------------------|--|
| For (Contract): | | | Lincoln CSO Improvements | | | Application Number: | 23 | | | | |
| optileation Period: Through 12/31/2022 | | | | | | Application Date: | 3/31/2023 | | | | |
| | | | | | Work C | Completed | E | F | | G | |
| | | | A | В | С | D | Materials Presently | Total Completed | | Balance to Finish | |
| Structure | Bid Item No. | Material/Labor | Description | Scheduled Value (\$) | From Previous Application (C+D) | This Period | Stored (not in C or D) | and Stored to Date (C+D+E) | % (F/B) | (B - P) | |
| Change Order NO 10 | | | Loh RTU Alarms | \$4,848.00 | \$4,848.00 | | | \$4,848.00 | 100.0% | | |
| Totals | | | | \$13,406,724.73 | \$13,406,724.73 | | | \$13,406,724.73 | 100.0% | | |

| | - Chilified II Old | Through 12 | 2/31/2022 | | | | | 23 12/31/2022 | | | |
|--------------------|--|----------------------|-----------|------------|-----------------------------|-----------------------|----------------------|--|--|------------|------------------------------|
| | Lincoln CSO Improvements | | | | | | | Application Number: | 23 | | |
| pplication Period: | Through 12/31/2022 | | | | | | | Application Date: | 3/31/2023 | | |
| | A | | | | В | С | D | E | F | | |
| | Item | Contract Information | | | | Estimated | Value of Work | | Total Completed | | |
| Bid Item No. | Description | Item Quantity | Units | Unit Price | Total Value of Item (\$) | Quantity Installed | Installed to Date | Materials Presently Stored (not in C) | Total Completed and Stored to Date (D + E) | % (F/B) | Balance to Finish (B - F) |
| | First Flush Tank Slnb Repair 4" (15'x15" Sections) | 6 | EA | \$6,410.00 | \$38,460.00 | | | | | | |
| 2 | First Flush Tank Slab Repair 6" (15'x15' Sections) | - 11 | EA | \$7,810,00 | \$85,910.00 | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | - | - | | | | | | | | |
| | | + | - | | | | | | | | |
| | | | - | | | | | | | | |
| | | - | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | - | - | | | | | | | | |
| | | - | - | | | _ | | | | | |
| | | _ | \vdash | | | | | | | | |
| | | | - | | | - | | | | | |
| | | _ | - | | | | | | | | |
| | | — | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | - | | | | | | | | | |
| | | | | | | | | | | | |
| | | - | \vdash | | | | | | | | |
| | | | | | | | | | | | |
| | Totals | - | | | \$124,370.00 | | | | | | \$124,370,00 |

| or (C | ontract): | | | Through 12/31/2022 | | | | 12/31/2022 | | | | |
|-------------|----------------------|--|---------------------------|--|---|----------------|----------------------------------|--|--------------------------|----------------|---|--|
| | | | Lincoln CSO Impre | ovements | | | | Application Number: 23 | | | | |
| pplic | ation Period: | | Through 12/31/202 | 2 | | _ | | Application Date: 3/31/2023 | | | | |
| | A | В | | С | | D | Е | | | F | G | |
| Bid | | Submittal No. | | | Stored I | reviously | | Subtotal Amount | Incorpor | ated in Work | Materials | |
| Item No. | Supplier Invoice No. | (with Specification Section No.) | Sterage Location | Description of Materials or Equipment Stored | Date Placed into Storage (Month/Year) | Amount (\$) | Amount Stored this Month (\$) | Completed and Stored to Date (D + E) | Date (Month/ Year) | Amount (\$) | Remaining in Storage (\$) (D + E - F) | |
| 5 | 12781 | 014 (05 50 00) | Onsite | Raw Water Meter Hatch & Ladder | 8/2020 | \$1,791,87 | | \$1,791.87 | 6/2021 | \$1,791.87 | (D B - k) | |
| 3 | | | Onsite | Bridge Piling | 8/2020 | \$30,000.00 | | \$30,000,00 | 1/2021 | \$30,000,00 | | |
| 3 | 2022101 | 034 (03 20 00) | Onsite | Bridge Abutment Rebar | 8/2020 | \$1,450.00 | | \$1,450.00 | 1/2021 | \$1,450.00 | | |
| 3 | 21627843 | 016 (B-101) | Onsite | Precast Bridge Culvert | 10/2020 | \$92,997,90 | | \$92,997.90 | 2/2021 | \$92,997,90 | | |
| 3 | 002073 | 036 (33 37 23) | Onsite | Hydrobrake Flow Regulator | 10/2020 | \$16,245.00 | | \$16,245.00 | 5/2021 | \$16,245,00 | | |
| 3 | 1400080 | 057 (46 33 44) | Onsite | Peristaltic Pumps & Chemical Skid | 10/2020 | \$38,387,00 | | \$38,387.00 | 10/2021 | \$38,387.00 | | |
| 3 | 2022102 | 038 (03 20 00) | Onsite | Blower/Electrical Building Rebar | 10/2020 | \$3,940.00 | | \$3,940,00 | 3/2021 | \$3,940.00 | | |
| 3 | | 047 (03 20 00) | Onsite | Swirl Concentrator Wall Rebar | 10/2020 | \$18,000.00 | | \$18,000.00 | 11/2020 | \$18,000,00 | | |
| 3 | 2041019911 | 026 (33 05 00) | Onsite | Hobas Pipe | 12/2021 | \$360,271,08 | | \$360,271.08 | 2/2021 | \$360,271.08 | | |
| 5 | 856697 | 074 (33 05 00) | Onsite | 20" DIP - Raw Water Main | 10/2020 | \$34,646.00 | | \$34,646,00 | 6/2021 | \$34,646.00 | | |
| 3 | 856559 | 074 (33 05 00) | Onsite | 20" DIP - Swirl Underflow Line | 10/2020 | \$22,445.24 | | \$22,445.24 | 12/2020 | \$22,445.24 | | |
| 3 | 856559 | 074 (33 05 00) | Onsite | 12" DIP - First Flush Tank Drain Line | 10/2020 | \$6,977.73 | | \$6,977.73 | 6/2021 | \$6,977.73 | | |
| 3 | MULT | 074 (33 05 00) | Onsite | 12" DIP - First Flush Aeration Pipe | 10/2020 | \$25,496.70 | | \$25,496,70 | 8/2021 | \$25,496,70 | | |
| 3 | 856559 | 027 (33 05 00) | Onsite | 4" PVC Plant Water Pipe | 10/2020 | \$1,532.42 | | \$1,532,42 | 8/2021 | \$1,532.42 | | |
| 3 | 856695 | 074 (33 05 00) | Onsite | 12" DIP - First Plush | 10/2020 | \$1,596.00 | | \$1,596,00 | 8/2021 | \$1,596.00 | | |
| 6 | | 074 (33 05 00) | Onsite | DIP - Grit Classifier Effluent Pipe | 10/2020 | \$1,594,40 | | \$1,594.40 | 9/2021 | \$1,594.40 | | |
| 3 | | 074 (33 05 00) | Onsite | 12" DIP - Pump STA Drain Pipe | 11/2020 | \$7,731,86 | | \$7,731,86 | 2/2021 | \$7,731.86 | | |
| 3 | | 042 (33 05 61) | Onsite | Sherman Dry Sewer Manhole Structures | 11/2020 | \$6,206.95 | | \$6,206,95 | 2/2021 | \$6,206.95 | | |
| AULT | | 022 (08 11 13) | Warehouse | Doors & Hardware | 11/2020 | \$16,901,72 | | \$16,901.72 | 8/2021 | \$16,901.72 | | |
| 6 | | 074 (33 05 00) | Onsite | 4" DIP - Grit Slurry Line | 11/2020 | \$516.00 | | \$516.00 | 9/2021 | \$516,00 | | |
| 3 | | 074 (33 05 00) | Onsite | 24" DIP - Underflow to 1st Flush Tank | 11/2020 | \$11,606,84 | | \$11,606.84 | 8/2021 | \$11,606.84 | | |
| | | 074 (33 05 00) | Onsite | 10" DIP - Screen & Pump STA | 11/2020 | \$1,753.87 | | \$1,753,87 | 1/2021 | \$1,753,87 | | |
| 3 | | 008 (46 41 23) | Onsite | Submersible Mixers + Hardware | 11/2020 | \$80,000,00 | | \$80,000.00 | 9/2021 | \$80,000,00 | | |
| 3 | | 017 (43 24 13) | Onsite | Axial Flow Pump Tubes | 11/2020 | \$217,594.00 | | \$217,594.00 | 1/2021 | \$217,594.00 | | |
| 3 | | 007 (43 24 11) 087 (23 82 18) | Onsite | Submersible Pumps (6" & 10") + Hardware | 11/2020 | \$143,363.00 | | \$143,363,00 | 2/2021 | \$143,363.00 | | |
| | | | Standard H&C Warehouse | Blower BLDG - Ductiess AC Unit | 11/2020 | \$4,500.00 | | \$4,500.00 | 6/2021 | \$4,500,00 | | |
| 3 | | 086 (23 82 00) | | Blower BLDG - Electric Unit Heater | 11/2020 | \$1,400.00 | | \$1,400.00 | 8/2021 | \$1,400.00 | | |
| _ | | | Warehouse | | | | | | | , | | |
| 4 | | 083 (23 55 00) | Standard H&C Warehouse | Lab BLDG - Gas Fired Unit Heaters | 11/2020 | \$5,200.00 | | \$5,200.00 | 8/2021 | \$5,200,00 | | |
| 5 | | 082 (23 37 00) | Standard H&C Warehouse | Headworks - Fans | 11/2020 | \$8,350.00 | | \$8,350.00 | 12/2021 | \$8,350.00 | | |
| 5 | | 086 (23 82 00) | | Headworks - Electric Unit Heaters | 11/2020 | \$15,000.00 | | \$15,000.00 | 9/2021 | \$15,000.00 | | |
| 3 | | 017 (43 24 13) | Onsite | Axial Flow Pumps | 12/2020 | \$302,327,00 | | \$302,327.00 | 5/2021 | \$302,327,00 | | |
| 3 | | 065 (05 50 00) | Onsite | Screen & Pump STA Steel | 12/2020 | \$85,000.00 | | \$85,000.00 | 8/2021 | \$85,000,00 | | |
| 3 | | 029 (40 05 29) | Onsite | Slide Gates | 12/2020 | \$119,311.00 | | \$119,311,00 | 2/2021 | \$119,311.00 | | |
| 7 | | 017 (43 24 13) | Onsite | Fiberglass Clarifier Weirs & Scum Baffles | 12/2020 | \$15,810,00 | | \$15,810.00 | 9/2021 | \$15,810.00 | | |
| 5 | | 022 (08 34 00) | Onsite | Fiberglass Doors & Frames | 1/2021 | \$8,419.28 | | \$8,419,28 | 8/2021 | \$8,419.28 | | |
| 3 | | 021 (33 73 33) | | Swirl Concentrator Equipment | 1/2021 | \$232,260,00 | | \$232,260,00 | 2/2021 | \$232,260,00 | | |
| 7 | | 017 (43 24 13) | | Fiberglass Density Current Baffles | 1/2021 | \$24,480.00 | | \$24,480.00 | 9/2021 | \$24,480,00 | | |
| 3 | | 043 (05 21 00) | | Steel Joists & Decking | 1/2021 | \$9.010.00 | | \$9,010.00 | 5/2021 | \$9,010.00 | | |
| 3 | | 074 (33 05 00) | | 8" Chlorine Tank Drain | 1/2021 | \$463,20 | | \$463.20 | 6/2021 | \$463,20 | | |
| 3 | | 074 (33 05 00) | Onsite | 6" DIP Drain Pump Pipe | 1/2021 | \$682.50 | | \$682,50 | 4/2021 | \$682,50 | | |
| 3 | | 074 (33 05 00) | Onsite | 12" DIP Underflow Pump Pipe | 1/2021 | \$3,313.00 | | \$3,313.00 | 4/2021 | \$3,313,00 | | |
| 3 | | 090 (46 21 17) | Onsite | Mechanical Catenary Bar Screen | 1/2021 | \$147,858,00 | | \$147,858.00 | 3/2021 | \$147,858,00 | | |
| 3 | 21308.00 | 056 (05 50 00) | | Channel Diversion STR Bar Grate & Weir | 1/2021 | \$15,000.00 | | \$15,000,00 | 3/2021 | \$15,000.00 | | |

Stored Material Summary

| | | | | 12/31/2022 | | | | | | | |
|-------------|----------------------|--|-------------------|--|---|------------------------|----------------------------------|--|--------------------------|----------------|---|
| For (Co | | | Lincoln CSO Impro | overnents | | | | Application Number | r: | 23 | |
| Applica | tion Period: | | Through 12/31/202 | 2 | | | | Application Date: | 3/31/2023 | | |
| | A | В | | С | | D | | | | F | G |
| Bid | | Submittal No. | | | | D Stored Previously | | Subtotal Amount | Incorpor | rated in Work | Materials |
| Item No. | Supplier Invoice No. | (with Specification Section No.) | Storage Location | Description of Materials or Equipment Stored | Date Placed into Storage (Month/Year) | Amount (\$) | Amount Stored this Month (\$) | Completed and Stored to Date (D + E) | Date (Month/ Year) | Amount (\$) | Remaining in Storage (\$) (D + E - F) |
| 3 | 21308.00 | 104 (05 52 00) | Onsite | Swirl Concentrator Handrail | 1/2021 | \$5,295,00 | | \$5,295.00 | 5/2021 | \$5,295.00 | |
| 3 | 10881 & 10884 | 113 (40 72 00) | Onsite | Level Sensors | 2/2021 | \$31,050,00 | | \$31,050,00 | 5/2021 | \$31,050,00 | |
| 3 | 4296294 & 4293131 | 079 (40 05 57) | Onsite | Slide Gate Electric Actuators | 2/2021 | \$37,534,00 | | \$37,534,00 | 3/2021 | \$37,534.00 | |
| 3 | 2022105R | 040 (03 20 00) | Onste | Channel Diversion Structure Rebar | 2/2021 | \$8,280,00 | | \$8,280.00 | 3/2021 | \$8,280.00 | |
| 3 | 16876 | 062 (43 11 33) | Onsite | Rotary Lobe Blowers | 2/2021 | \$57,000.00 | | \$57,000,00 | 5/2021 | \$57,000,00 | |
| 3 | 21339 | 066 (05 50 00) | Onsite | Swirl Concentrator Beams & Stairs | 2/2021 | \$45,000,00 | | \$45,000,00 | 4/2021 | \$45,000,00 | |
| 3 | 21339 | 054 (05 50 00) | Onsite | Blower Building Misc. Metals | 2/2021 | \$5,000,00 | | \$5,000,00 | 5/2021 | \$5,000,00 | |
| 3 | 2022105R | (03 20 00) | Onsite | Electrical Ductbank Rebar | 2/2021 | \$878.52 | | \$878.52 | 4/2021 | \$878,52 | |
| 3 | 20066-3 | 105 (33 12 53) | Onsite | Chlorine Tank Baffle Wall System | 3/2021 | \$231,380,00 | | \$231,380,00 | 4/2021 | \$231,380,00 | |
| 3&4 | 11163 | 115 (40 63 43) | Onsite | PLC Panels | 4/2021 | \$53,773.00 | | \$53,773,00 | 6/2021 | \$53,773,00 | |
| 4 | 8493 | 053 (09 65 19) | RFC Warehouse | Resilient Tile Flooring | 4/2021 | \$2,663,00 | | \$2,663.00 | 10/21 | \$2.663.00 | |
| 3 | 231987 | 075 (40 05 00) | Onsite | Blower BLDG SS Air Pipe | 4/2021 | \$20,590.00 | | \$20,590,00 | 8/2021 | \$20,590.00 | |
| 5 | S1992115.001 | 077 (22 10 19) | Onsite | Headworks Trench Drain | 4/2021 | \$2,197,00 | | \$2,197.00 | 9/2021 | \$2,197.00 | |
| 5 | 11161 + 11272 | 114 (28 42 05) | Onsite | Gas Detection System | 4/2021 | \$22,500.00 | | \$22,500.00 | 4/7 | \$22,500,00 | |
| 5 | 11272 | 113 (40 71 00) | Onsite | Flowmeter | 4/2021 | \$11,000,00 | | \$11,000.00 | 6/2021 | \$11,000.00 | |
| 5 | | 091 (46 21 73) | Onsite | Grit Classifier & Compactor Equipment | 5/2021 | \$69,288.00 | | \$69,288,00 | 9/2021 | \$69,288,00 | |
| MULT | MULT | 093 (26 50 00) | | | 5/2021 | \$41,982,34 | | \$41,982,34 | 9/2021 | \$41,982,34 | |
| MULT | MULT | 059 (26 24 19) | | Electrical Distribution Equipment | 5/2021 | \$188,413,02 | | \$188,413.02 | 6/2021 | \$188,413.02 | |
| 4 | 4009 | 110 (10 51 13) | | Metal Lockers | 5/2021 | \$4,500,00 | | \$4,500,00 | 12/2021 | \$4,500,00 | |
| 3 | | 030 (46 51 00) | | First Flush Tank Aeration System | 6/2021 | \$44,640.00 | | \$44,640.00 | 10/2021 | \$44,640,00 | |
| 4 | 12175 | 012 (10 80 10) | | Toilet Accessories | 6/2021 | \$2,009.00 | | \$2,009.00 | 12/2021 | \$2,009.00 | |
| 4 | Picture | 084 (23 74 00) | SHC Warehouse | Lab Building Roof Top Air Unit | 6/2021 | \$20,000,00 | | \$20,000,00 | 8/21 | \$20,000,00 | |
| 5 | 21458 | 069 (05 12 00) | Onsite | Headworks Steel Beams & Columns | 6/2021 | \$30,000.00 | | \$30,000.00 | 9/2021 | \$30,000.00 | |
| | | | | Totals | _ | \$3,076,402,44 | | \$3,076,402,44 | | \$3,076,402,44 | |

FINAL WAIVER OF LIEN

STATE OF ILLINOIS)
SS.
COUNTY OF MADISON)

TO ALL WHOM IT MAY CONCERN:

WHEREAS, the undersigned, Plocher Construction Company, Inc., a corporation, has been employed by City of Lincoln, Illinois, to furnish labor and materials for a project known as:

Lincoln CSO Improvements

NOW THEREFORE, the undersigned, for and in consideration of the sum of SEVENTY-FOUR THOUSAND THREE HUNDRED EIGHTY-THREE AND 38/100 DOLLARS (\$74,383.38) and other good and valuable considerations, the receipt whereof is hereby acknowledged by the undersigned, does hereby waive and release any and all lien or claim of or right to lien under the statutes of the State of Illinois relating to mechanics' liens, with respect to and on the above-described premises, and the improvements thereon, and on the material, fixtures, apparatus or machinery furnished, and on the moneys or other considerations due or to become due from the owner, on account of labor, services, material, fixtures, apparatus or machinery, furnished by the undersigned to the date hereof only, to or on account of the said contractor or the said owner, for the above-described premises, without prejudice to assert any right of lien as to any labor, services, material, fixtures, apparatus or machinery hereafter furnished by the undersigned.

Dated this 29th day of March 2023

and a second

BY

Scott Plocher, President

Plocher Construction Company, Inc.

Lisa Scholl, Secretary



CITY OF LINCOLN, ILLINOIS

700 Broadway St., P.O. Box 509, Lincoln, IL 62656

Named for and Christened by Abraham Uncoln, 1853—Incorporated February 16, 1865 CITY COUNCIL MEETS FIRST AND THIRD MONDAY NIGHTS EACH MONTH

To: Mayor and Aldermen of the City of Lincoln

From: Andrew Bowns

Meeting Date: April 11, 2023

RE: Control Panel Replacement at Drying Bed Lift Station

Background

The contactor has failed in this cabinet and needs replaced.

Analysis/Discussion:

The contactor was the start of the issue for this particular control panel. When the contractor started looking into replacing the contactor he found quite a few NEC violations within the panel. The box itself will be able to be reused, but all components will need to have intrinsic protection added to them. This panel is currently a safety hazard due to the fact that an exposed conductor could discharge 120V to the wet well damaging everything within the wet well.

Fiscal Impact:

The total cost for this project should be approved as a cost not to exceed \$15,620.00.

Council Recommendation:

Approve the installation of the new control panel in an amount not to exceed \$15,620.00 to be expensed from "50-7200-7860 Capital Expense - Equipment".

CITY COUNCIL



Quotation March 30, 2023

To: Company: Phone:

Fax:

Andrew Bowns

Lincoln WW

From: Phone: Fax:

Email:

Jerry W. Britton 309.353.5376 309.353.1372 jwb@go-bea.com

BRITTON ELECTRONICS & AUTOMATION, INC. IS A STATE CERTIFIED WOMAN OWNED BUSINESS IDHR #116050-00

SCOPE OF WORK: Upgrade the Drying Beds Control Panel to meet the National Electric Code (NEC) and fix items not functioning.

This quotation will upgrade the current controls to meet NEC codes and create a safer environment for maintenance personnel. Items to be addressed:

- Delete the three floats and controls running on 120 VAC. The NEC Code requires Intrinsic Protection on floats and other electronics in a wastewater application.
- Install a 4-channel intrinsic barrier between the replacement floats and the control voltages.
- Replace the mercury-based floats with ecologically safe non-mercury type. We will add one more float to separate out the low float and a pump off float. The low float will show the alarm light and stop pumping completely to protect the pump.
- Add a "seal-off" to block corrosive gases from entering the new control panel.
- · Add explosion proof JB for junction allowing floats to be replaced without breaking the seal-off.
- Move low voltage controls into a separate enclosure so operators are not exposed to the higher voltages
 while troubleshooting. We will extend the existing rack sufficient to add a small 20 x 20 control panel.
- Replace the existing 208 Volt 25-HP Size 3 starter with a replacement Allen-Bradley unit.
- Install an Allen-Bradley small foot-print PLC used for these smaller applications.
- We plan to re-use the existing red alarm light but will have a replacement available if it is not serviceable.
- Clean up the wiring and dress up the panel.
- Supply an updated schematic.

INSTALLATION:

- Assemble and test new control panel in the BEA Panel Shop.
- Work with the Lincoln WW crew to arrange installation time and details.
- We expect our two technicians to be able to make the field conversion in an eight-hour period with some overtime possible.
- If the local WW plant personnel feel a backup pump is required this will be supplied, maintained and installed by others and not by BEA.
- Onsite: Our technicians will prepare the site on the first day by extending the rack, mounting the new control panel, installing the seal-off, junction box and install the floats.
- On the second day the transition will occur. Modifications to the existing enclosure including replacing the
 main motor starter will occur and final control will be established. Our technicians will cleanup the wiring
 in the existing control panel to the best of our ability.
- We will have a replacement alarm strobe light in case the existing is found defective. The condition of the
 existing is in question. It is not included in this quotation.

Pricing:

\$14,200.00

Prices:

- Valid for 30 days from date of this quote/proposal.
- This quotation does not include the repair or replacing of existing electrical equipment, components or other existing equipment found to be damaged or missing during installation.
- Pricing for this quotation assumes no interruptions to the project from outside influences such as but not limited to weather, labor disputes, disagreements, conflicts, arguments, or controversy. Costs resulting from any such interruptions will become the responsibility of the customer.
- All quotations are subject to progressive billing.
- Price includes labor and travel-time.
- Sales Tax is not included but may be applicable.

This quotation respectfully submitted by:

Jerry W. Britton

290 Derby Street Pekin, Illinois 61554 Cell Phone 309-241-2420

PROCLAMATION

ARBOR DAY CELEBRATION

| WHEREAS, | In 1872, J. Sterling Morton proposed to the Nebraska Board of Agriculture that a special day be set aside for the planting of trees, and |
|---|--|
| WHEREAS, | this holiday called Arbor Day, was first observed with the planting of more than a million trees in Nebraska, and Arbor Day is now observed throughout the nation and the world, and |
| WHEREAS, | trees reduce the erosion of our precious topsoil by wind and water, cut heating and cooling costs, moderate the temperature, clean the air, produce oxygen and provide habitat for wildlife, and |
| WHEREAS, | trees are a renewable resource giving us paper, wood for our homes, fuel for our fires and countless other wood products, and |
| WHEREAS, | trees in our city increase property values, enhance the economic vitality of business areas, and beautify our community, and |
| WHEREAS, | trees, wherever they are planted, are a source of joy and spiritual renewal, and |
| WHEREAS, | the City of Lincoln, Illinois has been recognized as a Tree City USA by The National Arbor Day Foundation and desires to continue its tree-planting practices |
| NOW THEREFORE, I Tracy Welch, Mag Proclaim April 28, 2023 as | yor of the City of Lincoln, Illinois, do hereby |
| | ARBOR DAY |
| In the City of Lincoln, Illinois and urge a efforts to protect our trees and woodla | all citizens to celebrate Arbor Day and to support ands, and |
| FURTHER, | I urge all citizens to plant trees to gladden the heart and promote the well-being of this and future generation |
| Dated this 17th Day of April | |
| Mayor | |
| City Clerk | |
| | |

MEMORANDUM

TO:

Mayor and Aldermen of the City of Lincoln

FROM:

Walt Landers, Street Superintendent

MEETING

DATE:

April 11, 2023

RE:

Rebuild Illinois Project Recommendation

Background

In 2020, the State of Illinois started issuing the Rebuild Illinois Bond fund money to local public agencies to fund capitol projects. The city of Lincoln was issued six installments of \$159,311.78, for a total of \$955,870.68. The city of Lincoln has used these funds for one project so far. That being Heitmann Dr. That project totaled \$429,322.55 including engineering and construction costs. This leaves a balance of \$526,548.13. These funds are required to be expended by July 1, 2025.

Analysis/Discussion

My recommendation for the next project for the remaining funds, is the improvements to Tremont Street from North Logan Street west to N Union Street. These improvements should include new curb and gutter, sidewalk ramps and resurfacing or reconstruction of the street.

I would like to have CMT move forward with preliminary cost estimates and possibly design engineering to get this project started.

Fiscal Impact

\$526,548.13 from MFT Rebuild Illinois Line 20-0000-6435

COW Recommendation

Approve the Tremont Street Rebuild Illinois Bond Fund Project and place on the agenda of the Regular City Council Meeting April 17, 2023.



May 1, 2020

CIRCULAR LETTER 2020-11

REBUILD ILLINOIS BOND FUNDS TO LOCAL PUBLIC AGENCIES

COUNTY ENGINEERS / SUPERINTENDENTS OF HIGHWAYS / MUNICIPAL ENGINEERS / DIRECTORS OF PUBLIC WORKS / MAYORS / METROPOLITAN PLANNING ORGANIZATIONS – DIRECTORS / TOWNSHIP HIGHWAY COMMISSIONERS / CONSULTING ENGINEERS

The Illinois Department of Transportation (IDOT) has been authorized to implement a \$1.5 billion grant program using proceeds from general obligation (transportation, series A) bonds authorized in the REBUILD Illinois capital program to provide Local Public Agencies (LPAs) with the funds for capital projects. The first REBUILD Illinois grants, which will be awarded and disbursed in the week of May 4th, 2020 will total \$250 Million. Grants will be allotted among LPAs based on the regular Motor Fuel tax (MFT) formula. However, keep in mind that these are <u>not MFT</u> disbursements. Rather, they are grants made from bond proceeds that must be used for capital projects and for which separate accounting will be required.

The money for REBUILD Illinois grants comes from proceeds of general obligation bonds authorized pursuant to subsection (a) of Section 4 of the General Obligation Bond Act (30 ILCS 330/4). IDOT is authorized to use these funds to make grants "for planning, engineering, acquisition, construction, reconstruction, development, improvement, extension, and all construction-related expenses of the public infrastructure and other transportation improvement projects." Thus, the grants may be used by LPAs only for those purposes.

At this time IDOT intends to award and disburse REBUILD Illinois grants twice each year over a period of 3 years. We expect to award \$1.5 billion in six (6) disbursements of \$250 million each over the 3 years. The exact dates of the distributions will vary depending on the timing of the bond sales and identifiable needs of the LPAs.

LPA's may view their estimated total allotments online at http://www.idot.illinois.gov/transportation-system/local-transportation-partners/county-engineers-and-local-public-agencies/mft-distribution/index#rib

Funds received from these REBUILD Illinois grants must be deposited into the LPA's MFT account. However, grant funds must be separately accounted for, and expenditures must be in accordance with purposes authorized in subsection (a) of Section 4 of the General Obligation Bond Act. To qualify to be funded with REBUILD Illinois grant proceeds, a project will need to be a bondable capital improvement. In general, transportation improvement projects with an average

Circular Letter 2020-11 Page 3 May 1, 2020

Sincerely,

Omer M. Osman, P.E. Acting Secretary

cc: Arlene Kocher, FHWA - Illinois

Erin Aleman, Chicago Metropolitan Agency for Planning Duane Ratermann, Illinois Association of County Engineers

Brad Cole, Illinois Municipal League Bryan Smith, Township Officials of Illinois

Donald Goad, Township Highway Commissioners of Illinois

Bcc: Georgina Syas

Doug House Sheleda Doss Matt Magalis Anthony Quigley Masood Ahmad Kensil Garnett Jeff Myers Keith Roberts

Logan County Illinois GIS Viewer







Interstates

Red: Band_1 Water Features

The Data is provided "as is" without warranty or any representation of accuracy, fine finess or completeness. The burden for determining eccuracy, completeness, inventioners, marchantability and linears for, or the appropriateness for use, rests ability on the requester. Logar County makes no warrantiles, express or implied, as to the use of the Data. There are no employed warranties of immediately or referse for a particular purpose, The requester activations and express the employed of the Data of the Data of the Data is dynamic and is in a constant state of the internence, correction, and update.

[web user]

Logan County, TCRPC

Earl, HERE, Garmin, (c) OpenStreetMap contributors,

MEMORANDUM

TO: Mayor and City Council Members

FROM: Robert Dunovsky, Fire Chief and Ashley Metelko, Administrative Assistant

MEETING DATE: April 11th, 2023

RE: Elevator Modernization Proposal

Background:

We are looking to upgrade and bring the City Hall elevator up to code. We were advised by Kone that eventually the elevator is going to need significant repair or replacement. I have attached a modernization proposal packet from Kone and some brief email communications.

Please take the time to review the information I have provided for you.

Fiscal Impact

The recommendation would be to use ARPA Funds to fund this modernization proposal.

Council Recommendation: To be placed on Regular City Council meeting April 17, 2023.

From: Mies Jim <<u>Jim.Mies@KONE.com</u>>
Sent: Friday, March 17, 2023 12:40 PM

To: Robert Dunovsky < rdunovsky@lincolnil.gov >

Subject: Lincoln City Hall - Elevator Modernization Proposal

Bob,

I have put a proposal together for the elevator modernization project at Lincoln City Hall. I have a couple of items regarding the project that I would like to point out.

- 1. The scope is as minimal as I can make it. Per Todd Hinds, who is your route mechanic, he said that the equipment is in good shape, so we have only included components that will be required by code or are technologically incompatible.
- 2. The only additional scope provided that is not required is a voluntary alternate for a new cab interior. This is strictly an aesthetic upgrade, but I think the cab interior is a bit dated in its current appearance and there is not a better time to perform this upgrade than when we are doing a modernization. You will find the details on the cab interior on page 9 along with another reference to it on the page 11 pricing page.
- 3. THIS DOES NOT INCLUDE ANY WORK BY OTHER TRADES. As I mentioned during our in person conversation, this is certainly a part of the project that can't be forgotten, but our mechanics can not perform this work. I have provided all of our costs for the elevator portion of this and we have a very good idea of what the work by others scope would include, but we have not yet had any other trades provide us with pricing for this part of the project. I did speak with Fitzpatrick Construction about this and he said he would be interested, but our standard policy is to provide all the support, coordination, and insight for the work by others after the elevator scope has been awarded to KONE; keep in mind that we do not charge any consulting or coordination fees for this part of the project if awarded to KONE. If you are looking to submit a complete number for the project, we would guess that based on what will need to be done on this portion that you should include \$35,000 to \$40,000 in addition to the pricing we have provided.
- 4. In regards to awarding the project to KONE, the OMNIA Partners Cooperative is a very simple and easy way to move forward with the project and many public entities exercise this option on a regular basis. It prevents you from having to formally create and RFP, hire a consultant to develop a scope and run the bid, the contract terms for the building owner are very favorable, and limits our markup on parts and labor. Let me know if you need anything else regarding this option.

Please review at you convenience and let me know if you have any questions. This is a project in which we would very much like to participate and we are looking forward to moving to the next stage of the process. Thanks and have a great weekend.

Jim Mies
Senior Modernization Sales Executive
KONE Americas
6106 West Plank Road
Peoria, IL 61604
Te! (309) 697-9011
Mobile (309) 648-5312
Email james.mies@kone.com
www.kone.us

to a contract of the second of



03/17/2023

KONE Inc. Elevators & Escalators

6106 West Plank Road Peoria, IL, 61604 Mobile +1 3096485312 Work (309) 697-9011 james.mies@kone.com www.kone.us

Dear Bob Dunovsky,

We are pleased to enclose, for your review and consideration, KONE's proposal to modernize your equipment located at the following address for the amount of \$104,822.00 (excl. tax):

Lincoln City Hall 700 Broadway Street Lincoln, IL 62656

- This proposal is based on 2024 installation.
- This proposal is valid for (30) days.
 - Anticipated downtime: 3 1/2 weeks

Please know that we are available to assist you in coordinating the work by others as further described in our "Bid Attachment B". Should you have any questions or require additional information, please feel free to contact me directly.

We look forward to hearing from you and working together on this project.

Yours sincerely,

James E. Mies

Jim Mies

KONE Inc.

Senior Modernization Sales Executive



Your solution

Equipment #

20332490 / H001257

Address

700 Broadway Street, Lincoln, IL 62656

Rated speed

150 fpm 23 ft 4 in

Travel height
Number of floors

3 floors / 3 front openings / 0 rear opening



Electrification

KONE HydroMod DX

KONE HydroMod DX is a modular modernization solution for elevator control and electrical systems, based on the latest in control technology. This replaces outdated technology such as relays and older electronic systems, improving the levels of performance, reliability, safety and energy efficiency of your elevator. The modular structure of KONE HydroMod DX is designed to correctly interface with many types of existing elevator components, thus ensuring a swift, trouble-free installation for the building users.



A new microprocessor-based control system shall be provided to perform the functions of safe elevator motion. Included shall be all of the hardware required to connect, transfer and interrupt power, and to protect the motor against overloading. Each controller cabinet containing memory equipment shall be properly shielded from line pollution. The microcomputer system shall be designed to accept reprogramming with minimum system down time. All high voltage (110V or above) contact points inside the controller cabinet shall be protected from accidental contact in a situation where the controller doors are open. The microprocessor-based control system shall utilize on-board diagnostics for servicing, troubleshooting, and adjusting without requiring the use of an outside service tool.

KONE 24/7 Emergency Video Communications

This proposal includes provisions for KONE 24/7 Emergency Video Communications, which meets the intent of IBC 2018 and ASME A17.1 2019 code. In addition to the two-way audio communication, it allows for text based two-way communication between the elevator cab and the KONE Customer Care Center as well as means to visually verify if the cab is occupied when an emergency call is placed. The following is included for the duration of the warranty maintenance period:

- Hardware that enables audio and text-based two-way communication and video into the elevator cab, including touchscreen mounted in the car operating panel, camera, and all related wiring
- Wireless communication to KONE Customer Care Center is provided by KONE. No additional data and voice network or phone line is required to be provided by others
- 4-hour battery backup of both of in-car communication devices, wireless data, and voice
- 24 hour-a-day, 7-day-a-week monitoring of elevator by KONE Customer Care Center

Sufficient AT&T cellular connectivity in the control space and a dedicated 110V disconnect are required to be provided by others to enable KONE 24/7 Emergency Video Communications. For elevators with 60' (18m) of travel of more, a data connection next to the remote communication panel and a windows-based computer (PC) capable of running the latest version of Google Chrome internet browser is required to be provided by others.

The KONE 24/7 Emergency Video Communications contract addendum and General Terms and Conditions for KONE Digital Services must be signed by the Building Owner. This contract addendum requires the Building Owner to pay a fee for audio, video, and data connectivity. This payment obligation, among other provisions, survives termination of any maintenance agreement.

Fixtures

Custom Fixtures

New signalization shall be provided.





Doors

Curtain of Light

The elevator car shall be equipped with an electronic protective device extending the full height of the car. When activated, this sensor shall prevent the doors from closing or cause them to stop and reopen if they are in the process of closing. The doors shall remain open as long as the flow of traffic continues and shall close shortly after the last person passes through the door opening.



GAL Door Equipment

A new car door operator shall be installed and arranged to automatically open and close the car door panel. The opening and closing shall be made smoothly and shall be cushioned at both final limits of travel. The door operator shall be arranged so that, in the event of a power failure of the operating circuits, the car doors cannot be readily opened by hand from within the elevator cab. The elevator shall not be able to move away from a landing until the car door panel is fully closed. The car door shall be equipped with a contact, which will prevent operation of the car unless the car door is closed. The contact shall be of the approved type and tested as required by code.

Hydraulic equipment

Field Pipe & Accessories

A manual safety valve shall be provided in the oil line in the pit.





Solution details

Elevator 20332490 / Solution 1

Electrification

Product name KONE HydroMod DX

Elevator group size Simplex

Number of floors served 3

Code year 2019

Speed [FPM] 150

NEMA rating (HW) Hoistway rating is NEMA 1.

NEMA rating (MR) Machine room rating is NEMA 1.

Power supply voltage [v] 240

Type of power unit Submersible

Machine room duct KONE will remove all existing wiring, conduit and duct from the

machine room. New conduit and duct properly sized and

constructed for the job requirements will be installed (in accordance

with applicable codes).

New motor size (hp) 25

Motor Starts per Hour 80 Standard

Type of curtain of light This curtain of light is an electronic sensing device that operates

across the car entrance. When activated, the curtain of light will prevent the doors from closing or cause them to stop and reopen if they are in the process of closing. The doors will remain open as long as the flow of traffic continues and will close shortly after the last person passes through the door opening. A 3-D type will be

provided.

Qty of COPs

Battery backup Battery backup shall be provided. Battery backup allows

passengers to safely exit an elevator in the event of a power

outage.

Hoistway duct KONE will remove all existing wiring, conduit and duct from the

hoistway. New conduit and duct properly sized and constructed for the job requirements will be installed (in accordance with applicable

codes).





Product name KONE 24/7 Emergency Video Communications

Number of floors served 3 Qty of COPs 1

24/7 Emergency Communications

24/7 Emergency Communications shall be provided.



Fixtures

| Product name | Custom Fixtures | |
|---------------------------------|-----------------|--|
| Number of floors served | 3 | |
| Qty of COPs | 1 | |
| Qty of new hall stations | 3 | |
| Qty of car direction lanterns | 1 | |
| Qty of hoistway access switches | 2 | |

Doors

Type of curtain of light

| Daniel and a second | Curtain of Light |
|---------------------|------------------|
| Product name | Curtain of Light |

Number of floors served 3
Code year 2019

NEMA rating (HW) Hoistway rating is NEMA 1.

This curtain of light is an electronic sensing device that operates across the car entrance. When activated, the curtain of light will prevent the doors from closing or cause them to stop and reopen if they are in the process of closing. The doors will remain open as long as the flow of traffic continues and will close shortly after the last person passes through the door opening. A 3-D type will be

provided.





GAL Door Equipment Product name

Elevator group size Simplex

Number of floors served

3

NEMA rating (HW)

Hoistway rating is NEMA 1.

Door type

Single speed side opening.

Hydraulic equipment

Field Pipe & Accessories Product name

Speed [FPM]

150

Field Pipe Size

2"

Mainline Shutoff Valves

A manual safety valve will be supplied in the oil line at the jack unit (pit) designed to shut off the flow of oil from the cylinder and bring the car to rest in case the car attains excessive down speed.

7(18) T-0006289208 www.kone.us



Commercial Offer

Project notes

Pricing does not include the costs for work by other trades.

Handover date

Mutually agreeable project schedule will be determined at time of proposal acceptance. Current delivery lead time is 15 weeks from when order receipt, deposit and approval of drawings have all been completed. The agreed delivery times for the project may need to be extended because of delays caused by measures undertaken to stop the spreading of the Coronavirus (2019-nCoV) epidemic, such as mandatory holiday extensions and transportation restrictions imposed by authorities in China and other countries, and the availability of personnel, logistics providers and supply chains, due to the epidemic.

Downtime period

3 1/2 weeks

Warranty/maintenance

Our Proposal includes 12 months of KONE standard maintenance with KONE 24/7 Connected Services, including regular time callback service.

Under no circumstances shall indicators or predictions from KONE 24/7 Connected Services be cause for immediate services. They shall be addressed upon the next scheduled maintenance visit, or otherwise at the sole discretion of KONE. The remote monitoring devices are provided to the Customer as part of the Services. Customer gives KONE the right to utilize 24/7 Connected Services to collect, export and use data generated by the use and operation of the equipment. Customer has no ownership or proprietary rights to such data, nor the device or software that monitors, analyzes, translates, reports or compiles such data. KONE 24/7 Connected Services, including any data collected, the device(s) to perform the service, and any software related thereto shall be the exclusive property of KONE. KONE MAKES NO WARRANTY THAT SERVICES WILL BE UNINTERRUPTED OR ERROR-FREE. KONE IS NOT LIABLE FOR ANY DAMAGES RELATING TO LACK OF NETWORK COVERAGE AT THE SITE OF THE EQUIPMENT, DUE TO TAMPERING WITH THE REMOTE MONITORING DEVICE, INTEROPERABILITY, SERVICE DEFECTS, SERVICE LEVELS, DELAYS, SERVICE ERRORS, INTERRUPTIONS OR ANY OTHER REASON OUTSIDE OF KONE'S REASONABLE CONTROL. KONE DISCLAIMS ANY LIABILITY FOR DAMAGES OR INJURIES (INCLUDING DEATH) ARISING FROM OR IN CONNECTION WITH THE OPERATION OR USE OF THE SERVICES SET FORTH HEREIN.

The Product Warranty is specified in Bid Attachment A. Installation by KONE of any parts covered under the Product Warranty on parts will only occur while KONE maintains an active maintenance contract. The Product Warranty and Warranty Maintenance commences on the date of acceptance set forth in the Uniform Final Acceptance Form. For long-term reliability, a continuing maintenance agreement is necessary.

Pricing

| Elevator: Solution 1 | • | • | • | • | \$ 104,822.00 |
|----------------------|----------|-------|-----------------|-----------|---------------|
| Equipment | Fixtures | Doors | Electrification | Hydraulic | Price (\$) |

Total Sales Price, net excluding TAX

\$ 104,822.00

www.kone.us T-0006289208 8(18)




Additional Options for your Consideration

Alternates Price excl. tax

Alternate 1 Cab lateriar A pay cab interior will be provided with a Hybrid Panel \$18,644.00

Alternate 1 – Cab Interior – A new cab interior will be provided with a Hybrid Panel Assembly that includes 13 standard wall panels constructed of ½" fire rated particle board and faced with desired Wilsonart standard PLAM. The handrail panel is faced with SS #4 finish material and the panels are backed with code compliant backer and banded in black PVC edge banding. A new ceiling will be provided that is constructed of 1.5" x 1.5" x.125" of brushed aluminum "T" material and the drop-in panels are constructed of 14-gauge stainless steel #4 material. A new lighting system will be provided with 6 round LED down lights (Temp:3000K, 4 watt LED output produces 269 lumens). New handrails will be provided that are SS #4 finish 2.00" wide x 3/8" solid flat bar and with returned ends. All reveals and a new return will be provided with a SS #4 finish.

Minimum cab interior weight must not exceed 5 % of the current listed weight of the combined cab and safety plank. Total car weight / 5 % = weight that can be added.



Proposal pricing is based on the scope of work as defined herein. Any additional work required will be performed only upon purchaser's approval of a mutually agreeable change proposal. Any other deficiencies revealed in the progress of the work will be promptly reported to the purchaser with recommendations and cost for corrective action.

www.kone.us T-0006289208 9(18)



Services included

KONE 24/7 Connected Services

KONE 24/7 Connected Services is a round-the-clock diagnostics service that gathers data on your equipment's condition. We analyze this data and use it to make intelligent and proactive decisions on how to solve any potential problems – even before they occur. KONE 24/7 Connected Services helps you to optimize the lifetime value of your assets from day one and gives you peace of mind by keeping you fully informed about the condition of your equipment and any maintenance activities we carry out.



KONE 24/7 Emergency Video Communications

KONE 24/7 Emergency Video Communications service, which includes a wireless phone line and monitoring by the KONE Customer Care Center, will be provided during this maintenance period.



KONE Care - Emergency Phone Monitoring

Phone monitoring by the KONE Customer Care Center during the maintenance period.



KONE Care - Wireless Phone Provider Service

A wireless phone line will be provided during the maintenance period.





Tender Approval

KONE Jim Mies 6106 West Plank Road Peoria, IL, 61604 james.mies@kone.com

James C. Mies

Owner/Representative Bob Dunovsky Lincoln City Hall PO Box 509 Lincoln, IL 62656

Submitted by:

Jim Mies Senior Modernization Sales Executive 03/17/2023

We accept the offer constituted by this proposal (total sales price of \$104,822.00) and agree to the conditions contained therein.

Initial Here _____ to accept Voluntary Alternate 1 to include a new cab interior

ADD \$18,644.00

New Total Sales Price with acceptance of Voluntary Alternate 1

\$123,466.00

Approved by Customer

Printed name:

Title:


Company name:

Date:



Appendix 1: KONE 24/7 Connected Services

KONE 24/7 Connected Services - improved safety, full transparency, and peace of mind



In addition to a quality modernization project, we would be excited to discuss KONE 24/7 Connected Services with you and the continuing benefits KONE could bring to your business. KONE is leading the industry with KONE 24/7 Connected Services using the latest intelligent elevator technology allowing us to predict issues and take action before a shutdown occurs. Predictive maintenance allows fewer shutdowns, less call-outs, and improved up-time of equipment - all leading to a better user experience!



Read more at kone.us/connected



Appendix 2: Clarifications

- 1. Contract terms between KONE Inc. and Purchaser shall be based on our Proposal and Attachments "A" and "B".
- All new elevator equipment provided shall meet applicable ASME A17.1 code requirements. Any provisions of codes applicable to out-of-scope items shall be the Purchaser's responsibility. Cost of any future code changes adopted prior to permitting and completion are excluded.
- 3. Existing cab and entrance dimensions, which may not meet current ADA or stretcher access rules, will be retained as is.
- 4. Our proposal includes inspections and testing as required by the AHJ. However, any re-testing required due to other trades' failures to complete their work or tests in a timely manner will be billed at our regular billing rates.
- 5. The ASME code limits changes to the empty car weight + capacity of each elevator to 5% of the originally installed value. If past or proposed changes result in a change to the weight or system pressure (for hydraulic) greater than 5% above the original design values, the cost of any engineering and of any required modifications to the elevator system or structure shall be extra to this proposal scope and pricing. If this situation is discovered during the engineering process, KONE will notify purchaser and recommend an alternate design or other changes.
- 6. In order to provide best pricing, proposal excludes any extra demobilizations and remobilizations. If we must demobilize from the jobsite for any reason outside our control, we shall be compensated at our regular billing rates.
- 7. Proposal pricing is based on the scope of work as defined herein. Any additional work required will be performed only upon Purchaser's approval of a mutually agreeable change proposal. Any other deficiencies revealed in the progress of the work will be promptly reported to purchaser with recommendations and cost for corrective action.
- 8. Asbestos: Notwithstanding anything contained to the contrary within this bid or contract, KONE's work shall not include any abatement or disturbance of asbestos containing material (ACM) or presumed asbestos containing materials (PACM). Any work in a regulated area as defined by Section 1910 or 1926 of the Federal OSHA regulations is excluded from KONE's scope of work without an applicable change order to reflect the additional costs and time. In accordance with OSHA requirements, the Customer shall inform KONE and its employees who will perform work activities in areas which contain ACM and/ or PACM of the presence and location of ACM and/or PACM in such areas which may be contacted during work before entering the area. Other than as expressly disclosed in writing, Customer warrants that KONE's work area at all times meets applicable OSHA permissible exposure limits (PELs). KONE shall have the right to discontinue its work in any location where suspected ACM or PACM is encountered or disturbed. Any asbestos removal or abatement, or delays caused by such, required in order for KONE to perform its work shall be the Customer's sole responsibility and expense. After any removal or abatement, customer shall provide documentation that the asbestos has been abated from the KONE work area and air clearance reports shall be made available upon request prior to the start of KONE's work.
- Purchaser shall provide any security, escort or other building service support personnel required during demolition, installation, testing, and inspections.
- 10. For hydraulic elevators, we can assume no responsibility for unusual conditions such as hole cave in and complete hydraulic cylinder assembly embedded in concrete. The excavation of the hole to accommodate the new hydraulic cylinder assembly is based on encountering soil free of oil, rocks, boulders, building construction members, sand, water, quicksand, underground caves and/or any other obstructions or unusual conditions. Should such obstructions or unusual conditions be encountered, additional time above or beyond the working days estimated to complete this project may be required. We will proceed with this portion of the project on a time and material basis, based on our normal billing rates.
- 11. Proposed solution is subject to a complete engineering review by KONE engineering team to confirm feasibility of products proposed. Additional charges may apply for work not included, but required to meet system requirements. Additional charges for this work (if applicable) shall be mutually agreed upon.

www.kone.us T-0006289208 13(18)



Appendix 3: Bid Attachment "A" / KONE Inc. General Terms and Conditions (Modernization)

1. APPLICATION OF THESE TERMS

The parties agree to be bound by the terms and conditions contained in the Bid Letter, this Bid Attachment A and Bid Attachment B, including the documents incorporated herein by reference (collectively, the "Proposal").

2. SPECIAL PURCHASING REQUIREMENTS

This Proposal is made without regard to compliance with any special sourcing and/or manufacturing requirements including, but not limited to, Buy America, Buy American, U.S. Steel, FAR clauses, minority / disadvantaged supplier requirements or similar federal and/or state procurement laws. Should such requirements be applicable to this Project, KONE reserves the right to modify and/or withdraw its Proposal.

3. PROPOSAL CONDITIONS

The Proposal shall be open for acceptance within the period stated in the Bid Letter or, when no period is stated, for a period of 30 days from the date of the Bid Letter. Prior to commencing manufacture of the equipment described in the Bid Letter ("Equipment"), KONE must have (i) a fully executed contract; (ii) a schedule acceptable to KONE identifying the Equipment installation start date, or alternatively, KONE's letter specifying the ship date ("Ship Date Letter") signed by Customer, which, as applicable, is incorporated by reference herein; (iii) the first payment in Section 4 herein; and (iv) fully approved KONE layouts.

4. PAYMENT TERMS

Payment of the total Price is due within 30 days from invoice date, as follows:

- 30% of the Price for engineering, site management, and overhead, billable and due upon execution of this Proposal or receipt of the subcontract;
- 50% of the Price for material and shipping, billable and due upon delivery of material to the jobsite or KONE Distribution Center:
- 20% of the Price for Equipment installation, billable and due at the billing cycle following the start of installation.

KONE imposes a surcharge for payments made via credit card that is not greater than our cost of acceptance. The surcharge that we impose for this type of transaction is a percentage of the amount paid via credit card, which will be notified to the Customer at the payment portal. KONE reserves the right to delay, suspend, or stop the work, including manufacturing, delivery, installation and/or Equipment turnover, for non-payment, without liability to KONE or being held in default. Simple interest at 1.5% per month shall be charged on amounts not paid when due. Payments to KONE are not contingent on any third-party payments to Customer. Customer shall reimburse KONE for all costs of collection, including courts costs and reasonable attorneys' fees.

Prior to tumover, KONE must be paid in full, less 10% maximum retention, the Price including all change orders. Retention shall be due and payable within 30 days of execution of the Uniform Final Acceptance or Equipment turnover, whichever occurs first. If certified payroll reporting is required, KONE will submit the requested reporting in the format of the U.S. Department of Labor form WH 347 & WH 348. The Price does not include Textura or any other special billing requirements, which can be added via change order at a rate of 0.3% of the Price.

5. INSTALLATION

Customer shall be responsible for procurement and cost of all permits, except permits related to installation of the Equipment. Where KONE's scope of work or other responsibilities include the obligation to utilize materials and/or finishes resembling or identical to those pre-existing in the building, KONE shall use reasonable efforts to procure such materials and Customer acknowledges and accepts that the materials and/or finishes reasonably available may not be in all respects identical to those pre-existing in the building. This Proposal is conditioned upon KONE using its standard installation method. The installation of the Equipment shall start after Customer has completed all work set forth in Bid Attachment B and any other documents describing site requirements ("Site Requirements"), all of which are incorporated by reference herein. Within two (2) weeks prior to the scheduled delivery date for KONE's materials, KONE shall conduct a standard visual site survey to verify that the Site Requirements are complete and notify Customer if there are outstanding deficiencies preventing KONE from beginning installation.

KONE's site survey may include, but is not limited to, inspection of site access, working and safety conditions on site, wear and tear of any existing structures or surfaces, and planning of any dismantling or removal of existing equipment, components and materials, where applicable. KONE shall not be deemed to have surveyed any hidden structures, latent defects, subsurface conditions, or other non-visible matters, including but not limited to searching for hazardous substances and/or materials, which shall be subject to Section 16. If KONE's site survey reveals any deficiencies, KONE shall be entitled to delay the start of installation and Customer shall be responsible for all additional costs incurred by KONE, including without limitation, costs associated with: labor reallocation, re-directing materials to and storage in a KONE Distribution Center, additional labor for double handling of materials, and additional trucking, freight and insurance. Once the Site Requirements are completed, the start of installation shall be subject to the availability of labor and the delivery of material, if applicable.

KONE's work shall be performed during regular union working hours of regular working days, Monday to Friday, statutory holidays excluded. If overtime is mutually agreed upon and performed, the additional costs for such work shall be added to the Price at KONE's standard overtime rates. If the installation cannot be performed in an uninterrupted manner for any reason beyond KONE's control, Customer shall store the Equipment at Customer's cost and compensate KONE for any costs caused by such delay including, but not limited to, double handling of Equipment and demobilization. KONE shall not be required to perform overtime or any Customer directed change to its work ("Extra Work") without an executed change order. No action by KONE, including but not limited to, performing Extra Work without an executed change order, shall be a waiver of KONE's right to seek payment for Extra Work performed.

KONE shall be entitled to an extension of time and an equitable adjustment in the Price, including but not limited to, any increased costs of labor, including overtime, resulting from any change of schedule, re-direction of KONE personnel to another work area, acceleration, or out of sequence work.

KONE shall take reasonable methods to protect its work-in-place while KONE is actively on site and until execution of a KONE Uniform Final Acceptance, which is incorporated by reference herein. Should damage occur to KONE property, material or work-in-place by fire, water, theft or vandalism, Customer shall compensate KONE for said damages.

www.kone.us T-0006289208 14(18)



Additionally, the Customer is solely responsible for ensuring that the equipment maintenance contractor, if not KONE, does not disturb, delay or interfere with KONE's work. KONE shall abide by Customer's safety policies and procedures to the extent such policies and procedures are not in conflict with KONE's Safety Policy. Testing and/or security features of Equipment must be completed before Equipment turnover. KONE is not responsible for damages, either to Equipment or the building, or for any personal injury or death, arising out of or resulting from any code required safety tests performed on Equipment or hoistway access granted by Customer to other trades.

6. TEMPORARY USE

Temporary use of certain types of Equipment may be permitted, provided the use period allows adequate time for Equipment restoration for final turnover and Customer executes KONE's Temporary Use Agreement. Temporary use shall be invoiced separately and subject to payment terms in Section 4 herein. At the end of temporary use, Customer shall return the Equipment to KONE in "like new" condition.

7. HAZARDOUS MATERIALS

KONE's work shall not include any abatement or disturbance of asbestos containing material ("ACM"), presumed asbestos containing materials (i.e. lead, PCBs) (collectively "HazMat"). KONE shall have the right to discontinue its work in any location where suspected HazMat is encountered or disturbed. Any HazMat removal or abatement, or delays caused by such, required in order for KONE to perform its work shall be Customer's sole responsibility and expense. Should any HazMat abatement occur within the shaft or machine room, Customer shall execute KONE's Hoistway or Pit Access Request. If any HazMat is known to be present on site before the start of work, HazMat removal or abatement shall be completed prior to KONE scheduling installation and delivering material.

8. TITLE AND RISK TO EQUIPMENT

Title to and ownership of all Equipment intended for incorporation in KONE's work, whether installed or stored on or off site, shall remain with KONE until final payment is made. Risk of loss in KONE's work and Equipment passes to Customer upon delivery to the site or off-site storage.

Any tools, devices, or other equipment that KONE uses to perform its work or monitor the Equipment remains the sole property of KONE. If this Proposal terminates or expires for any reason, Customer will give KONE access to the premises to remove such tools, devices or equipment at KONE's expense.

9. TURNOVER

Prior to turnover, KONE must receive a final punch list. Upon turnover, KONE requires a signed Uniform Final Acceptance. KONE shall provide its standard electronic O&M manuals with CD-ROMs in electronic format, if applicable, upon execution of the Uniform Final Acceptance. Standard KONE samples shall be provided upon request. No mock-ups or video training are included in the Price.

10. DELAY

KONE shall not be liable for any loss, damage, claim, or delay due to any cause beyond KONE's control, including, but not limited to, acts of domestic or foreign government (including a change in law), strikes, lockouts, work interruption or other labor disturbance, delays caused by others, fire, explosion, theft, floods, inclement weather, riot, civil commotion, war, malicious mischief, infectious diseases, epidemic, pandemic, quarantine, border or port of entry and exit restrictions or acts of God.

In the event of such delays, KONE shall be entitled to an extension in time equal to the length of such delay affecting KONE and an equitable adjustment in the Price. Customer shall compensate KONE for labor and material cost escalations resulting from Project delays not caused by KONE, which extend completion of KONE's work beyond the end of the current calendar year. Customer is on notice that IUEC labor rates increase annually.

11. LIMITED WARRANTY

For one (1) year after the acceptance date set forth in the signed Uniform Final Acceptance, date of Equipment turnover, or date of Customer's use of Equipment (unless such use is pursuant to the Temporary Use Agreement), whichever occurs first, KONE warrants Equipment against defect in workmanship and material. The warranty excludes remedy for damage or defect caused by abuse, misuse, vandalism, neglect; repairs, alteration or modifications not executed by KONE: improper or insufficient maintenance, improper operation, characteristics of the building such as electrical power or security features, natural or other catastrophe such as flood, fire, or storm, or normal wear and tear and normal usage. The warranty excludes training or instruction in the proper operation or maintenance of Equipment. Specific noise ratings and energy efficiencies cannot be guaranteed due to different building characteristics and ambient noise levels. Customer's remedy is limited to repair or replacement of a defective part, in KONE's sole discretion, and excludes labor.

12. INDEMNIFICATION

KONE shall only indemnify and hold Customer harmless for claims, damages, losses or expenses, but excluding loss of use ("Claims") due to bodily injury, including death, or tangible property damage (other than the Project or KONE's work itself) to the extent caused by KONE's negligent acts or omissions. KONE shall not indemnify Customer for any other Claims. Customer agrees to indemnify and hold KONE harmless from any Claim for bodily injury, including death, or tangible property damage in connection with the use or operation of the Equipment. Each party shall defend itself in the event of a Claim.

13. INTELLECTUAL PROPERTY

KONE shall retain title and ownership of all intellectual property rights relating (directly or indirectly) to the Equipment provided by KONE, including but not limited to software or firmware (whether in the form of source code, object code or other), drawings, technical documentation, or other technical information delivered under the Proposal. KONE grants Customer a non-exclusive and non-transferable license and right to use the software and firmware in connection with the use and maintenance of the Equipment. Customer shall not use any drawings, technical documentation or other technical information supplied by or on behalf of KONE for any purposes other than those directly related to the Proposal or to the use and maintenance of the Equipment. Customer shall not in any form copy, modify or reverse engineer the software, or give access to the software for such use to any third party without KONE's prior written consent.



14. INSURANCE

In lieu of any Customer insurance requirements, KONE shall provide its standard certificate of insurance, which shall be deemed to satisfy all insurance requirements for this Project. KONE shall not provide loss runs, insurance rate information, copies of its insurance policies or any other information which KONE considers confidential. KONE shall not provide coverage for professional (E&O) liability, pollution liability, data privacy/security, or no-fault medical payments. If the Project is covered by a Wrap Up Insurance Program, KONE agrees to participate provided there is no cost to KONE, no reduction in the Price, and subject to KONE's review of the proposed program. If KONE's primary limits are sufficient to satisfy insurance coverage requirements, excess/umbrella liability will not be required or if excess/umbrella is required, KONE's excess coverage does not follow form although typically provides broader coverage than KONE's primary policies. The excess coverage is not AM Best Rated nor licensed to do business within the jurisdiction although the carrier has strong Standard & Poor's and Moody's financial ratings that may be evidenced upon request.

15. LIMITATION OF LIABILITY

In no event shall either party be liable to the other party for any consequential, special, punitive, exemplary, liquidated, incidental, or indirect damages (including, but not limited to, loss of profits or revenue, loss of goodwill, loss of use, increase in financing costs) (collectively, "Consequential Damages") that arise out of or relate to this Proposal even if such party has been advised of the possibility of such Consequential Damages. The limitation set forth in this section shall apply whether the claim is based on contract, tort or other theory.

16. CONCEALED OR UNKNOWN CONDITIONS

If during the course of its work, KONE encounters conditions at the site that are subsurface, differ materially from what is represented in the contract documents, or otherwise concealed physical conditions, KONE shall be entitled to an extension of time and additional costs for the performance of its work, which shall not be subject to any payment conditions or contingencies.

17. TECHNICAL SURVEY

KONE's Price and obligations under this Proposal are subject to a technical survey to be performed on Customer's existing units within 90-days of the effective contract start date. If a safety hazard or code violation is identified during KONE's technical survey, Customer shall immediately remove the unit from service until repairs are performed. KONE is not obligated to perform tests, correct outstanding violations or deficiencies that were not addressed by the prior service provider and/or the owner, or make related necessary repairs or component replacements on the unit. If additional work is necessary, KONE shall provide a separate proposal or recommendation for such work. Customer agrees to indemnify, defend, and hold KONE harmless for any claims arising out of Customer's failure to comply with KONE's recommendations and proposal, and any obligation on the part of KONE to indemnify or defend Customer with regard to such claim shall be null and void. If Customer does not immediately approve KONE's proposal or recommendation, KONE reserves the right to terminate this Proposal/contract without penalty.

18. TERMINATION

If a party materially breaches this Proposal, the other party shall provide written notice of the breach and a reasonable time to cure the breach, but in no event less than 30 days. If the breaching party fails to cure the breach within the specified time period, the non-breaching party may terminate the Proposal upon 15 days written notice to the other party. If KONE notifies Customer of a material breach pursuant to this paragraph, KONE may temporarily suspend its work without liability.

19. GOVERNING LAW AND DISPUTE RESOLUTION

The parties agree that this Proposal shall be governed by the laws of the state where the Project is located, and venue for disputes shall be located in that state. KONE does not agree to participate in arbitration proceedings.

20. PRICE ADJUSTMENT

KONE shall be entitled to an equitable adjustment in the Price, including but not limited to, any increased costs between the time the Contract is signed and the date of manufacture for materials, labor, or shipping, as well as increased costs resulting from any change in law or tariffs.

21. 24/7 EMERGENCY VIDEO COMMUNICATIONS

Applicable only for projects where KONE 24/7 Emergency Video Communications is included: The KONE 24/7 Emergency Video Communications contract addendum and General Terms and Conditions for KONE Digital Services must be signed by the Building Owner. This contract addendum requires the Building Owner to pay a feo for audio, video, and data connectivity. This payment obligation, among other provisions, survives termination of any maintenance agreement.

22. MISCELLANEOUS

This Proposal, including the documents incorporated herein by reference, constitutes the entire agreement of the parties and supersedes all prior negotiations, understandings, and representations whether written or oral in relation to the subject matter hereof. Where a conflict or ambiguity exists between this Proposal and any other contract document (including but not limited to, Customer's drawings and specifications), the terms and conditions of this Proposal shall control. This Proposal may be amended only in writing by the duly authorized representative of both parties. This Proposal may be executed in one or more counterparts. Each counterpart shall be considered an original and all of the counterparts shall constitute a single agreement binding all the parties as if all had signed a single document. For purposes of executing this Proposal, a document signed by electronic means is to be treated as an original document. The failure of either party to insist upon performance or strict performance of any of the terms or conditions of this Proposal shall not be deemed a waiver of any rights or remedies that such party may have or a waiver of any subsequent breach or default under this Proposal. Neither party may assign or transfer the benefit or burden of this Proposal without prior written consent of the other party.



Appendix 4: Bid Attachment "B" / Site Requirements & Work by Other Trades

The work described below is a summary of work to be performed by others ("Work by Other Trades") that may be required in conjunction with the elevator modernization performed by KONE (the "Work"). Purchaser shall provide any and all building electrical, structural and mechanical system upgrades required for code compliance, life safety, and proper equipment installation and operation. The Authorities Having Jurisdiction (AHJ) may require additional remedial or preparatory work. All required remedial or preparatory work shall be performed by properly licensed trade contractors in compliance with applicable codes and based on a schedule of performance that allows for uninterrupted progress of the Work. Under no circumstances shall KONE be responsible for any cost associated with the performance of remedial work by others. Purchaser shall provide the following unless specifically included in KONE's Work:

1. ELECTRICAL

- A properly rated three phase fused disconnect switch, externally operable and lockable in the open position, located as required by code. Accommodate any increases in motor size or feeder loads.
- A dedicated 110 VAC fused disconnect switch, externally operable and lockable in the open position adjacent to the machine room door for cab lighting and ventilation, located as required by code.
- Shunt-trip disconnect if fire sprinklers are present in machine room or hoistway.
- GFI 120 VAC convenience outlets in machine room and oit.
- Separate outlet in the pit area if a sump pump is installed.
- Telephone line service brought to the elevator machine room for emergency communication device.
- Any required RF shielding of TV or radio transmitters, antennae and/or wave-guides.
- Conduit with pull boxes from each elevator bank to any remote fire control or communication panels specified.
- Provide a separate 15-amp, 115 VAC fused service with ground (powered by building emergency power system, when available) for KONE 24/7 Emergency Communications, when specified. Must include the means to disconnect each service and lock-off in the "open" position (NFPA 70 article 620.22 and 620.53 or CEC article 38.22 and 38.53).

If required by building code: standby/emergency power, sufficiently sized to provide power of permanent characteristics to each elevator's disconnect, simultaneously, upon loss of regular power, including feeders, transfer switches and auxiliary contact signal outputs to elevator controllers.

2. MACHINE ROOM

- A code-compliant machine room. Provide or maintain fire rating as required by building code.
- Fire-rated door for access into the machine room. Door shall be self-closing and self-locking, operable from inside the room without the use of a key.
- Independent ventilation or an air conditioning system for the elevator machine room, to assure temperature is maintained between 65 degrees and 95 degrees
- · Fire extinguisher inside machine room.
- Minimum clear machine room height of 7'-0".
- Suitable lighting that provides a minimum of 19 ftc at floor.
- Removal of any non-elevator related equipment and materials from within the machine room and proper disposal of oil and other hazardous or non-hazardous substances and materials.

3. HOISTWAY

- A code-compliant hoistway, constructed in accordance with KONE's requirements and specifications. Provide or maintain fire rating as required by building code.
- Patching of all holes in hoistway walls with fire rated material.
- Beveling all ledges within hoistway measuring over 4".
- Removal of any non-elevator related equipment and materials from within the hoistway and proper disposal of oil and other hazardous or non-hazardous substances and materials.
- A guarded light fixture and light switch in pit. Switch must be located 42" above the lowest landing floor level.
- A means of displacing water located in the pit and containing and disposing of oil, chemicals, and other substances in compliance with environmental laws and regulations (KONE assumes no responsibility for discharge of oil, chemicals, and other substances into storm water systems, sanitary sewer systems, retention ponds, etc.). Elevator hoistway ventilation to the outside atmosphere as required by building code.

4. FIRE SERVICE

- Fire alarm smoke detectors with wiring and relays in the machine room terminating at elevator controller.
- Fire alarm initiating devices must be located in front of each elevator entrance as well as in the machine room and at the top of the hoistway.
- Where sprinklers exist in the machine room and/or hoistway, a fire alarm initiating device within 12" of each sprinkler head.



5. ACCESS INTEGRATION/SECURITY

- Our proposal includes KONE logic and provisions for the specified Touchscreen(s), Keypad Destination Operating Panel(s), Monitoring System(s) and Multi-Media Equipment.
- Card Readers and/or any additional required hardware & software for proper functionality of access control/security system(s) shall be furnished and installed by others.
- Any required software to ensure proper communication between KONE control system(s) and building system(s) shall be the responsibility of others.
- A designated 115V 15A circuit is required at each of the remote monitoring stations.
- KONE recommends a minimum 100 Mbit/s Ethernet for each of the following application(s): Integrated Touchscreen/Keypad Destination Operating Panels, Monitoring System, Multi-Media Equipment, and Card Readers.

6. COUNTERWEIGHTING

 Pricing is based upon the existing car to counterweight weight ratio being consistent with elevator industry standards. This is defined as the counterweight weight being equal to the empty car weight plus 40%. The actual assemblies will be weighed during the modernization process. If modifications are required to correct the existing weight balance, these modifications will be provided at additional cost.

7. RK1 FUSES AND CIRCUIT BREAKERS

Fuses are to be current limiting class RK1 or equivalent.
 Circuit breakers are to have current limiting characteristics equivalent to RK1 fuses. Provisions of these fuses are the responsibility of others, not KONE.

8. GENERAL

- Access to the building to perform the Work and for deliveries with dry, protected storage adjacent to the hoistway.
- Cutting of existing walls, floors and finishes, together with all repairs made necessary by such cutting or changes, e.g. cutting of lobby walls for flush hall fixtures and removal of encroaching lobby features such as wallmounted ashtrays. Removal, replacement, and/or repair of any mirrors, millwork, plaster, stone or other special hall finishes.
- All work of other trades must be complete and ready at time of first elevator inspection, or elevator will not be released for operation by the AHJ. If the AHJ does allow temporary operation under a Temporary Operating Inspection (TOI), any associated costs shall be Purchaser's responsibility.
- Our tender is based on suitable site conditions, material and tooling storage space, and bathroom access being available on site.
- Safe working environment must be provided and supported by provision for adequate entrance protection, means of hoisting, hoistway dividing screens, and protection of floors walls and doors etc.
- Emergency evacuation procedures to be clearly defined where required. Subject to site survey and actions agreed.
- Any portion of the Work that is subject to the permissions
 of local authorities beyond the elevator permits must be
 identified to KONE. Responsibility for permits to be
 agreed. Permits and appropriate signage indicating any
 changes to pedestrian access routes for building users
 must be in place prior to start of the Work.
- Elevator installation methods requires the integrity of the existing Safety Gear and Overspeed protection devices, and are therefore subject to verification of suitability prior to commencement of the work. Any remedial work required or alternative solution is not included in this
- If KONE 24/7 Emergency Video Communications: For units with travel greater or equal to 60 ft (18 m), or if located in a seismic zone and the code year is 2016 or later (regardless the travel): Customer will provide a dedicated Windows-based PC or laptop with Chrome browser and 24-hour/day Internet access. This computer must be accessible by emergency personnel to communicate through voice and text with people in the elevator and to have a video display of the cab interior.

www.kone.us T-0006289208 18(18)

OMNIA PARTNERS COOPERATIVE

City of Lincoln has been a member with Omnia Partners since 2012.

- Robert Tackett

No cost to the city to use Omnia Partners.

Omnia Partners helps provide outside vendors such as Kone.

Kone would over see this project in every category.

Omnia Partners has worked with ARPA funds prior.

Main point of contact: Name: Jasmine Harris Phone: 615-326-5480

Email: Jasmine. Harris@omniapartners.com